INCH-POUND

A-A-60072
May 27, 2025

COMMERCIAL ITEM DESCRIPTION

SHIRT, WELDING, FLAME RESISTANT (FR)

The General Services Administration has authorized the use of this Commercial Item Description (CID) by all federal agencies.

1. SCOPE. This CID covers the requirements for shirt, welding flame resistant (FR) that is part of the Welding Individual Protective Safety (WIPS) ensemble, used by welders across the Department of Defense, and are intended to be used in a shop environment.

2. CLASSIFICATION.

2.1 Size. The Welding Shirt FR shall be in the following six (6) sizes.

SIZE SCHEDULE

Extra Small (XS), Small (S), Medium (M), Large (L), Extra Large (XL), Extra-Extra Large (2XL)

3. SALIENT CHARACTERISTICS.

3.1 Description. The shirt welding FR shall be a long-sleeved shirt with a collared top. It shall have a front closure with a minimum of six (6) metal snaps. The snaps shall have an inner placket on the wearer's right for the female or male snap. The placket shall cover the female or male snap caps, so the snaps do not make contact with the wearer. The shirt shall have male snaps on one side and female snaps on the other side. The sleeve cuffs shall be fitted at the wrist with one (1) or two (2) female or male metal snap closures on each underside top cuff and the snap shall be covered on the inside of the cuff, so it does not make contact with the wearer. There shall be one (1) male or female metal snap on the top part of the cuff, that shall fasten to the female or male snaps on the underside of the top cuff.

Comments, suggestions, or questions on this document should be sent to trpsptctstandardiz@dla.mil. Since contact information can change, verify the currency of the address information using Acquisition Streamlining and Standardization Information System ASSIST online database https://assist.dla.mil.

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

3.2 Material.

3.2.1 Base material. The materials shall be in accordance with NFPA 2112 requirements as well as the test methods specified in Table I.

3.2.2 Color. The color shall be as specified in the contract or purchase order. No color shall be reflective, metallic, or neon.

3.3 Requirements. The finished shirt shall conform to the physical requirements specified in Table I.

TABLE I. Physical requirements and test methods.

Characteristic	Minimum Requirement	Test Method
Molten metals 1/ Class (minimum)	Class 1 PPE 2/	ISO 9150 3/

1/ Required only for First Article Testing. If material has been previously tested this can be waived.
2/ Requirement derived from ISO 11611.
3/ 10 samples.

3.4 Components.

3.4.1 Thread. The thread used shall be a para-aramid or meta-aramid commercially acceptable thread.

3.4.1.2 Closures (snaps). The closures (snaps) shall be high temperature resistant and shall not become defective if exposed to welding slag.

3.4.2 Identification label. All components shall have a commercial identification label sewn in. The label shall be in accordance with MIL-DTL-32075, Type VI Class 1. The commercial label shall contain the following information:

NSN: XXXX-XX-XXX-XXXX
ITEM NAME:
CONTRACT NUMBER:
CONTRACTOR'S NAME:
SIZE:
PART NUMBER:

3.5 Finished measurements. The finished shirt shall conform to measurements as specified in Table II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE II. Sizes and finished measurements, shirt welding FR shop garment (inches).

Sizes	Back Length 1/	Half Chest 2/	Sleeve Length 3/	Half Sweep 4/
XS	29-1/4	21	20-1/4	20-1/2
S	30	22	20-3/4	21-1/2
M	30-3/4	23	21-1/4	22-1/2
L	31-1/2	24	21-3/4	23-1/2
XL	32	25	22-1/4	24-1/2
2XL	33	26	22-3/4	25-1/2
Tolerance	±0.5	±0.5	±0.25	±0.5

1/ Back length - Measure along center back from collar joining seam to bottom edge of coat.
2/ Half chest - With closures clasped or buttoned, lay coat flat on table and measure in line with arm pit of armhole from outside folded edge to opposite outside folded edge.
3/ Sleeve length - Measure along underarm seam from sleeve joining seam to bottom of sleeve (including cuff).
4/ Half sweep - With slide fastener closed, hook and loop fasteners attached, lay coat flat on table and measure across bottom outside folded edge to opposite outside folded 2.

3.6 Toxicity. Unless otherwise specified in the contract or procurement documents (see 7.4), the finished shirt shall not present a health hazard and shall show compatibility with prolonged, direct skin contact when tested as specified in 3.6.1.

3.6.1 Toxicity test. When the toxicity requirement (see 3.6) can be demonstrated with historical use data, on the finishing treatments used, toxicity testing may not be required (see 7.1.3).

3.7 Workmanship. The finished welding shirt shall conform to the quality of the product established in this document. The welding shirt shall be free from defects (see 5.4) which would affect serviceability, appearance, useability, uniformity and quality assurance standards defined by the technical data in the procurement documents.

4. REGULATORY REQUIREMENTS. Unless otherwise specified, the offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation FAR, or the sustainable acquisition of EO 13693; as applicable. (See 7.1.2 and 7.1.4).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The shirt shall meet the salient characteristics of this CID conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

5.2 Market acceptability. The finished shirt offered must have been sold to the government or commercial market.

5.3 End item inspection procedures. Sampling for inspection shall be conducted in accordance with ASQ/ANSI Z1.4 - Sampling Procedures and Tables for Inspection of Attributes (see 7.2.1).

5.4 Visual examination. Each finished shirt shall be examined for the defects listed in Table III as defined in ASTM D3990. Defects shall not exceed the acceptance criteria (see 5.5).

TABLE III. Visual examination defects.

Material defects: Any hole, cut, tear, permanent fold, pleat, or crease; any spot or stain on outside, discoloration or color not as specified, any serious material defects or objectionable odor.
Closures: Non-functioning snaps/zippers, and missing snaps.
Stitches, seams and stitching: Loose or tight stitching tension, broken or skipped stitches, needle chew, any part caught in an unrelated operation or stitching, raw edge, thread ends not removed, any seam slippage, re-stitching, pleating or puckering; distorted, open, pulled or snagged stitches, twisted, ragged or inconsistent edge.
Labels: Label(s) missing, incorrect, or illegible.

5.5 Acceptance criteria. Acceptance criteria shall be as specified in the contract or procurement documents (see 7.4).

6. PACKAGING. The preservation, packing and marking shall be as specified in the contract or order (see 7.4).

7. NOTES.

7.1 Source of Government documents:

7.1.1 Copies of Government documents are available online at https://quicksearch.dla.mil.

7.1.2 Federal Acquisition Regulations (FAR) are available online at https://acquisition.gov.

7.1.3 Toxicity testing is outlined in the following references:
Skin Sensitization 406 and Dermal Irritation 404 (https://www.oecd-ilibrary.org/environment/oecd-guidelines-for-the-testing-of-chemicals-section-4-health-effects_20745788?page=1).

Dermal Sensitization (https://www.law.cornell.edu/cfr/text/40/798.4100).
Dermal Toxicity (https://www.law.cornell.edu/cfr/text/40/798.2250).

7.1.4 EPA and EO 13834 information is available online at https://www.epa.gov and https://www.fedcenter.gov/programs/eo13693/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

7.2 Source of non-Government documents.

7.2.1 ASQ/ANSI Z1.4 – Sampling Procedures are available online at https://asq.org.

7.2.2 ASTM Standards are available for purchase online at https://www.astm.org.

7.2.3 ISO Standards are available for purchase online at https://www.iso.org.

7.2.4 NFPA Standards are available for purchase online at https://www.nfpa.org.

7.3 Intended use. The shirt, welding FR are intended to be used by male and female welders across the Department of Defense. Components within the ensemble are intended to be configured for two (2) use cases: shop environment and combat environment.

7.4 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this CID.
b. Component sizes required (see 2.1).
c. Color required (see 3.2.2).
d. When toxicity testing is required (see 3.6).
e. Product conformance (see 5).
f. Acceptance criteria (see 5.5).
g. Packaging requirements (see 6).

7.5 Key words.

Protection
Shop environment
WIPS

7.6 National Stock Number (NSNs) The following NSN and part number have been assigned that correspond to this shirt welding FR CID. This list may not be indicative of all possible NSNs associated with the CID and are provided for reference only.

NSNs #	Sizes	Parts #
8415-01-722-0145	XS	1070FRN-XS
8415-01-722-0147	S	1070FRN-S
8415-01-722-0148	M	1070FRN-M
8415-01-722-0162	L	1070FRN-L
8415-01-722-0163	XL	1070FRN-XL
8415-01-722-0164	2XL	1070FRN-XXL

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST

CIVIL AGENCY COORDINATING ACTVITY:
GSA-FAS

Custodians:
Army - GL

Preparing activity
DLA-CT

(Project 8415-2025-009)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using ASSIST Online database at https://assist.dla.mil .

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.