INCH-POUND

A-A-60077
May 9, 2025

COMMERCIAL ITEM DESCRIPTION

HELMET, WELDERS

The General Services Administration has authorized the use of this Commercial Item Description (CID) by all federal agencies.

1. SCOPE. This CID covers the requirements for the helmet, welders that is part of the Welding Individual Protective Safety (WIPS) ensemble, used across the Department of Defense, and are intended to be used in a shop environment.

2. CLASSIFICATION.

2.1 Size. The helmet welders shall be one size (OS) fits all.

3. SALIENT CHARACTERISTICS.

3.1 Description. The helmet shall meet ANSI Z87.1, which should be indicated on the packaging or helmet by a “ANSI Z87+". The helmet shall have an active or passive auto-darkening filter that can, at a minimum, auto-darken in shade levels spanning 5-13 when active. If a passive shade filter is required, it shall be installed in the helmet or separately furnished with the helmet. The helmet shall have an option to maintain a shade level between 2 and 4 when the auto-darkening filter is passive. The helmet shall have the ability to manually adjust the sensitivity of the auto-darkening functionality. The helmet shall have a minimum of three (3) light sensors, and it shall have one (1) or two (2) commercially available standard disposable non-rechargeable batteries, such as non-rechargeable CR2032 or CR2450 batteries, that shall be installed or separately furnished with the helmet. The welding helmet shall have a button or knob to switch between manual and automatic functionality. The helmet shall contain headgear that is removable and provides a means of affixing the helmet to the head securely.

3.2 Material.

Comments, suggestions, or questions on this document should be sent to trpsptctstandardiz@dla.mil. Since contact information can change, verify the currency of the address information using Acquisition Streamlining and Standardization Information System ASSIST online database https://assist.dla.mil.

AMSC N/A FSC 4240

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

3.2.1 Components. The helmet shall be in accordance with the requirements and test methods specified by ANSI Z87.1 (see 7.2.1).

3.2.2 Helmet, power supply. The item shall have one (1) or two (2) commercially available standard disposable non-rechargeable batteries, such as non-rechargeable CR2032 or CR2450 batteries.

3.2.3 Color. The color shall be as specified in the contract or purchase order. No color shall be reflective, metallic, or neon.

3.3 Requirements.

3.3.1 Identification label. All components shall have a commercial identification label stamped or printed. The label shall be in accordance with MIL-DTL-32075, Type VI Class 4. The commercial label shall contain the following information:

NSN: XXXX-XX-XXX-XXXX
ITEM NAME:
CONTRACT NUMBER:
CONTRACTOR'S NAME:
PART NUMBER:

3.4 Toxicity. Unless otherwise specified in the contract or procurement documents (see 7.4), the finished helmet shall not present a health hazard and shall show compatibility with prolonged, direct skin contact when tested as specified in 3.4.1.

3.4.1 Toxicity test. When the toxicity requirement (see 3.4) can be demonstrated with historical use data, on the finishing treatments used, toxicity testing may not be required (see 7.4)

3.5 Workmanship. The finished helmet shall conform to the quality of the product established in this document. The helmet shall be free from defects which would affect serviceability, appearance, uniformity, usability, and quality assurance standards defined by the technical data in the procurement documents.

4. REGULATORY REQUIREMENTS. Unless otherwise specified, the offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation FAR, or the sustainable acquisition of EO 13693; as applicable. (See 7.1.2 and 7.1.4).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The helmet shall meet the salient characteristics of this CID conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

5.2 Market acceptability. The finished helmet offered must have been sold to the government or commercial market.

5.3 End item inspection procedures. Sampling for inspection shall be conducted in accordance with ANSI/ASQ Z1.4 - Sampling Procedures and Tables for Inspection of Attributes (see 7.2.1).

5.4 Visual examination. Each finished helmet shall be examined for the defects listed in Table I as defined and shall not exceed the acceptance criteria (see 5.5).

TABLE I. Visual examination defects.

Material defects: Any hole, cut, or tear; any spot or stain on outside, discoloration or color not as specified, any serious material defects or objectionable odor.
Labels: Label(s) missing, incorrect, or illegible. Stamping of Z87+ is missing.

5.5 Acceptance criteria. Acceptance criteria shall be as specified in the contract or procurement documents (see 7.4).

6. PACKAGING. The preservation, packing and marking shall be as specified in the contract or order (see 7.4).

7. NOTES.

7.1 Source of Government documents:

7.1.1 Copies of Government documents are available online at https://quicksearch.dla.mil.

7.1.2 Federal Acquisition Regulations (FAR) are available online at https://acquisition.gov.

7.1.3 Toxicity testing is outlined in the following references:
Skin Sensitization 406 and Dermal Irritation 404 (https://www.oecd-ilibrary.org/environment/oecd-guidelines-for-the-testing-of-chemicals-section-4-health-effects_20745788?page=1).

Dermal Sensitization (https://www.law.cornell.edu/cfr/text/40/798.4100).
Dermal Toxicity (https://www.law.cornell.edu/cfr/text/40/798.2250).

7.1.4 EPA and EO 13693 information is available online at https://www.epa.gov.

7.2 Source of non-Government documents.

7.2.1 ASQ/ ANSI Z1.4 – Sampling Procedures are available online at https://asq.org.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

7.3 Intended use. The helmet welders are intended to be used by male and female welders across the Department of Defense. Components within the ensemble are intended to be configured for shop environment.

7.4 Ordering data. Acquisition documents should specify the following

a. Title, number, and date of this CID.
b. Component sizes required (see 2.1).
c. Color required (see 3.2.3).
d. When toxicity testing is required (see 3.4).
e. Product conformance (see 5).
f. Acceptance criteria (see 5.5).
g. Packaging requirements (see 6).

7.5 Key words.

Protection
Shop environment

7.6 National Stock Number (NSNs). The following NSN and part number have been assigned that correspond to this helmet CID. This list may not be indicative of all possible NSNs associated with the CID and are provided for reference only.

NSNs #	Size
4240-01-721-8008	(OS)

MILITARY INTEREST

Custodians:
Army - GL

CIVIL AGENCY COORDINATING ACTVITY:
GSA-FAS

Preparing Activity
DLA-CT

(Project 4240-2025-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using ASSIST Online database at https://assist.dla.mil .

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.