METRIC
A-A-82587A
28 December 2012
SUPERSEDING
A-A-82587
31 August 1988

COMMERCIAL ITEM DESCRIPTION

TRAP, FLYING INSECTS, ELECTROCUTING

The General Services Administration has authorized the use of this commercial item description as for use in all federal agencies.

1. SCOPE. This commercial item description describes industrial type, heavy duty electrocuting devices used for surveillance and control of indoor flying insects.

2. CLASSIFICATION. The devices shall be classified by the following types and classes:

2.1 Type. The type shall be one of the following:

Type I – Wall Mount
Type II – Ceiling Mount
Type III – Corner Mount
Type IV – Portable

2.2 Class. The class shall be one of the following:

Class A – ≥ 80 Watt
Class B – 15 - 75 Watt

3. SALIENT CHARACTERISTICS

3.1 Electrical. The trap shall operate from a 115 volt, 60 hertz, A.C. power source or from an optional 220 volt, 50 hertz A. C. power source (see notes). The amperage draw shall be no greater than 5 amps. The grid voltage shall not exceed 5000 volts or 10 milliamperes. The power cord shall be not less than 1.8 meters (6 feet) in length and shall be of 3 wire grounded construction.

3.2 Attractant Lamps. The attractant lamps shall consist of two or three special 45.72 cm (18”) 15 watt/25 watt or 60.96 cm (2-feet) 40 watt ultraviolet (UV-A) fluorescent lamps. The maximum energy of the bulbs shall be emitted within wavelengths of 330 to 370 nanometers. The lamps shall be a minimum of 15 watts each and no greater than 60.96 cm (24") long. The lamps shall be of Low Mercury, with virtually no lead UV-A lamps.

Comments, suggestions, or questions on this document should be addressed to Defense Logistics Agency – Aviation, ATTN: DLA-VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616 or e-mailed to STDZNMGT@dla.mil . Since contact information can change, you may want to verify the currency of this address information using the ASSIST database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

3.3 Construction. The trap shall be made of aluminum, aluminized steel or stainless steel and shall be rectangular in shape. A high voltage, low amperage electrical grid shall be incorporated to kill insects attracted to the lamps. The edge-to-edge distance between the electric grid wires shall not be greater than 10 millimeters and the wires shall be no smaller in diameter than 14 gauge, alloy steel wire. The mounting brackets shall be located on the rear or top of the trap to facilitate installation. The tray used for collection and removal of dead insects shall be located at the bottom of the trap. The width of the tray on wall and ceiling mounted traps with horizontal lamps shall be at least 1/3 of the height of the electrocuting grid. All trays shall be at least 2.5 centimeters deep. The width and depth constraint does not apply to the corner mounted trap. The protective grid cover shall be hinged or otherwise designed for the purpose of trap maintenance, lamp replacement, and cleaning. Deactivating switches for the electrical grid shall be incorporated in the hinge or latch mechanism of the protective cover.

3.4 Weight. The trap shall weigh no more than 22.7 kilograms (50 pounds).

3.5 Workmanship. The trap shall be free from burrs and sharp edges or projections or other defects which detract from its appearance, impair its performance or serviceability, and which may create an electrical or safety hazard.

4. REGULATORY REQUIREMENTS

4.1 The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR)

4.2 The offeror/contractor shall comply, and be responsible for compliance by their subcontractor/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act; Occupational Safety and Health Act; and all other applicable Federal, State, and local statutes, ordinances, and regulations.

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product Conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

6. PACKAGING

6.1 Preservation packaging, packing, labeling, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part or Identification Number (PIN). The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.



Table 1. Type and class code number

Type and Class	Code Number
Type 1 Class A	1
Type I Class B	2
Type II Class A	3
Type II Class B	4
Type III Class A	5
Type IV Class B	6

7.2 Ordering data. The acquisition order should specify the following:

a. CID document number, revision and CID PIN (see 7.1)
b. Packaging requirements including intermediate and exterior labeling and marking requirements.
c. Requirement for a commercial off-the-shelf manual with parts list.

7.5 Sources of documents.

7.5.1 UL Standard 1559 is available from Underwriters Laboratories, Inc., 333 Pfingsten Road, Northbrook, Illinois 60062.

7.5.2 Military specifications and standards. Copies of military specifications and standards may be obtained from Standardization Documents Order Desk, 7000 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. Electronic copies of military specifications and standards may be obtained from https://assist.dla.mil//

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

7.5.3 FAR. The FAR may be obtained from the US Government Printing Office, 732 North Capitol Street N.W., Washington, DC 20401. Electronic copies of FAR documents may be obtained from http://www.acquisition.gov/far/.

MILITARY INTERESTS:

Custodians:
Army - MD
Air Force - 99
DLA - GS

Review Activities:
Army – AV, GL
Air Force – 50
Navy - MS

CIVIL AGENCY
COORDINATING ACTIVITY:
GSA - FAS

Preparing Activity:
DLA – GS3
(Project 3740-2013-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.