MIL-T-27563A(USAF)
24 July 1962
Superseding
MIL-T-27563(USAF)
3 April 1962

MILITARY SPECIFICATION

TRAILER, DUMMY BOMB MHU-48/E

1. SCOPE. This specification covers the requirements for one type of trailer designated as the MHU-48/E, hereafter referred to as the trailer, for use in transportation, storage, and loading crew training for the BDU-10/E and similar loading practice bombs.

2. APPLICABLE DOCUMENTS. The following documents of the issue in effect on the date of invitation for bids, form a part of this specification to the extent specified herein.

SPECIFICATIONS

Federal

QQ-S-781	Strapping, Flat, Steel
PPP-B-601	Boxes, Wood, Cleated Plywood
PPP-B-621	Boxes, Wood, Nailed and Locked Corners
TT-T-291	Thinner; Paint, Volatile Mineral Spirits (Petroleum-Spirits)
TT-E-485	Enamel, Semi-Gloss, Rust-Inhibiting

Military

MIL-C-104	Crates, Wood; Lumber and Plywood Sheathed, Nailed and Bolted
MIL-P-116	Preservation, Methods Of
MIL-P-7936	Parts and Equipment, Aeronautical, Preparation for Delivery
MIL-M-8090	Mobility Requirements, Ground Support Equipment, General Specification For
MIL-A-8421	Air Transportability Requirements, General Specification For
MIL-T-9107	Test Reports, Preparation Of
MIL-P-26915	Primer Coating, Zinc Dust Pigmented, for Steel Surfaces
MIL-D-70327	Drawings, Engineering and Associated Lists

FSC 1190

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

STANDARDS

Federal

FED-STD-595	Colors

Military

MIL-STD-129	Marking for Shipment and Storage
MIL-STD-130	Identification Marking of U. S. Military Property

DRAWINGS

Air Force

61J15220	Trailer, Dummy Bomb MXU-48/E

(Copies of documents required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 PREPRODUCTION. This specification makes provisions for preproduction testing.

3.2 DESIGN AND CONSTRUCTION. The trailer shall be designed and constructed in conformance to drawing 61J15220 and subsidiary drawings.

3.2.1 INTERCHANGEABILITY. Parts functionally and dimensionally interchangeable shall be identified by the same part number. When parts are not interchangeable, the criteria listed in MIL-D-70327 shall apply and new drawings shall be prepared as required.

3.2.2. FINISH. The trailer shall be finished in conformance to the engineering drawings.

3.3 PERFORMANCE. Performance of the trailer shall consist of supporting the BDU-10/E or similar Bomb, Loading Practice during storage, transportation and loading operations.

3.4 MOBILITY. The trailer, supporting the applicable practice weapon shall be capable of Type I, Group C, Class 2 mobility as specified in MIL-M-8090.

3.5 AIR TRANSPORTABILITY. The trailer, with design load, shall be air transportable as specified in MIL-A-8421.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

3.6 COMPATIBILITY. The trailer shall provide proper fit, and tie down facilities for the BDU-10/E or similar Bombs, Loading Practice, provide for attachment of the ADU-2/E Adapter and mate properly to tye Type MF-1 Bomb Trailer.

3.7 IDENTIFICATION OF PRODUCT. The trailer, parts and assemblies shall be marked for identification in accordance with MIL-STD-130.

3.8 WORKMANSHIP. The trailer shall be fabricated and finished in a manner that will insure that the criteria of appearance, fit and adherence to specified tolerances are observed. These criteria shall apply to all accessories and to all non-functional parts. Particular attention shall be given to neatness and thoroughness of marking of parts and assemblies, plating, painting, machine screw assemblage, welding, and freedom of parts from burrs and sharp edges which might mar associated equipment or cause injury to operating personnel.

4. QUALITY ASSURANCE PROVISIONS

4.1 CLASSIFICATION OF TESTS. Inspection and testing of the trailer shall be classified as follows:

a. Preproduction Tests

b. Acceptance Tests

4.2 PREPRODUCTION TESTING

4.2.1 PREPRODUCTION TEST SAMPLES. The preproduction test samples shall consist of models representative of the production trailers. They shall be tested at a laboratory designated by the procuring activity, or, when so stated in the contract, at the contractor's plant under the supervision of the procuring activity, except that the fit test shall be conducted at a military establishment.

4.2.2 PREPRODUCTION TEST REPORTS. In the event that preproduction testing is performed at the contractor's plant, the contractor shall, after completion of the preproduction tests, prepare a preproduction test report conforming to MIL-T-9107 and furnish three complete copies of the report to the procuring activity.

4.2.3 PREPRODUCTION TESTS. Preproduction tests shall consist of all tests described in "4.5 TEST METHODS."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

4.3 ACCEPTANCE TESTS. Acceptance tests shall consist of the following individual tests:

a. Examination of Product

b. Conformance to Drawings

4.4 TEST CONDITIONS. Test conditions shall be as required for each specific test.

4.5 TEST METHODS

4.5.1 EXAMINATION OF PRODUCT. Each trailer shall be visually examined to determine compliance with the requirements of this specification for which tests are not specified, including materials and workmanship. Failure to satisfy this examination shall be cause for rejection.

4.5.2 CONFORMANCE TO DRAWINGS. Each trailer shall be inspected to determine strict compliance with engineering and subsidiary drawings and specifications and standards specified therein. Non-compliance to these criteria shall be cause for rejection.

4.5.3 MOBILITY. The trailer, with full service load, shall be tested for Type I, group C, class 2 mobility in accordance with MIL-M-8090. The rejection criteria of MIL-M-8090 shall apply.

4.5.4 AIR TRANSPORTABILITY. For air transport loading, lift facilities will be required.

4.5.4.1 FLIGHT AND TAXIING LOAD TEST. With a test load simulating the applicable practice bomb installed, the trailer shall be subjected to the flight and taxiing load test specified in MIL-A-8421.

4.5.4.2 EMERGENCY LANDING LOAD TEST. With a test load simulating the applicable practice bomb installed, the trailer shall be subjected to the emergency landing loads test specified in MIL-A-8421.

4.5.5 FIT TEST. The trailer shall be subjected to a fit test which shall be performed at a military installation. The test shall be performed in the following steps:

a. Install and secure a BDU-10/E or similar or suitable substitute Loading Practice Bomb in service configuration.

b. While in the configuration described in step a., install the trailer on a Type MF-1 trailer in transport configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

Interference in making the above installations, clearances in excess of drawing requirements or binding or failure to mate properly with any piece of associated equipment shall be cause for rejection.

5. PREPARATION FOR DELIVERY

5.1 LEVEL OF PRESERVATION AND PACKAGING

5.1.1 LEVEL A, B, AND C. The Trailer, Dummy Bomb MHU-48/E shall be preserved in accordance with MIL-P-116, method 1. Unit quantity shall be one each. The component parts shall be packaged in containers meeting PPP-B-621, class 2 or 601, type III and secured to the trailer with metal straps conforming to QQ-S-781.

5.2 LEVEL OF PACKING

5.2.1 LEVEL A AND B. The Trailer, Dummy Bomb MHU-48/E preserved and packaged to meet 5.1.1 shall be packed in exterior type shipping crate in accordance with MIL-C-104, type I, class 1 or 2, style a. As far as practicable, exterior containers shall be of uniform shape and size, by of minimum cube and tare consistent with protection required. Containers shall be closed and strapped in accordance with the applicable container specifications or appendix thereto.

5.2.2 LEVEL C. The Trailer, Dummy Bomb MHU-48/E shall be packed in exterior type shipping containers in a manner that insures safe transportation at the lowest rate to point of delivery. Containers shall meet consolidated freight classification rules or regulations of other common carriers as applicable to the mode of transportation.

5.3 PHYSICAL PROTECTION. Cushioning, blocking, bracing, bolting, and testing to determine adequacy as required shall be in accordance with applicable requirements of MIL-P-7936. The drop tests of MIL-P-7936 are not required when the level of packing is Level C.

5.4 MARKING. Shipment and storage marking shall be in accordance with MIL-STD-129. The nomenclature shall be:

TRAILER, DUMMY BOMB MHU-48/E

6. NOTES

6.1 INTENDED USE. The Trailer, Dummy Bomb MHU-48/E is intended for use in transportation and storage of the BDU-10/E or similar Bomb, Loading Practice and loading and handling training of loading crews.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

6.2 ORDERING DATA. Procurement documents should specify the following:

a. Title, number and date of this specification.

b. Whether preproduction tests will be conducted by the procuring activity.

6.2.1 PREPRODUCTION TEST SAMPLES. It is expected that the contract or purchase order will specify that two units representative of the production trailer will be submitted to the procuring activity for test and evaluation. The invitation for bids and the contract or purchase order, should specify the point of inspection for these tests.

6.3 PRODUCTION DELIVERY. No production items should be delivered prior to approval of the preproduction samples.

6.4 DEFINITIONS

a. PREPRODUCTION TEST. Preproduction tests are those tests performed prior to production on representative samples of the production equipment to demonstrate that the equipment meets the requirements of this specification.

b. ACCEPTANCE TEST. Acceptance tests are those tests accomplished on representative samples of equipment submitted for acceptance under a contract to determine conformance to the requirements of this specification, and to determine that the equipment is equivalent in performance and construction to the approved preproduction samples.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD-316

OFFICIAL BUSINESS

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)* | CITY AND STATE

CONTRACT NO. | QUANTITY OF ITEMS PROCURED | DOLLAR AMOUNT
$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity).*

SUBMITTED BY *(Printed or typed name and activity)* | DATE

DD FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE PLATE NO. 15419

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:24Z
Check the source to verify that this is the current version before use.