MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest issue of MIL-C-24308.

REQUIREMENTS:

The connectors shall conform to the design standards (MS numbers) and the specification (part numbers) indicated in table I.

Ⓙ TABLE I. Design standards. 1/

Part number	Part number 2/	Shell size	Shell MS number	Insert arrangement MS number	Contact part number	Part number marked on connector	Part number marked on connector 2/
M24308/6-1	M24308/6-502	1	MS18270-1	MS18273-1	M39029/63-368	M24308/6-1	M24308/6-502
M24308/6-2	M24308/6-503	2	MS18270-2	MS18274-1	M39029/63-368	M24308/6-2	M24308/6-503
M24308/6-3	M24308/6-504	3	MS18270-3	MS18275-1	M39029/63-368	M24308/6-3	M24308/6-504
M24308/6-4	M24308/6-505	4	MS18270-4	MS18276-1	M39029/63-368	M24308/6-4	M24308/6-505
M24308/6-5	M24308/6-506	5	MS18270-5	MS18277-1	M39029/63-368	M24308/6-5	M24308/6-506
M24308/6-6	M24308/6-507	Connector kit: M24308/6-1 connector with applicable tool 3/				M24308/6-1	M24308/6-502
M24308/6-7	M24308/6-508	Connector kit: M24308/6-2 connector with applicable tool 3/				M24308/6-2	M24308/6-503
M24308/6-8	M24308/6-509	Connector kit: M24308/6-3 connector with applicable tool 3/				M24308/6-3	M24308/6-504
M24308/6-9	M24308/6-510	Connector kit: M24308/6-4 connector with applicable tool 3/				M24308/6-4	M24308/6-505
M24308/6-10	M24308/6-511	Connector kit: M24308/6-5 connector with applicable tool 3/				M24308/6-5	M24308/6-506
M24308/6-11	M24308/6-512	1	MS18270-1	MS18273-2	M39029/57-354	M24308/6-11	M24308/6-512
M24308/6-12	M24308/6-513	2	MS18270-2	MS18274-2	M39029/57-354	M24308/6-12	M24308/6-513
M24308/6-13	M24308/6-514	3	MS18270-3	MS18275-2	M39029/57-354	M24308/6-13	M24308/6-514
M24308/6-14	M24308/6-515	4	MS18270-4	MS18276-2	M39029/57-354	M24308/6-14	M24308/6-515
M24308/6-15	M24308/6-516	5	MS18270-5	MS18277-2	M39029/57-354	M24308/6-15	M24308/6-516
M24308/6-16	M24308/6-517	6	MS18270-6	MS14004-1	M39029/57-354	M24308/6-16	M24308/6-517

See footnotes at end of table.

Ⓙ denotes changes

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:06Z
Check the source to verify that this is the current version before use.

(J) TABLE I. Design standards - Continued. 1/

Part number	Part number 2/	Shell size	Shell MS number	Insert arrangement MS number	Contact part number	Part number marked on connector	Part number marked on connector 2/
M24308/6-17	M24308/6-518	Connector kit: M24308/6-11 connector with applicable tool 4/				M24308/6-11	M24308/6-512
M24308/6-18	M24308/6-519	Connector kit: M24308/6-12 connector with applicable tool 4/				M24308/6-12	M24308/6-513
M24308/6-19	M24308/6-520	Connector kit: M24308/6-13 connector with applicable tool 4/				M24308/6-13	M24308/6-514
M24308/6-20	M24308/6-521	Connector kit: M24308/6-14 connector with applicable tool 4/				M24308/6-14	M24308/6-515
M24308/6-21	M24308/6-522	Connector kit: M24308/6-15 connector with applicable tool 4/				M24308/6-15	M24308/6-516
M24308/6-22	M24308/6-523	Connector kit: M24308/6-16 connector with applicable tool 4/				M24308/6-16	M24308/6-517
M24308/6-259	M24308/6-518	1	MS18270-7	MS18273-1	M39029/63-368	M24308/6-259	M24308/6-518
M24308/6-260	M24308/6-519	2	MS18270-8	MS18274-1	M39029/63-368	M24308/6-260	M24308/6-519
M24308/6-261	M24308/6-520	3	MS18270-9	MS18275-1	M39029/63-368	M24308/6-261	M24308/6-520
M24308/6-262	M24308/6-521	4	MS18270-10	MS18276-1	M39029/63-368	M24308/6-262	M24308/6-521
M24308/6-263	M24308/6-522	5	MS18270-11	MS18277-1	M39029/63-368	M24308/6-263	M24308/6-522
M24308/6-264	M24308/6-523	1	MS18270-7	MS18273-2	M39029/57-354	M24308/6-264	M24308/6-523
M24308/6-265	M24308/6-524	2	MS18270-8	MS18274-2	M39029/57-354	M24308/6-265	M24308/6-524
M24308/6-266	M24308/6-525	3	MS18270-9	MS18275-2	M39029/57-354	M24308/6-266	M24308/6-525
M24308/6-267	M24308/6-526	4	MS18270-10	MS18276-2	M39029/57-354	M24308/6-267	M24308/6-526
M24308/6-268	M24308/6-527	5	MS18270-11	MS18277-2	M39029/57-354	M24308/6-268	M24308/6-527
M24308/6-269	M24308/6-528	6	MS18270-12	MS14004-1	M39029/57-354	M24308/6-269	M24308/6-528
M24308/6-270	M24308/6-529	Connector kit: M24308/6-259 connector with applicable tool 3/				M24308/6-259	M24308/6-518
M24308/6-271	M24308/6-530	Connector kit: M24308/6-260 connector with applicable tool 3/				M24308/6-260	M24308/6-519
M24308/6-272	M24308/6-531	Connector kit: M24308/6-261 connector with applicable tool 3/				M24308/6-261	M24308/6-520
M24308/6-273	M24308/6-532	Connector kit: M24308/6-262 connector with applicable tool 3/				M24308/6-262	M24308/6-521
M24308/6-274	M24308/6-533	Connector kit: M24308/6-263 connector with applicable tool 3/				M24308/6-263	M24308/6-522
M24308/6-275	M24308/6-534	Connector kit: M24308/6-264 connector with applicable tool 4/				M24308/6-264	M24308/6-523
M24308/6-276	M24308/6-535	Connector kit: M24308/6-265 connector with applicable tool 4/				M24308/6-265	M24308/6-524
M24308/6-277	M24308/6-536	Connector kit: M24308/6-266 connector with applicable tool 4/				M24308/6-266	M24308/6-525
M24308/6-278	M24308/6-537	Connector kit: M24308/6-267 connector with applicable tool 4/				M24308/6-267	M24308/6-526
M24308/6-279	M24308/6-538	Connector kit: M24303/6-268 connector with applicable tool 4/				M24308/6-268	M24308/6-527
M24308/6-280	M24308/6-539	Connector kit: M24308/6-269 connector with applicable tool 4/				M24308/6-269	M24308/6-528

See footnotes at end of table.

Source: https://assist.dla.mil Downloaded: 2026-10-19T21:06Z
Check the source to verify that this is the current version before use.

(J) TABLE I. Design standards - Continued. 1/

Part number	Part number 2/	Shell size	Shell MS number	Insert arrangement MS number	Contact part number	Part number marked on connector	Part number marked on connector 2/
M24308/6-281	M24308/6-540	1	MS18270-1	MS18273-1	None	M24308/6-1	M24308/6-502
M24308/6-282	M24308/6-541	2	MS18270-2	MS18274-1	None	M24308/6-2	M24308/6-503
M24308/6-283	M24308/6-542	3	MS18270-3	MS18275-1	None	M24308/6-3	M24308/6-504
M24308/6-284	M24308/6-543	4	MS18270-4	MS18276-1	None	M24308/6-4	M24308/6-505
M24308/6-285	M24308/6-544	5	MS18270-5	MS18277-1	None	M24308/6-5	M24308/6-506
M24308/6-286	M24308/6-545	1	MS18270-1	MS18273-2	None	M24308/6-11	M24308/6-507
M24308/6-287	M24308/6-546	2	MS18270-2	MS18274-2	None	M24308/6-12	M24308/6-508
M24308/6-288	M24308/6-547	3	MS18270-3	MS18275-2	None	M24308/6-13	M24308/6-509
M24308/6-289	M24308/6-548	4	MS18270-4	MS18276-2	None	M24308/6-14	M24308/6-510
M24308/6-290	M24308/6-549	5	MS18270-5	MS18277-2	None	M24308/6-15	M24308/6-511
M24308/6-291	M24308/6-550	6	MS18270-6	MS14004-1	None	M24308/6-16	M24308/6-512
M24308/6-453	M24308/6-551	1	MS18270-19	MS18273-1	M39029/63-368	M24308/6-453	M24308/6-551
M24308/6-454	M24308/6-552	2	MS18270-20	MS18274-1	M39029/63-368	M24308/6-454	M24308/6-552
M24308/6-455	M24308/6-553	3	MS18270-21	MS18275-1	M39029/63-368	M24308/6-455	M24308/6-553
M24308/6-456	M24308/6-554	4	MS18270-22	MS18276-1	M39029/63-368	M24308/6-456	M24308/6-554
M24308/6-457	M24308/6-555	5	MS18270-23	MS18277-1	M39029/63-368	M24308/6-457	M24308/6-555
M24308/6-458	M24308/6-556	1	MS18270-19	MS18173-2	M39029/57-354	M24308/6-458	M24308/6-556
M24308/6-459	M24308/6-557	2	MS18270-20	MS18274-2	M39029/57-354	M24308/6-459	M24308/6-557
M24308/6-460	M24308/6-558	3	MS18270-21	MS18275-2	M39029/57-354	M24308/6-460	M24308/6-558
M24308/6-461	M24308/6-559	4	MS18270-22	MS18276-2	M39029/57-354	M24308/6-461	M24308/6-559
M24308/6-462	M24308/6-560	5	MS18270-23	MS18277-2	M39029/57-354	M24308/6-462	M24308/6-560
M24308/6-463	M24308/6-561	6	MS18270-24	MS14004-1	M39029/57-354	M24308/6-463	M24308/6-561
M24308/6-464	M24308/6-551	Connector kit: M24308/6-453 connector with applicable tool 3/				M24308/6-453	M24308/6-551
M24308/6-465	M24308/6-552	Connector kit: M24308/6-454 connector with applicable tool 3/				M24308/6-454	M24308/6-552
M24308/6-466	M24308/6-553	Connector kit: M24308/6-455 connector with applicable tool 3/				M24308/6-455	M24308/6-553
M24308/6-467	M24308/6-554	Connector kit: M24308/6-456 connector with applicable tool 3/				M24308/6-456	M24308/6-554
M24308/6-468	M24308/6-555	Connector kit: M24308/6-457 connector with applicable tool 3/				M24308/6-457	M24308/6-555
M24308/6-469	M24308/6-556	Connector kit: M24308/6-458 connector with applicable tool 4/				M24308/6-458	M24308/6-556
M24308/6-470	M24308/6-557	Connector kit: M24308/6-459 connector with applicable tool 4/				M24308/6-459	M24308/6-557
M24308/6-471	M24308/6-558	Connector kit: M24308/6-460 connector with applicable tool 4/				M24308/6-460	M24308/6-558
M24308/6-472	M24308/6-559	Connector kit: M24308/6-461 connector with applicable tool 4/				M24308/6-461	M24308/6-559
M24308/6-473	M24308/6-560	Connector kit: M24308/6-462 connector with applicable tool 4/				M24308/6-462	M24308/6-560
M24308/6-474	M24308/6-561	Connector kit: M24308/6-463 connector with applicable tool 4/				M24308/6-463	M24308/6-561

See footnotes at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:06Z
Check the source to verify that this is the current version before use.

(J) TABLE I. Design standards - Continued. 1/

Part number	Part number 2/	Shell size	Shell MS number	Insert arrangement MS number	Contact part number	Part number marked on connector	Part number marked on connector 2/
M24308/6-491	M24308/6-551	1	MS18270-19	MS18273-1	None	M24308/6-453	M24308/6-551
M24308/6-492	M24308/6-552	2	MS18270-20	MS18274-1	None	M24308/6-454	M24308/6-552
M24308/6-493	M24308/6-553	3	MS18270-21	MS18275-1	None	M24308/6-455	M24308/6-553
M24308/6-494	M24308/6-554	4	MS18270-22	MS18276-1	None	M24308/6-456	M24308/6-554
M24308/6-495	M24308/6-555	5	MS18270-23	MS18277-1	None	M24308/6-457	M24308/6-555
M24308/6-496	M24308/6-556	1	MS18270-19	MS18173-2	None	M24308/6-458	M24308/6-556
M24308/6-497	M24308/6-557	2	MS18270-20	MS18274-2	None	M24308/6-459	M24308/6-557
M24308/6-498	M24308/6-558	3	MS18270-21	MS18275-2	None	M24308/6-460	M24308/6-558
M24308/6-499	M24308/6-559	4	MS18270-22	MS18276-2	None	M24308/6-461	M24308/6-559
M24308/6-500	M24308/6-560	5	MS18270-23	MS18277-2	None	M24308/6-462	M24308/6-560
M24308/6-501	M24308/6-561	6	MS18270-24	MS14004-1	None	M24308/6-463	M24308/6-561

1/ These connectors mate with connectors specified in MIL-C-24308/7 and /8.

2/ For aerospace applications only.

3/ Installation and removal tool: M81969/14-02 with plastic tips or M81969/1-02 with metal tips. For size 20 contacts. Either tool shall be supplied with each individual connector.

4/ Installation and removal tool: M81969/14-01 with plastic tips or M81969/1-04 with metal tips. For size 22 contacts. Either tool shall be supplied with each individual connector.

Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - AV, MI
Navy - AS, SH
Air Force - 11, 99
DLA - ES

User activities:
Army - AT, ME
Navy - CG, MC

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5935-3386-6)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-24308/6J	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*:
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:06Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:06Z
Check the source to verify that this is the current version before use.