MILITARY SPECIFICATION SHEET

VALVE, SELECTOR, BALL

This specification is approved for use within the Army Missile Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the valve described herein shall consist of this specification and the latest issue of MIL-V-47322(MI).




FIGURE 1. Valve, ball.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:09Z
Check the source to verify that this is the current version before use.




FIGURE 2. View A-A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:09Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Materials:

Body: Corrosion resistant steel, commercial.

Bonnet: Corrosion resistant steel, commercial.

Stem: Corrosion resistant steel, commercial.

Internal surfaces: Corrosion resistant steel, commercial.

Seals: Elastomers in accordance with MIL-P-25732. Age control in accordance with MIL-STD-1523.

Seats: Material shall be a polymeric amides or equivalent.

Finish: Cres passivated, commercial.

Design and construction: Valve shall have auxiliary pressure equalizing holes on ball.

Valve operation: Valve shall operate clockwise or counter clockwise from closed position, 90° ± 5° off to full on. Valve shall operate fast or slow without detrimental effects on seals.

Unit weight: 42 pounds (lb) maximum.

Mechanical requirements:

Internal leakage: 1 drop in 5 minutes maximum, valve in closed position with differential pressure between 300 and 3000 pounds per square inch (psi).

Operating torque: 85 foot pounds (ft lb) maximum throughout temperature range.

Service life: 50,000 cycles (handle rotation full on to full off) at 3000 psi pressure differential. Valve shall have no stops.

Electrical requirements: N/A

Part number: M47322/6.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:09Z
Check the source to verify that this is the current version before use.

Custodian:
Army - MI

Preparing activity:
Army - MI

(Project No. 4820-A006-06)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:09Z
Check the source to verify that this is the current version before use.