


FED. SUP CLASS
1670



SNAP ASSEMBLY



GUARD



SECTION A-A

HOOK

(B) REDRAWN; REVISED: SHEET 2. ADDED: OPT. MATERIAL FOR RIVET & SHEET 3.

APPROVED (B) 30 APRIL 1986 REVISED

P. A. ARMY-GL Other Cust NAVY-AS USAF-11	INTERNATIONAL INTEREST	TITLE SNAP ASSEMBLY, PARACHUTE STATIC LINE	MILITARY STANDARD MS 70120
PROCUREMENT SPECIFICATION MIL-H-7195	SUPERSEDES: USAF DWGS 42A7395, 42A7396, 43A9502, 43A9503 AND 43A9504.		SHEET 1 OF 3

DD FORM 1 MAY 73 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE PROJECT NO. 1670-0549

USER ACTIVITIES: ARMY-AV NAVY-MC

REVIEWER ACTIVITIES: USAF-82, 99

AMSC N/A


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited. This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:26Z
Check the source to verify that this is the current version before use.

USER ACTIVITIES: ARMY-AV
NAVY-MC


REVIEWER ACTIVITIES: USAF-82,99

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document



SECTION B-B

BUTTON



TOTAL NO. COILS -4
NO. ACTIVE COILS -2
DIRECTION OF HELIX -OPTIONAL
DESIGN LOAD -NOT CRITICAL

SPRING

NOTES:

1. MATERIAL: GUARD: STEEL, COMMERCIAL QUALITY, ANNEALED, QQ-S-698.
   HOOK & BUTTON: STEEL, COND. OPT., GRADE 1018-1025 OF ASTM A 108.
   SPRING: STEEL, CARBON, MUSIC, ASTM A 228.
   OPTIONAL MATERIAL: BUTTON; STEEL, 12L14, QQ-S-637.
2. FINISH: GUARD, HOOK AND BUTTON; CADMIUM PLATE, CLASS 1, TYPE I, QQ-P-416.
   SPRING: CADMIUM PLATE, CLASS 3, TYPE I, QQ-P-416.
   AS AN ALTERNATE ALL COMPONENTS MAY BE ZINC FLAKE/CHROMATE DISPERSION COATED PER MIL-C-87115, CLASS 3.
3. SURFACE ROUGHNESS: $\sqrt{125}$ MAX IN ACCORDANCE WITH ANSI B46.1.
4. DIMENSIONS IN INCHES: UNLESS OTHERWISE SPECIFIED HEREIN, DECIMAL TOLERANCES ± .03.
5. BREAK SHARP EDGES AND REMOVE ALL BURRS.
6. HOOK SHALL BE SUBJECTED TO THE PROOF LOAD SPECIFIED HEREON, AS INDICATED BY ARROWS, IN ACCORDANCE WITH THE PROCUREMENT SPECIFICATION.
   OPTIONAL METHOD OF PROOF LOAD: PROOF LOAD HOOK PRIOR TO ASSEMBLY.
7. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
8. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

Ⓑ REDRAWN; CHANGED FINISH REQUIREMENTS; ADDED: OPTIONAL MATERIAL & PROOF LOAD METHOD.


APPROVED REVISED Ⓑ 30 APRIL 1986

P. A. ARMY-GL Other Cust NAVY-AS USAF-11	INTERNATIONAL INTEREST	TITLE SNAP ASSEMBLY, PARACHUTE STATIC LINE	MILITARY STANDARD MS 70120
PROCUREMENT SPECIFICATION MIL-H-7195	SUPERSEDES: USAF DWGS 42A7395, 42A7396, 43A9502, 43A9503 AND 43A9504		SHEET 2 OF 3

Source: https://assist.dla.mil -- Downloaded: 20260-23T20:26Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1670

END ITEM EXAMINATION
DIMENSION - FUNCTION TEST



SNAP ASSEMBLY

CRITICAL DIMENSIONS: AS SHOWN.

CRITICAL FUNCTIONAL TESTS:
A. CLOSE COVER OVER BODY, CHECK THAT BUTTON ASSEMBLY SNAPS INTO COVER RECESS.
B. PRESS DOWN ON BUTTON RELEASE AND MOVE COVER DOWN TO ASSURE FREE MOVEMENT.

Ⓑ THIS SHEET ADDED.

APPROVED 30 APRIL 1986 REVISED Ⓑ

USER ACTIVITIES: ARMY-AV NAVY-MC

REVIEWER ACTIVITIES: USAF-82,99

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document

P. A. ARMY-GL Other Cust NAVY-AS USAF-11	INTERNATIONAL INTEREST	TITLE SNAP ASSEMBLY, PARACHUTE STATIC LINE	MILITARY STANDARD MS 70120
PROCUREMENT SPECIFICATION MIL-H-7195	SUPERSEDES: USAF DWGS 42A7395, 42A7396, 43A9502, 43A9503 AND 43A9504		SHEET 3 OF 3

DD FORM 1 MAY 73 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:26Z
Check the source to verify that this is the current version before use.