DD-P-100b

July 9, 1963

SUPERSEDING
Int. Fed. Spec. DD-P-00100a (GSA-FSS)
December 5, 1962

FEDERAL SPECIFICATION

PAPERWEIGHT, GLASS

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers glass paperweights for general office use.

1.2 Classification.

1.2.1 *Types.* Paperweights shall be of the following types, as specified (see 6.2).

Type I.—Semi-spherical.

Type II.—Rectangular.

2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 The following specifications and standards, of the issues in effect on date of invitation for bids, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-576 — Box, wood, cleated, veneer, paper overlaid.
PPP-B-585—Boxes, wood, wirebound.
PPP-B-591—Boxes, fiberboard, wood-cleated.
PPP-B-601—Boxes, wood, cleated-plywood.
PPP-B-621—Boxes, wood, nailed and lock-corner.
PPP-B-636—Box, fiberboard.
PPP-T-97 — Tape; pressure-sensitive adhesive, filament reinforced.

Federal Standards:

Fed. Std. No. 102 — Preservation, packaging, and packing levels.
Fed. Std. No. 123—Marking for domestic shipment (Civilian agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications, Standards, and Handbooks and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, and Auburn, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications, Standards, and Handbooks from established distribution points in their agencies.)

Military Specification:

MIL-L-10547 — Liners, Case, Waterproof.

Military Standards:

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129—Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:42Z
Check the source to verify that this is the currentversion before use.

3. REQUIREMENTS

3.1 Material. The glass used in the manufacture of the paperweights shall be clear, and shall have such quality and strength that the paperweights will not crack, break, or show evidence of failure when tested as specified in 4.4.

3.2 Type I, semi-spherical.

3.2.1 *Design.* Paperweights shall be of solid glass. The base shall rest firmly on any flat surface. All edges shall be rounded. Surfaces shall be smoothly finished. The shape of the paperweights shall be approximately the half of a sphere.

3.2.2 *Dimensions.* The bottom diameter shall be 3 inches ± 1/8 inch; the bottom cut-out diameter shall be 2 inches ± 1/8 inch with a height of 3/16 inch ± 1/16 inch; the overall height shall be 1-1/2 inches ± 1/8 inch.

3.2.3 *Weight.* The weight of the paperweights shall be not less than 9-1/2 ounces.

3.3 Type II, rectangular.

3.3.1 *Design.* Paperweights shall be of solid glass. The base shall rest firmly on any flat surface. All edges shall be rounded. Surfaces shall be smoothly finished. The paperweights shall be of a rectangular shape.

3.3.2 *Dimensions.* The bottom length shall be 4-1/4 inches ± 1/4 inch; the bottom width shall be 2-3/4 inches ± 1/16 inch; and the overall height shall be 3/4 inch ± 1/8 inch.

3.3.3 *Weight.* The weight of the paperweights shall be not less than 10-3/4 ounces.

3.4 Workmanship. Paperweights shall be free from foreign material, sand holes, bubbles, chips, and other defects which may affect their serviceability.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Supplier's responsibility. Unless otherwise specified (see 6.1), the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own or any other inspection facilities and services acceptable to the Government. Inspection records of the examination and tests shall be kept complete and available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specifications where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling.

4.2.1 *Size of lot.* All paperweights of the same type presented for delivery at one time shall be considered a lot for the purpose of examination and tests.

4.2.2 *Sampling for visual and dimensional examination.* A random sample of paperweights shall be taken from each lot in accordance with MIL-STD-105, inspection level I. Lot acceptance or rejection shall be based on an AQL of 4.0 percent defective (see 4.3.1).

4.2.3 *Sampling for tests.* Samples for tests shall be in accordance with MIL-STD-105, Inspection level L-3 with an AQL of 4.0 percent defective (see 4.4).

4.3 Examination.

4.3.1 *Visual and dimensional examination.* Sample paperweights, selected in accordance with 4.2.2, shall be examined for compliance with packaging, packing, and marking requirements in section 5, and for the defects listed in table I. Any paperweight having one or more defects shall be considered a defective paperweight. If the number of defective paperweights exceeds

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:42Z
Check the source to verify that this is the current version before use.

the acceptance number for the sample, the lot represented by the sample shall be rejected.

TABLE I.—*Classification of defects*

Defects (Major):
Glass not clear.
Glass not solid.
Base does not rest firmly on flat surface.
Edges not rounded.
Surface not smoothly finished.
Dimensions not as specified.
Shape not half a sphere (type I); not rectangular (type II).
Weight: Less than 9-1/2 ounces (type I); less than 10-3/4 ounces (type II).
Workmanship: Any holes, bubbles, chips, cracks, or rough edges.

4.4 **Test.** Samples, selected in accordance with 4.2.3, shall be subjected to the following test. Any paperweight failing this test shall be considered a defective paperweight. If the number of defective paperweights exceeds the acceptance number for the sample, the lot represented by the sample shall be rejected.

4.4.1 **Dropping test.** The paperweights shall be dropped edgewise three times from a height of 30 inches onto a wooden floor. Examine for compliance with the requirements of 3.1.

5. PREPARATION FOR DELIVERY

Definitions and applications of the various levels of packaging and packing specified hereinafter shall be in accordance with Fed. Std. No. 102, for civil agencies only.

5.1 **Packaging.** Paperweights shall be packaged level A, B, or C, as specified in the contract or order (see 6.1).

5.1.1 *Level A or B.* Twelve paperweights shall be packaged in a corrugated fiber box conforming to PPP-B-636, class 2, V3c. Each paperweight shall be separated by individual corrugated-fiberboard cells in a manner which will restrict movement. Fiberboard for box and separators shall be not less than 125-pound Mullen test. Box closures shall conform to the appendix to the box specification.

5.1.2 *Level C.* Paperweights shall be packaged in accordance with manufacturer's commercial practice.

5.2 **Packing.** Paperweights, packaged level A, B, or C, shall be packed level A, B, or C, as specified in the contract or order (see 6.1).

5.2.1 *Level A.* Six unit packages (72 paperweights) shall be packed in overseas type or class boxes conforming to any of the following specifications:

PPP-B-585, class 3 — Boxes, wood, wirebound.
PPP-B-591—Boxes, fiberboard, wood-cleated.
PPP-B-601—Boxes, wood, cleated-plywood.
PPP-B-621—Boxes, wood, nailed and lock corner.
PPP-B-636, V3c or V3s—Box, fiberboard, class 2.
PPP-B-576—Box, wood, cleated, veneer, paper overlaid.

Box closures and strapping shall conform to the applicable box specification and the appendix thereto. In lieu of steel strapping, fiber boxes may be reinforced with pressure-sensitive filament tape conforming to PPP-T-97, type IV, applied in accordance with the appendix thereto. Boxes shall be provided with case liners conforming to MIL-L-10547, and sealed in accordance with the appendix thereto.

5.2.2 *Level B.* Paperweights shall be packed as specified for level A, except that domestic type or class boxes shall be used and case liners and strapping shall not be required.

5.2.3 *Level C.* Paperweights shall be packed in containers of the type, size and

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:42Z
Check the source to verify that this is the current version before use.

ind commonly used for the purpose, in a anner that will insure acceptance by com- ion carrier and safe delivery at destina- ion. Shipping containers shall comply with he regulations of carriers as applicable to he mode of transportation.

5.3 **Marking.**

5.3.1 *Civil agencies.* In addition to narkings specified in the contract or order, he packages and shipping containers shall e marked in accordance with Fed. Std. No. 23, including specification classification, uch as type, size, etc.

5.3.2 *Military agencies.* In addition to ny special marking specified in the con- ract or order, shipments shall be marked n accordance with MIL-STD-129.

5.4 **Standard pack.** The standard pack equirements for the items covered by this pecification, including marking, shall be s specified in 5.1.1 (level A or B), 5.2.2 level B), and 5.3.1 (see 6.1.1).

6. NOTES

6.1 **Ordering data.** Purchasers should xercise any desired options offered herein nd procurement documents should specify he following:

(*a*) Title, number, and date of this specification.

(*b*) Type of paperweight required (1.2.1).

(*c*) Inspection responsibility (for civil agencies only) if other than as specified herein; and administrative provisions for inspection of records, when applicable (4.1).

(*d*) Level of packaging and packing required (5.1 and 5.2).

6.1.1 *Standard pack (civil agencies).* he standard pack requirements, including marking, in 5.1.1 (level A or B), 5.2.2 (level B), and 5.3.1 are intended for use in procurement of Stores Stock replenishments. Procuring officers should use the standard pack provisions when it is known that the material will be shipped from a supplier to a domestic warehouse, supply depot, or intermediate storage point for temporary storage, subsequent issue, and/or shipment to eventual user.

6.2 It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

6.3 **Federal specifications** do not include all types, classes, grades, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Copies of this specification may be purchased for 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:42Z
Check the source to verify that this is the currentversion before use.