MIL-G-18458B(SH)
AMENDMENT 4
28 July 1987
SUPERSEDING
AMENDMENT 3
12 March 1987

MILITARY SPECIFICATION

GREASE, WIRE ROPE AND EXPOSED GEAR

This amendment forms a part of MIL-G-18458B(SH), dated 19 March 1981, and is approved for use within the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Under STANDARDS FEDERAL, add:

"FED-STD-313 - Material Safety Data Sheets, Preparation and the Submission of."

2.1.2: Add as new paragraph:

"2.1.2 Other Government document. The following other Government document forms a part of this specification to the extent specified herein. Unless otherwise specified, the issue shall be the one in effect on the date of the solicitation.

DEPARTMENT OF LABOR
Code of Federal Regulations, Title 29, Part 1910,
Section 1200 - Hazard Communications Standard.

(Application for copies should be addressed to the Superintendent of Documents, Government Printing Office, Washington, DC 20402.)"

At bottom of page: Delete and substitute beneficial comments statement.

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Naval Sea Systems Command, SEA 55Z3, Department of the Navy, Washington, DC 20362-5101 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

AMSC N/A FSC 9150
DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:33Z
Check the source to verify that this is the current version before use.

PAGE 2

2.2: Under AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM): Delete "ASTM D 270" and add:

"D 4057 - Standard Practice for Manual Sampling of Petroleum and Petroleum Products. (DoD adopted)
D 4177 - Standard Method for Automatic Sampling of Petroleum and Petroleum Products. (DoD adopted)"

3.2: Add as last sentence:

"This grease shall be of such material as to not require additional container labeling in accordance with CFR, Title 29, Part 1910, Section 1200."

3.4 and 3.4.1: Add as new paragraphs:

"3.4 Toxicity. The grease shall have no adverse effect on the health of personnel when used for its intended purpose. The grease shall contain no components which produce noxious vapors in such concentrations as to be an annoyance to personnel during formulation or normal use under conditions of adequate ventilation while exercising caution to avoid prolonged contact with the skin and while observing Occupational Safety and Health Administration (OSHA) guidelines. Questions pertaining to the toxic effects shall be referred by the contracting activity to the Naval Medical Command (NAVMEDCOM), Washington, DC, who will act as a medical advisor to the contracting activity.

3.4.1 Material safety data sheets. The contracting activity shall be provided a material safety data sheet (MSDS) at the time of contract award. The MSDS is form OSHA-20 and found as part of FED-STD-313. The MSDS shall be included with each shipment of the material covered by this specification."

PAGE 3

* Table I, after "Test Method 321 1/" add "or 2/".

* Table I: Add as new footnote 2/:

"2/ Test shall be conducted at 150°F for 50 hours duration."

PAGE 4

4.4.4: Add as new paragraph:

"4.4.4 Sampling for quality conformance tests. Samples for quality conformance tests shall be taken in accordance with ASTM D 4057 and ASTM D 4177. The samples shall be subjected to the tests specified in 4.5. Failure of the samples in any of these tests shall be cause for rejection of the lot."

PAGE 6

4.6.4.1(d): Delete "minus 60°F" and substitute "minus 20°F."



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:33Z
Check the source to verify that this is the current version before use.

PAGE 7

4.7: Add as new paragraph:

"4.7 Toxicity. To determine conformance to requirements of 3.4, the manufacturer of the material shall disclose the formulation of this product to the Naval Medical Command, MEDCOM-242, Washington, DC 20372. The disclosure of proprietary information, which shall be held in confidence by the Naval Medical Command, shall include: the name, formula, and approximate percentage by weight and volume of each ingredient in the product; the results of any toxicological testing of the product; identification of its pyrolsis products; and any such other information as may be needed to permit an accurate appraisal of any toxicity problem associated with the handling, storage, application, use, disposal, or combustion of the material. Information submitted shall be clearly marked or identified to show it is being provided in connection with qualification under MIL-G-18458."

PAGE 8

6.7: Delete and substitute:

"6.7 Material safety data sheets. Contracting officers will identify those activities requiring copies of completed Material Safety Data Sheets (MSDS) prepared in accordance with FED-STD-313. The pertinent Government mailing addresses for submission of data are listed in appendix B of FED-STD-313. In order to obtain the MSDS, FAR clause 52.223-3 must be in the contract."

LAST PAGE

DD 1426, Standardization Document Improvement Proposal: Delete and substitute address:

"COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 55Z3)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362-5101"

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 9150-N810)



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:33Z
Check the source to verify that this is the current version before use.