MIL-A-37412A
25 July 1977
SUPERSEDING
MIL-A-37412(DSA-DM)
31 December 1975

MILITARY SPECIFICATION

# ACETAMINOPHEN AND CODEINE PHOSPHATE TABLETS

**This specification is approved for use by all Departments and Agencies of the Department of Defense.**

## 1. SCOPE

1.1 Scope. This specification covers Acetaminophen and Codeine Phosphate Tablets (**see** 6.2).

## 2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION **(FDA)**

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia **(USP)**.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

**The National Formulary (NF)**.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Acetaminophen and Codeine Phosphate Tablets and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

S2. Classification. Shall be type I.

S5.3 The following is added to this paragraph:

* The tablets shall contain **300 or 325 mg of acetaminophen** and 30 mg of **codeine phosphate** within the designated assay limits for the tablets.



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:38Z
Check the source to verify that this is the current version before use.

The tablets shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amounts of **acetaminophen and codeine phosphate when** assayed as specified in 4.4.

The tablets shall comply with the identity tests specified in 4.5.

S6.4.9.1 Disintegration. Shall disintegrate in not more than **30** minutes when determined by the **USP** method for Uncoated Tablets.

3.2 Ingredients.

3.2.1 Acetaminophen and **codeine phosphate**. **The acetaminophen** and **codeine phosphate** used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the **USP**, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

* 3.4 Expiration dating period. The expiration dating period **shall be not less than 36 months.**

4. QULAITY ASSURANCE PROVISIONS

4.1 **Supplier responsiblity for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.**

**4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.**



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.3 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control, number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.4 Assay for finished tablets.

4.4.1 Acetaminophen. Shall be assayed in accordance with the USP method for Acetaminophen Tablets, appropriately modified, if required.

4.4.2 Codeine phosphate. Shall be assayed in accordance with the USP method for Codeine Phosphate Tablets, appropriately modified, if required.

4.4.3 As an alternate, the acetaminophen and codeine phosphate in the finished tablets may be determined by appropriate, accurate, and reproducible metnods. The bidder or offeror shall submit with its bid or proposal the detailed proposed methods of assay. Assay methods shall be validated by submission of an adequate number of test results including date of assay, lot number, mg of ingredient found, percentage of required amount, and statistical data including as a minimum the Standard Deviation and Relative Standard Deviation. If the methods are approved and accepted by the Government, such methods shall be employed in the testing of the tablets, and need not be resubmitted, provided the bidder or offeror certifies that there has been no change in formulation or method of manufacture.

4.5 Identification. Shall comply with identification requirements of the USP for acetaminophen tablets and codeine phosphate tablets.

4.5.1 As an alternate, the identification of the acetaminophen and codeine phosphate in the finished tablets may be determined by appropriate, accurate and reproducible methods.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging requirements. Requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186, **and as specified herein.**

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing **five hundred** tablets, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units of issue shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. **One intermediate package (12 units) shall** be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. **Twelve units packaged as specified in 5.2.2.3 shall require no further overpacking except that a 200 pound test corrugated liner along with top and bottom pads shall be added to the intermediate box.**

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:38Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit packages. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in **5.5.3 of PPP-C-186. Type II** shelf life marking as specified in MIL-STD-129 shall be shown. **When the intermediate package is used as the exterior container (Level B packing), the exterior container markings as specified in 5.4.3 shall apply. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)."**

**5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)."**



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

| National Stock Number | Item Identification |
|---|---|
| 6505-00-147-8347 | ACETAMINOPHEN AND CODEINE PHOSPHATE TABLETS, 500s |

**Custodians:**
Army - MD
Navy - MS
Air Force - 03

**Preparing activity:**
DLA-DM

Project No. 6505-1881

**Review activity:**
DOD - MB



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-A-37412A ACETAMINOPHEN AND CODEINE PHOSPHATE TABLETS

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026l0-21T10:38Z
Check the source to verify that this is the currentversion before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID




OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.