MILITARY SPECIFICATION

BOX, INSECT, SPECIMEN

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type of insect specimen box of the Schmitt type.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following specifications and standards, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

TT-E-527	- Enamel, Alkyd, Lustreless.
PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-585	- Boxes, Wood, Wirebound.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-676	- Boxes, Setup.

MILITARY

MIL-L-10547	- Liners, Case and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.
MIL-W-13518	- Wood Preservative, Tetrachlorophenol and Pentachlorophenol, Surface Sealing Compound.

FSC 6640

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:38Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

DRAWINGS

DPSC Drawing 1723

(Copies of specifications, standards and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material.

3.1.1 Solid wood. The solid wood shall be of the highest-quality basswood, well-seasoned, thoroughly kiln-dried, free of knots, decay, and other defects which may affect its strength or durability, and shall present a smooth surface for painting.

3.1.2 Plywood. The plywood shall be 3-ply basswood, well-seasoned and thoroughly kiln-dried. Veneers shall be made of one or more pieces of firm, smoothly cut veneer, and when more than one piece, it shall be well joined and reasonably matched for grain and color at the joints. The veneer shall be free of knots, splits, pitch pockets, and other open defects. Streaks, discolorations, sapwood, shims, and neatly made patches shall be admitted. Veneers shall present a smooth surface suitable for painting.

3.1.3 Paper. Paper shall be heavy and white. One side shall be flint-glazed and shall have a lacquer-like finish.

3.1.4 Cork. The cork shall be high-density, heavy-gage entomological cork containing not more than 5 percent moisture.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

3.2 Construction. Insect box shall be Schmitt type, 2-1/2 ± 1/8 by 9 ± 1/2 by 13 ± 1/2 inches, with hinged cover, and shall be shoulder type with inset beveled, conforming to Defense Personnel Support Center Drawing 1723. Sides shall be solid basswood, 3/8 inch ± 1/32 inch thick; top and bottom shall be 3-ply basswood, 3/16 inch ± 1/32 inch thick. Box shall have a pestproof lining and shall be properly mitred and beveled to provide a fit sufficiently tight to prevent entrance of pests when the box is closed. The inside at the bottom shall be completely lined with cork, securely anchored to the bottom, to provide a resilient pinning base for specimens. The entire interior, including the cover, but excluding the sides of the cover, shall be lined with paper. Paper shall be placed so that the glazed side is exposed. The bottom surface covered with cork and the paper shall provide a resilient surface suitable for mounting insect specimen. Box shall be assembled with neatly mitred and splined joints. Hinges and hooks shall be brass of suitable size and weight, neatly affixed to provide secure closure.

3.3 Finish. The exterior of the box shall be primed in conformance with Type I or II of MIL-W-13518, finished in olive drab enamel conforming to TT-E-527 and to color X34087 (see 6.1). Hinges and exposed hardware shall be treated to prevent corrosion.

3.4 Identification marking. Each box shall be permanently marked with the manufacturer's name or registered trademark.

3.5 Workmanship. Workmanship shall be first class throughout. Insect boxes shall be free from defects listed in Table II and other defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:38Z
Check the source to verify that this is the current version before use.

4.1.1 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 Inspection. Inspection, as used in this specification, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

4.1.3 Certificates of quality. Certificate of quality, supplied by the manufacturer of the cork, may be furnished in lieu of actual performance of such testing by the contractor, provided lot identity has been maintained and can be demonstrated to the Government. The Certificate shall include the name of the contractor, the contract number, the name of the manufacturer or supplier, the NSN, the Item Identification, the name of the material, the lot number, the lot size, the sample size, the date of testing, the test method, individual test results, and the specification requirements.

4.2 Sampling.

4.2.1 For examination. Sampling for examination shall be conducted in accordance with MIL-STD-105 Table I. Sample unit shall be one insect box.

TABLE I. Sampling for examination

	Inspection level	AQL (Percent defective)
For visual examination		
Major defects	II	1.0
Minor defects	II	2.5
For dimensional examination	S-2	2.5

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

4.3 Examination. The insect box shall be examined to determine compliance with requirements contained in this specification. Examination shall be conducted in accordance with, but shall not be limited to, the defects listed below.

TABLE II. Classification of defects *

Category	Defect
Major	
101	Box not free of sharp edges.
102	Box not free of warping.
103	Box not free of gouges and delamination.
104	Box cannot be securely closed.
105	Corners not secured.
106	Cork not secured.
107	Cork not free of gouges.
108	Paper not secured.
109	Paper not free of tears and cuts.
110	Paper not glazed.
111	Finish not free of blistering and peeling.
Minor	
201	Paper not free of wrinkles.
202	Finish not smooth and uniform; not free of imbedded foreign matter.
203	Finish not free of scratches.
204	Identification marking not present, complete, correct, legible and permanent.

*Examination shall not be restricted to the classified possible defects listed above.

4.3.1 Dimensional examination. The box shall be examined for defects in dimensions. Any dimension not within the tolerances specified herein shall be classified as a defect.

4.3.2 Packaging inspection. An inspection shall be made to determine compliance with the packaging, packing and marking requirements of Section 5. Defects shall be scored as specified in Table III. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 with AQL of 4.0 expressed in terms of percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

TABLE III. Inspection of preparation for delivery

Examine	Defect
Contents	Not as specified.
Container	Not as specified.
Marking	Omitted; incorrect; illegible; improper size, location, sequence or method of application.
Packaging and packing material	Component missing or damaged.
Workmanship	Bulging or distortion of containers.

4.3.3.1 Inspection of closure, waterproofing and banding of container. When the shipping container is required to comply with PPP-B-636, the examination of defects in closure, waterproofing or banding shall be in accordance with the appendix of the box specification.

4.4 Tests. Tests shall be conducted to determine compliance with specification requirements.

5. PACKAGING

5.1 Packaging requirements. Packaging requirements shall be Level A or C, as specified (see 6.2).

5.1.1 Level A.

5.1.1.1 Unit packaging. Each insect box shall be packaged in a box conforming to PPP-B-566 or PPP-B-676. Closure shall be as specified in the applicable box specification.

5.1.2 Level C. Insect boxes shall be individually packaged in a manner that will afford adequate protection against physical damage during shipment from the supply source to the first receiving activity.

5.2 Packing. Packing shall be Level A, B or C, as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:38Z
Check the source to verify that this is the current version before use.

5.2.1 Level A. Twenty four unit packages shall be packed in an exterior container designed for a type 2 load and conforming to PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2 or PPP-B-636, class weather-resistant. Closure and strapping shall be as specified in the appendix of the applicable box specification.

5.2.1.2 Case liner. Each Level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Fiberboard box shall be waterproofed as specified in PPP-B-636.

5.2.2 Level B. Twenty four unit packages shall be packed in an exterior container designed for a type 2 load and conforming to PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, class domestic. Closure shall be as specified in the appendix of the applicable box specification.

5.2.3 Level C. The packaged insect boxes shall be packed in a shipping container that will afford adequate protection against damage during direct shipment from the supply source to the first receiving activity. These packs shall conform to the carrier's rules and regulations.

5.3 Marking.

5.3.1 Unit package. Each unit package shall be marked in accordance with MIL-STD-129. Contract, purchase order number and name of contractor shall be shown.

5.3.2 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Availability of color standards. The color standards of the color referenced in 3.3 are available from:

Commanding Officer
U.S. Army Coating and Chemical Laboratory
Aberdeen Proving Ground, MD 21005

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

6.2 Procurement documents should specify the following:

a. Title, number and date of this specification.
b. National Stock Number (NSN).
c. Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6640-0972

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-B-37409 BOX, INSECT, SPECIMEN

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:38Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:38Z
Check the source to verify that this is the current version before use.