MIL-E-37399A
30 August 1978
SUPERSEDING
MIL-E-37399(DSA-DM)
7 January 1976

MILITARY SPECIFICATION

ERYTHROSINE SODIUM SOLUBLE TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Erythrosine Sodium Soluble Tablets (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-C-186 - Containers, Packaging and Packing, for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP),

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Erythrosine Sodium Soluble Tablets, USP, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:37Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I.

S5.2 The following is added to this paragraph:

Shall be palatable, chewable tablets containing 2 percent (not less than 6 mg) erythrosine sodium, per tablet, within the applicable assay limits for the tablets.

The stain formed in the mouth shall be non-permanent, dissipating itself within a twelve hour period.

S6.4.1.1 Uncoated tablets. At the end of the paragraph, add the following new statement: "The dye (erythrosine) shall be uniformly distributed throughout the tablet; however, the tablets may be slightly grainy (striated) in appearance."

S6.4.6 Hardness. Tablets shall have a hardness between 9 pounds and 12 pounds, when tested using the Pfizer hardness tester or other suitable instrument giving comparable results. A sample of at least ten (10) tablets shall be tested, and each tablet shall comply with the above test.

S6.9.1 Classification of defects. Under "Uncoated Tablets" "Major A", delete "102" in its entirety and substitute:

"102. Tablets not uniform in appearance when comparing individual tablets with each other, within each lot, and from lot to lot."

3.2 Palatability. The tablet shall be palatable and pleasant to the taste with no unpleasant after-taste. Not later than the time specified for opening the bids or receipt of proposals, the offeror shall submit to the contracting officer one (1) unit of product which is representative of the product which the offeror proposes to furnish. A portion of the sample will be subjected to panel testing for a determination of palatability (see 4.3.1 Palatability test). A portion will be used by the cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:37Z
Check the source to verify that this is the current version before use.

3.2 Palatability (Cont'd)

of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determines that such product was previously procured and/or tested by the purchasing activity and found to comply with the specification requirement.

3.3 Ingredients.

3.3.1 Erythrosine Sodium. The Erythrosine Sodium used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto. Each lot used shall be certified by the FDA.

3.4 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S51 of FED-STD-140.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:37Z
Check the source to verify that this is the currentversion before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Sampling shall be conducted in accordance with FED-STD-140.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.3.1 Palatability test. A taste panel consisting of 10 members will be used to determine acceptability of sample. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the item's Palatability Standard, 1/ when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the samples shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extremely

1/ The item's Palatability Standard is available, upon separate request to the contracting officer, Defense Personnel Support Center, Directorate of Medical Materiel.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:37Z
Check the source to verify that this is the current version before use.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One box containing 1000 individually sealed tablets, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available immediate strip or blister packaging considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each. Each individually sealed immediate container may be attached to others in accordance with commercial practice.

5.2.2.2 Unit package. One thousand individually sealed tablets shall be packaged in a box conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification. The tablets may be packaged in paperboard boxes of twenty or more tablets per box prior to insertion in the unit package.

5.2.3 Level C. One thousand individually sealed tablets shall be packaged in a manner that will afford adequate protection against deterioration and physical damage during shipment from the supply source to the first receiving activity.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

5.3.1 Level A. Two unit packages shall be packed in a shipping container designed for a type 2 load and conforming to PPP-B-636, class weather-resistant, with the exception of grade W5c. Closure strapping and waterproofing shall be as specified in the appendix of the box specification.

5.3.2 Level B. Two unit packages shall be packed in a shipping container designed for a type 2 load and conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the national stock number.

(c) the date of manufacture prefixed by "MFD".

NOTES: (1) The national stock number need not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) The commercial label shall not include reference to USP.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

5.4.2 Shipping container. Shipping containers shall be marked as specified in 5.5.4 of PPP-C-186. The date of manufacture shall be shown in lieu of the date packed.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-133-5446	ERYTHROSINE SODIUM SOLUBLE TABLETS, Individually Sealed, 2%, 1000s

6.3 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DLA-DM

Project No. 6505-1866

Review activity:

DOD - MB

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:37Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-E-37399A ERYTHROSINE SODIUM SOLUBLE TABLETS,

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:37Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.