MILITARY SPECIFICATION

HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, U.S.P.

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Hydrocortisone Sodium Succinate for Injection, U.S.P.

1.2 Classification. The injection covered by this specification shall be of the following strengths (See 6.2):

Strength 1 - 100 mg
Strength 2 - 250 mg

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:40Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:40Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall consist of Hydrocortisone Sodium Succinate for Injection, U.S.P., and separate diluent, packaged in a two-compartmented glass vial (see 5.2.2.1). The Hydrocortisone Sodium Succinate for Injection (medicament) shall be contained in the lower compartment and the diluent shall occupy the upper compartment of the vial.

3.1.1 Shall be in accordance with all applicable requirements of FED-STD-142 and as stated herein:

S2. Classification. Shall be type IV, class 1, style A.

S5.2.1 The following is added to this paragraph:

The Hydrocortisone Sodium Succinate entering into the lower compartment shall be in accordance with the tests, standards and requirements of the U.S.P., including any supplements or revisions thereto. As an alternate to the use of Hydrocortisone Sodium Succinate, U.S.P., Hydrocortisone Sodium Succinate formed in situ by the use of Hydrocortisone Hemisuccinate and Sodium Hydroxide may be used.

3.1.2 Diluent in upper compartment of vial. The diluent in the upper compartment of the vial shall be suitable for reconstitution of the Hydrocortisone Sodium Succinate.

3.2 Reconstituted product. When reconstituted as stated on the label, the reconstituted solution shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type I, class 1.

Shall be suitable for intramuscular and intravenous use.

S5.2.1 The following is added to this paragraph:

For strength 1, each 2 ml of the resulting solution shall contain a quantity of Hydrocortisone Sodium Succinate equivalent to 100 mg Hydrocortisone Base, within the applicable assay limits for the injection.

For strength 2, each 2 ml of the resulting solution shall contain a quality of Hydrocortisone Sodium Succinate equivalent to 250 mg Hydrocortisone Base, within the applicable assay limits for the injection.

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:40Z
Check the source to verify that this is the current version before use.

3.3 Ingredients.

3.3.1 Hydrocortisone Sodium Succinate. The Hydrocortisone Sodium Succinate shall comply with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.3.2 Hydrocortisone Hemisuccinate. If Hydrocortisone Hemisuccinate is used in the manufacture of the Hydrocortisone Sodium Succinate it shall comply with the following requirements:

3.3.2.1 Infrared Identification. The infrared absorption spectrum of a mineral oil dispersion of the sample exhibits maxima only at the same wavelengths as that of a similar preparation of Hydrocortisone Hemisuccinate reference standard.

3.3.2.2 Ultraviolet absorption. The ultraviolet absorption of a 1 in 50,000 solution in ethanol exhibits a maximum at the same wavelength as that of similar solution of Hydrocortisone Hemisuccinate reference standard concomitantly measured, and the respective absorptivities, calculated on the dried basis at the wavelength of the maximum absorbance at about 242 nm, do not differ by more than 3 percent.

3.3.2.3 Specific rotation. The specific rotation of the material, calculated on the dried basis, determined on a solution containing 10 mg Hydrocortisone Hemisuccinate per ml in acetone shall be not less than +124° and not more than +134° when measured at 25°C, employing the sodium D line as described in the U.S.P. under "Optical Rotation."

3.3.2.4 Water. Shall contain not more than 4.5 percent water when determined using the U.S.P. Titrimetric method.

3.3.2.5 Residue on Ignition. Shall contain not more than 0.1 percent residue when determined by the U.S.P. method using a 500 mg sample.

3.3.2.6 Assay. Shall assay not less than 97.0 percent and not more than 103.0 percent when determined using the U.S.P. Total Steroid Assay. Standard preparation shall contain 12.5 mg of Hydrocortisone Hemisuccinate reference standard per ml in alcohol. Sample preparation shall be prepared as follows: Transfer about 100 mg of sample, accurately weighed, to a 200 ml volumetric flask. Dissolve in alcohol and make to volume with alcohol. Mix well. Pipet 5.00 ml of this solution into a 200 ml volumetric flask, make to volume with alcohol, and mix well. Pipet 20 ml of the resulting solution into a 50 ml conical flask.

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:40Z
Check the source to verify that this is the current version before use.

3.3.3 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.4 Expiration dating period. The expiration dating period shall be 60 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.3 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control, number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:40Z
Check the source to verify that this is the current version before use.

4.4 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. Requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One compartmentalized glass bottle containing Hydrocortisone Sodium Succinate for Injection of the strength, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available compartmentalized glass vial, of which one compartment contains the dry active constituent and the other contains the diluent. The container shall be considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Five units of issue of one strength only shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (See 6.1).

5.3.1 Level A. One hundred twenty intermediate packages (600 units) of one strength only shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. One hundred twenty intermediate packages (600 units) of one strength only shall be packed in an exterior container as specified in paragraph 5.4.3.1.1 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:40Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit packages. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. Type I Shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior container shall be marked as specified in paragraphs 5.5.4 of PPP-C-186. Type I Shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:40Z
Check the source to verify that this is the currentversion before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-951-5533	HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, USP, Equivalent to 100 mg of Hydrocortisone.	Strength 1
6505-00-951-5533	HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, USP, Equivalent to 0.25 Gram of Hydrocortisone.	Strength 2

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1552

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:40Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-H-37420(DSA-DM) HYDROCORTISINE SODIUM SUCCINATE FOR INJECTION, U.S.P.

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:40Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:40Z
Check the source to verify that this is the current version before use.

(Certification. The contractor shall certify that the product offered meets the