MILITARY SPECIFICATION

MEPIVACAINE HYDROCHLORIDE INJECTION, U.S.P.

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Mepivacaine Hydrochloride Injection, U.S.P. (See 6.2)

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

FEDERAL

FED-STD-142	- Parenteral Preparations.

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U.S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Mepivacaine Hydrochloride Injection, U.S.P., and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 1.

S5.2.1 The following is added to this paragraph:

Shall be a 3 percent W/V solution of Mepivacaine Hydrochloride within the applicable assay limits for the injection.

S6.3 Delete in its entirety and substitute:

"S6.3 Volume in final container. The final container (cartridge) shall contain not less than 1.80 ml. For delivery per cartridge, see 5.2.2.1."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

Add the following new paragraph:

"S6.9.5 Other certificates. The contractor shall maintain permanent records of each lot number including the date of manufacture and the date that the material is released to the Government. A record of lot number, date of manufacture, and date of release to the Government shall be submitted within fourteen (14) days after date of release to the Government."

3.2 Ingredients.

3.2.1 Mepivacaine Hydrochloride. The Mepivacaine Hydrochloride used in the manufacture of the injection shall comply with the tests, standards, and requirements of the *U.S.P.*

3.2.2 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.3 Expiration dating period. The expiration dating period shall be 60 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

4.2 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.3 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.4 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One can containing fifty cartridges, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available glass cartridge considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatability that neither the contents nor the container are altered in any way by each other. Each cartridge shall deliver not less than 1.7 ml and not more than 2.0 ml. Shall be suitable for use with stocklisted cartridge syringe, 6515-00-985-7106.

5.2.2.2 Unit packaging. Fifty cartridges shall be vacuum packaged in a sealed can. As an alternate, after evacuation, the can may be filled with an inert gas before sealing. Carbon dioxide shall be acceptable, provided it functions as an insert gas. Packaging of each unit shall be effected to insure against shifting or breakage of contents. In addition, the can shall meet the requirements hereinafter specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

5.2.2.2.1 Material. Cans may be fabricated of either 1.25 hot-dipped tinplate or 0.25 electrolytic tinplate. The basis weight of the sheet shall be 75 pounds per base box.

5.2.2.2.2 Construction. Shall be of the best commercial construction. Top and bottom shall be double-seamed and compound-lined. Body construction shall be of one-piece, with side seams soldered, and with all excess solder wiped off. Seams and points shall be such that when closure is accomplished, as specified under section entitled "Closure," there shall be no leakage or loss of vacuum. Can strength shall be such as to be able to withstand an external pressure 14.7 pounds per square inch greater than its internal pressure, without collapsing.

5.2.2.2.3 Size. The outside diameter of the can shall not exceed 86.5 mm. The total height of the can shall not exceed 78.8 mm.

5.2.2.2.4 Closure. Can shall have an aluminum, full panel roll top, with a pull ring. Can closure shall be accomplished in a vacuum of at least 24 inches of mercury at 20°C, and not greater than 27 inches of mercury at 20° C.

5.2.2.3 Intermediate package. Twenty unit packages (cans) shall be packaged in a box conforming to PPP-B-636, type CF, class domestic and having a minimum bursting strength of 200 pounds. The box shall include full height, half slotted type partitions fabricated of the same material as the box. The partitions shall form an individual snug-fitting cell for each can. Closure of the box shall be as specified in the appendix of the box specification.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Two intermediate packages (40 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186 except that level B packing is not required.

5.3.2 Level B. Two intermediate packages (40 units) shall be packed in an exterior container as specified in 5.4.3.6.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.
(c) the expiration date.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate packages. Each intermediate package shall be marked in accordance with MIL-STD-129. Lot (control) number, contract or purchase order number, and name of contractor shall be shown. Type I shelf-life markings as specified in MIL-STD-129 shall be shown. In addition, marking shall include the legend:

"DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number and Type I shelf-life markings as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item(s):

National Stock Number	Item Identification
6505-00-982-7301	MEPIVACAINE HYDROCHLORIDE INJECTION, USP, 3%, 1.8 ml, 50s

6.3 All reference to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6/4 This specification does not cover all types, classes, grades, or sizes of thecommodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1537

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-M-37397(DSA-DM) - MEPIVACAINE HYDROCHLORIDE INJECTION, U.S.P.

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974— 603-660/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:37Z
Check the source to verify that this is the current version before use.