MILITARY SPECIFICATION SHEET

CAPACITORS, FIXED, GLASS DIELECTRIC,
(RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY,
STYLES CYR41, CYR42, AND CYR43

This amendment forms a part of Military Specification Sheet MIL-C-23269/9A, dated 30 September 1970, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* Following title, insert: "

FAILURE RATE LEVEL 'L' IS INACTIVE FOR DESIGN AFTER 20 July 1983 .

"

FIGURE: Delete dimension table for style CYR41 and substitute:

"

	Dimensions			
Style	M	L max	W max	T max
CYR41	.025 +.004 -.001	.315	.315	.115 (0.5 thru 470 pF) .165 (560 and 680 pF) .215 (820 and 1000 pF)

INCHES	MM	INCHES	MM
.001	.03	.115	2.92
.004	.13	.165	4.19
.010	.25	.215	5.46
.015	.38	.315	8.00
.025	.64	1.125	28.58
.031	.79		

"

PAGE 5

FIGURE: Delete dimension table for style CYR42 and substitute:

"

	Dimensions			
Style	M	L max	W max	T max
CYR42	.020 +.002 -.001	.405	.215	.109

INCHES	MM	INCHES	MM
.001	.03	.109	2.77
.002	.05	.215	5.46
.010	.10	.405	10.29
.020	.25	1.125	28.58
.031	.79		

"

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T16:15Z
Check the source to verify that this is the current version before use.

PAGE 8

FIGURE: Delete dimension table for style CYR43 and substitute:

"

	Dimensions			
Style	M	L max	W max	T max
CYR43	.025 $^{+.004}_{-.001}$	.530	.310	.155

INCHES	MM		INCHES	MM
.001	.03		.155	3.94
.004	.10		.310	7.87
.010	.25		.530	13.46
.025	.64		1.125	28.58
.031	.79			

"

PAGE 10

TABLE IV: Delete and substitute new table IV as printed on pages 3 and 4 of this amendment.

NOTE: The margin of this amendment is marked with an asterisk to indicate where the change (addition) from the previous amendment was made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notation and relationship to the last previous amendment.

Custodians:
Army - ER
Navy - EC
Air Force - 11
NASA - NA

Review activities:
Air Force - 17, 85
DLA - ES
ARMY - AV
User activities:
Navy - MC, CG, AS, OS, SH
Air Force - 19

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5910-1454-9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T16:15Z
Check the source to verify that this is the current version before use.

TABLE II. Substitutability data.

Superseded type designation in MIL-C-23269/9	Use dash number M23269/09- in MIL-C-23269/9A FR level in percent/1,000 hours		Superseded type designation in MIL-C-23269/9	Use dash number M23269/09- in MIL-C-23269/9A FR level in percent/1,000 hours	
	L (2.0)	M (1.0)		L (2.0)	M (1.0)
CYR41E0R5C	2001	3001	CYR41E151F	2052	3052
CYR41E1R5C	2002	3002	CYR41E151G	2053	3053
CYR41E2R7C	2003	3003	CYR41E151J	2054	3054
CYR41E3R3C	2004	3004	CYR41E181F	2055	3055
CYR41E3R9C	2005	3005	CYR41E181G	2056	3056
CYR41E4R7C	2006	3006	CYR41E181J	2057	3057
CYR41E5R6C	2007	3007	CYR41E221F	2058	3058
CYR41E6R8C	2008	3008	CYR41E221G	2059	3059
CYR41E6R8J	2009	3009	CYR41E221J	2060	3060
CYR41E8R2C	2010	3010	CYR41E271F	2061	3061
CYR41E8R2J	2011	3011	CYR41E271G	2062	3062
CYR41E100C	2012	3012	CYR41E271J	2063	3063
CYR41E100J	2013	3013	CYR41E331F	2064	3064
CYR41E120C	2014	3014	CYR41E331G	2065	3065
CYR41E120J	2015	3015	CYR41E331J	2066	3066
CYR41E150C	2016	3016	CYR41E391F	2067	3067
CYR41E150G	2017	3017	CYR41E391G	2068	3068
CYR41E150J	2018	3018	CYR41E391J	2069	3069
CYR41E180C	2019	3019	CYR41E471F	2070	3070
CYR41E180G	2020	3020	CYR41E471G	2071	3071
CYR41E180J	2021	3021	CYR41E471J	2072	3072
CYR41E220C	2022	3022	CYR41E561F	2073	3073
CYR41E220G	2023	3023	CYR41E561G	2074	3074
CYR41E220J	2024	3024	CYR41E561J	2075	3075
CYR41E270F	2025	3025	CYR41E681F	2076	3076
CYR41E270G	2026	3026	CYR41E681G	2077	3077
CYR41E270J	2027	3027	CYR41E681J	2078	3078
CYR41E330F	2028	3028	CYR41E821F	2079	3079
CYR41E330G	2029	3029	CYR41E821G	2080	3080
CYR41E330J	2030	3030	CYR41E821J	2081	3081
CYR41E390F	2031	3031	CYR41E102F	2082	3082
CYR41E390G	2032	3032	CYR41E102G	2083	3083
CYR41E390J	2033	3033	CYR41E102J	2084	3084
CYR41E470F	2034	3034			
CYR41E470G	2035	3035	CYR42E0R5C	2101	3101
CYR41E470J	2036	3036	CYR42E1R5C	2102	3102
CYR41E560F	2037	3037	CYR42E2R7C	2103	3103
CYR41E560G	2038	3038	CYR42E3R3C	2104	3104
CYR41E560J	2039	3039	CYR42E3R9C	2105	3105
CYR41E680F	2040	3040	CYR42E4R7C	2106	3106
CYR41E680G	2041	3041	CYR42E5R6C	2107	3107
CYR41E680J	2042	3042	CYR42E6R8C	2108	3108
CYR41E820F	2043	3043	CYR42E6R8J	2109	3109
CYR41E820G	2044	3044	CYR42E8R2C	2110	3110
CYR41E820J	2045	3045	CYR42E8R2J	2111	3111
CYR41E101F	2046	3046	CYR42E100C	2112	3112
CYR41E101G	2047	3047	CYR42E100J	2113	3113
CYR41E101J	2048	3048	CYR42E120C	2114	3114
CYR41E121F	2049	3049	CYR42E120J	2115	3115
CYR41E121G	2050	3050	CYR42E150C	2116	3116
CYR41E121J	2051	3051	CYR42E150G	2117	3117

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T16:15Z
Check the source to verify that this is the current version before use.

TABLE II. Substitutability data - Continued.

Superseded type designation in MIL-C-23269/9	Use dash number M23269/09- in MIL-C-23269/9A FR level in percent/1,000 hours		Superseded type designation in MIL-C-23269/9	Use dash number M23269/09- in MIL-C-23269/9A FR level in percent/1,000 hours	
	L (2.0)	M (1.0)		L (2.0)	M (1.0)
CYR42E150J	2118	3118	CYR42E181G	2156	3156
CYR42E180C	2119	3119	CYR42E181J	2157	3157
CYR42E180G	2120	3120	CYR42E221F	2158	3158
CYR42E180J	2121	3121	CYR42E221G	2159	3159
CYR42E220C	2122	3122	CYR42E221J	2160	3160
CYR42E220G	2123	3123	CYR42E271F	2161	3161
CYR42E220J	2124	3124	CYR42E271G	2162	3162
CYR42E270F	2125	3125	CYR42E271J	2163	3163
CYR42E270G	2126	3126	CYR42E301F	2164	3164
CYR42E270J	2127	3127	CYR42E301G	2165	3165
CYR42E330F	2128	3128	CYR42E301J	2166	3166
CYR42E330G	2129	3129			
CYR42E330J	2130	3130			
CYR42E390F	2131	3131	CYR43E331F	2301	3301
CYR42E390G	2132	3132	CYR43E331G	2302	3302
CYR42E390J	2133	3133	CYR43E331J	2303	3303
CYR42E470F	2134	3134	CYR43E391F	2304	3304
CYR42E470G	2135	3135	CYR43E391G	2305	3305
CYR42E470J	2136	3136	CYR43E391J	2306	3306
CYR42E560F	2137	3137	CYR43E471F	2307	3307
CYR42E560G	2138	3138	CYR43E471G	2308	3308
CYR42E560J	2139	3139	CYR43E471J	2309	3309
CYR42E680F	2140	3140	CYR43E561F	2310	3310
CYR42E680G	2141	3141	CYR43E561G	2311	3311
CYR42E680J	2142	3142	CYR43E561J	2312	3312
CYR42E820F	2143	3143	CYR43E681F	2313	3313
CYR42E820G	2144	3144	CYR43E681G	2314	3314
CYR42E820J	2145	3145	CYR43E681J	2315	3315
CYR42E101F	2146	3146	CYR43E821F	2316	3316
CYR42E101G	2147	3147	CYR43E821G	2317	3317
CYR42E101J	2148	3148	CYR43E821J	2318	3318
CYR42E121F	2149	3149	CYR43E102F	2319	3319
CYR42E121G	2150	3150	CYR43E102G	2320	3320
CYR42E121J	2151	3151	CYR43E102J	2321	3321
CYR42E151F	2152	3152	CYR43E122F	2322	3322
CYR42E151G	2153	3153	CYR43E122G	2323	3323
CYR42E151J	2154	3154	CYR43E122J	2324	3324
CYR42E181F	2155	3155			

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T16:15Z
Check the source to verify that this is the current version before use.