[INCH-POUND]
A-A-55541/1
15 December 1998

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

PASSIVE DELAY LINE, 10 TAP, 10 TO 200 NANOSECONDS

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers the general requirements for a 10 tap 10 to 200 nanoseconds passive delay lines. Passive delay lines covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 7.1).

AA55541	/01	-	001
CID number	Applicable CID sheet (two digits)		Dash number (see applicable CID sheet)

3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Passive delay lines supplied to this CID shall be as specified herein (see figure 1).

3.2 Electrical characteristics. Electrical characteristics shall be as specified in table I.

3.3 Operating temperature: -55°C to +125°C.

3.4 Lead material: Tin plated or solder dipped.

3.5 Distortion: ±15% maximum.

3.6 Delay time variation with temperature: 100 ppm/°C maximum.

3.7 DC resistance (RDC): See table I.

3.8 Nominal characteristic impedance: See table I.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Supply Center, Columbus, ATTN: DSCC VAM, 3990 East Broad Street, Columbus OH 43213-1199, or telephone (614) 692-0542, or facsimile (FAX) (614) 692-6939.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:52Z
Check the source to verify that this is the current version before use.

3.9 Insulation resistance: 10k megohms minimum @ 50 Vdc.

3.10 Pulse width: 2.5 times output rise time.

3.11 Tap accuracy and total accuracy: ±1.5 ns or 5% whichever is greater.

3.12 Marking. Passive delay lines supplied to this CID shall be marked with the manufacturer's (MFGR) standard commercial PIN.



FIGURE 1. Case and mounting dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:52Z
Check the source to verify that this is the current version before use.

Inches	mm	Inches	mm
0.002	0.05	0.200	5.08
0.003	0.08	0.225	5.72
0.010	0.25	0.290	7.37
0.015	0.38	0.300	7.62
0.018	0.46	0.310	7.87
0.050	1.27	0.320	8.13
0.075	1.91	0.350	8.89
0.125	3.18	0.790	20.07

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Location and shape of standoffs are optional. Standoff height shall be as indicated.
4. Pin 11 is not connected.
5. Terminal dimensions are prior to hot solder dip.
6. Schematic is for general information only.
7. Leads shall be free of case meniscus and other foreign material and shall be solderable for a minimum of 0.010 above the seating plane of the delay line.

FIGURE 1. Case and mounting dimensions - continued.

TABLE I. Electrical characteristics.

AA55541/01-	Total Delay (ns)	Tap Delay (ns)	Rise Time (ns-Max.)	Impedance (Ohms)±10%	DCR (Ohms Max.)
001	10	1.0	2.2	50	1.0
002	12.5	1.2	2.5	50	1.0
003	20	2.0	4.0	50	1.5
004	25	2.5	5.0	50	1.5
005	50	5.0	10.0	50	2.5
006	100	10.0	20.0	50	5.0
007	200	20.0	40.0	50	11.5
008	10	1.0	2.2	100	1.0
009	12.5	1.2	2.5	100	1.0
010	20	2.0	4.0	100	1.5
011	25	2.5	5.0	100	1.5
012	50	5.0	10.0	100	2.5
013	100	10.0	20.0	100	5.0
014	200	20.0	40.0	100	11.5

4. REGULATORY REQUIREMENTS. This section is not applicable to this CID sheet.

5. QUALITY ASSURANCE PROVISIONS. Quality assurance provisions shall be as specified in A-A-55541.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:52Z
Check the source to verify that this is the current version before use.

6. PACKAGING. Packaging shall be as specified in A-A-55541.

7. 7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these passive delay lines to DSCC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.3 Source of documents.

Commercial Item Description

A-A-55541 - Delay Line, Passive, General Requirements for.

7.4 Ordering data. Ordering data shall be as specified in A-A-55541.

7.5 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFGR's CAGE	MFGR's name and address
90095	Technitrol Inc. Pulse Components Division 2 Pearl Buck Court Bristol, PA 19007-6812 (215) 781-6400

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:52Z
Check the source to verify that this is the current version before use.

7.6 Part number (P/N) supersession data. This CID supersedes the following manufacturer's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE II. P/N supersession data.

CID Dash number (see table I)	Vendor commercial P/N 1/
AA55541/01-	MFGR's CAGE 90095
001	LB10D7
002	LB10E7
003	LB10F7
004	LB10G7
005	LB10K7
006	LB10M7
007	LB10Q7
008	LF10D7
009	LF10E7
010	LF10F7
011	LF10G7
012	LF10K7
013	LF10M7
014	LF10Q7

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown.

7.7 Government users. To acquire information on obtaining these passive delay lines from the Government inventory system, contact Defense Supply Center, Columbus, ATTN: DSCC-CNBG, Post Office Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-7926.

MILITARY INTERESTS:

Custodians:
Army - CR
Navy - EC
Air Force - 85

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing Activity:

DLA-CC

Project 5999-0342-001

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:52Z
Check the source to verify that this is the current version before use.