MIL-D-40167C
AMENDMENT-1
2 September 1981

MILITARY SPECIFICATION

DOUGH PROOFING BOXES, STEAM HEATED

(STEAM, OR STEAM AND WATER, HUMIDIFIED)

This amendment forms a part of Military Specification MIL-D-40167C, dated 29 December 1972, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2 Add the following new size:

"8 - For Naval Shipboard Installation"

2.1 Add the following paragraph title: "Issues of documents."

PAGE 2

2.1 under "STANDARDS MILITARY": Delete title for "MIL-STD-461" and substitute "Electromagnetic Emission and Susceptibility Requirements for the Control of Electromagnetic Interference."
under "LAWS AND REGULATIONS:" Delete "29 CFR 1910" and its title, and substitute: "29 CFR Part 1910 - Occupational Safety and Health Standards."

2.2, line 6: Delete "Sanitation Standard No. 10" and substitute the following: "Standard No. 10 - Prefabricated Enclosures and Air Conditioning Equipment for Fermentation, Proofing, Cooling and Retarding."

PAGE 3

2.2, in "Source" paragraph for "Underwriters' Laboratories, Inc. (UL)" line 2: Delete "semi-colon" after "60062", and add a closing parenthesis. Delete the 2 remaining addresses.

FSC 7320

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:22Z
Check the source to verify that this is the current version before use.

PAGE 4

3.3.1.1, line 2: Delete "the UL label,"

3.4, at end of paragraph: Add "(see 6.7)."

3.5, line 4: Delete "and 7" and substitute:

"7 and 8 (see 3.6.6)"

PAGE 5

Table I, add the following in their respective columns:

"8	1 (see 3.6.6)	200 4/"

Footnote 3: Delete "type II,"

Add the following new footnote 4:

"4/ Bread pans in accordance with style 4, size 2 of RR-P-58."

3.5.2 Add the following to end of paragraph:

"The shelving for size 8 shall be as specified in 3.6.6."

PAGE 6

3.6.2.2 Add the following to end of paragraph:

"The interior and exterior panel surfaces for size 8 shall be constructed of stainless steel (see 3.6.6)."

3.6.2.4 Add the following to end of paragraph:

"For size 8 the door opening shall be as specified in 3.6.6."

3.6.2.5 Add the following to end of paragraph:

"Rack guide rails are not required for the size 8 dough proofing box."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:22Z
Check the source to verify that this is the current version before use.

PAGE 7

3.6.2.7 Add the following to end of paragraph:

"Electrical requirements for size 8 shall be as specified in 3.6.6."

3.6.2.10, line 3: Delete "class IIB" and substitute, "part 10, class C3, group I".

PAGE 9

Add the following new paragraph.

"3.6.6 Size 8, Naval shipboard installation. For Naval Shipboard installation, the size 8 dough proofing box shall be of sectional design for assembly and erection aboard ship, using simple tools. The interior and exterior panel surfaces shall be fabricated of type 302 stainless steel specified in 3.4.3, and not less than 0.0375 inch thick. The dough proofing box shall be equipped with automatic electric heating and humidity controls. Internal distribution of heat and humidity shall be through integral ductwork. Each proof box compartment shall be provided with a minimum of ten shelves, five stationary and five adjustable. The stationary shelves shall be spaced six inches apart on center. The adjustable shelves shall be on a rack assembly having guide rails that are spaced 1 inch apart on center. The shelves shall be fabricated of stainless steel and measure 24 inches by 72 inches by 1 inch and constructed so that each shelf shall be capable of supporting three 18 by 26 inch sheet pans loaded with rolls or four, 5-strap bread pans filled with 26-oz bread loaves. The dough proofing box shall be designed for connection to a 440 volt, three phase, 60 hertz power source. The overall dimensions of the dough proofing box shall be 72 inches high by 80 inches wide by 38 inches deep, and have a clear door opening of 74 inches wide. Overall dimensional tolerances are +0, -1/2 inch."

PAGE 16

6.5, line 2: Delete "ASPR" and substitute "DAR".

PAGE 17

Add the following new paragraph:

"6.7 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of the specification (see 3.4)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:22Z
Check the source to verify that this is the current version before use.

MIL-D-40167C
Amendment-1

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activities:

Army - MD
Navy - MC
DLA - GS

User activities:

Navy - MS, YD

Preparing activity:

Army - GL

Project No. 7320-0567

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:22Z
Check the source to verify that this is the current version before use.