[INCH-POUND]
A-A-3134
October 14, 1997

COMMERCIAL ITEM DESCRIPTION

COVER, MATTRESS AND PILLOW (PLASTIC)

The General Services Administration has authorized the use of this commercial item description, for all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This commercial item description (CID) covers plastic covers intended for protection of mattresses and pillows used in hospitals.

2. CLASSIFICATION.

2.1 Classification. The covers shall be of the following type and size, as specified (see 7.3).

Type I - Mattress cover
Size 1 - 36 +1/-0 inches by 76 +1.5/-0 inches by 6.5 +0.5/-0 inches high, finished size (91.4 +2.5/-0 cm by 193.0 +3.8/-0 cm by 16.5 +1.3/-0 cm).
Size 2 - 36 +1/-0 inches by 81 +1.5/-0 inches by 6.5 +0.5/-0 inches high, finished size (91.4 +2.5/-0 cm by 205.7 +3.8/-0 cm by 16.5 +1.3/-0 cm).

Type II - Pillow cover
Size 3 - 20 ± 1/4 inches x 27 ± 1/4 inches, finished size (50.8 ± 0.6 cm by 68.6 ± 0.6 cm).

3. SALIENT CHARACTERISTICS.

3.1 Performance. The cover shall be capable of protecting mattresses and pillows from soiling and staining from body excretions or secretions including blood, saliva, perspiration, and oil.

3.2 Materials.

3.2.1 Vinyl film. The vinyl film shall be white or clear with a brushed silk texture embossed on one side; shall have antibacterial, anti-fungal, and flame retardant additives appropriate to the end use and common to this product in accordance with industry practice; shall not cause skin sensitivity or irritation; and shall meet the physical requirements in Table I.

Table I. Vinyl film physical requirements.

	Mattress cover	Pillow cover
Thickness	0.008 inch (0.203 mm) ± 10%	0.004 inch (0.102 mm) ± 10%
Specific gravity	1.32 ± 0.02	1.32 ± 0.02

3.2.2 Slide fastener. The slide fastener shall be non-separating, single action, with a stop on each end. The minimum slide fastener chain length shall be 47 inches (119.4 cm) for mattress covers and 18 inches (45.7 cm) for pillow covers.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor Street, Fort Worth, TX 76102-6114.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.

3.2.3 Eyelets. Eyelets shall be non-corrosive and shall have a 1/4 ± 1/16 inch (0.6 ± 0.16 cm) diameter hole.

3.3 Design and construction. The production of the mattress or pillow cover shall include all materials and processes necessary to make a functional, durable finished cover meeting the requirements stated herein. The cover shall be made of a single panel of vinyl film (see 3.2.1). The embossed surface of the vinyl shall be on the outside of the cover. The cover shall close at one end with a slide fastener (see 3.2.2).

3.3.1 Mattress cover. The mattress cover shall have box-shaped corners. All seams shall be impermeable to fluid and sealed 1/2 inch (1.3 cm), minimum, from the cut edge. The slide fastener shall be centered at one end of the cover and shall extend across the end of the cover and down each side a minimum of 6 inches (15.2 cm). A durable permanent positioning tab, used to pull the cover over the mattress, shall be attached to each side wall of the cover. A minimum of one eyelet (see 3.2.3) shall be attached and centered vertically near the end of the zipper on each side for air ventilation. The slide fastener may be set into a separate panel of vinyl film which is then centered on the open end of the mattress cover and sealed to the cover.

3.3.2 Pillow cover. The pillow cover seams shall be closed with binding tape. The binding tape shall be a narrow strip of the same vinyl film used for the pillow cover. The slide fastener shall be centered crosswise and securely attached to the open end of the pillow cover with the same binding tape used to close the seams. The slide fastener tape edges and ends shall be securely attached to the pillow cover opening. If the seams are sewn, nylon thread shall be used and thread color shall match the vinyl.

3.4 Flammability. The cover shall meet the flammability requirements in the Flammable Fabrics Act, Code of Federal Regulations - 16 CFR Ch. II, Part 1611, Standard for the Flammability of Vinyl Plastic Film.

3.5 Labeling. Each package of covers shall be labeled with the following information. The marking shall be well defined and clearly legible.

a) Item, dimensions, material content, and National Stock Number.
b) Care instructions appropriate for the cover.
c) Manufacturer's name or trademark may be added to the label, at the manufacturer's option.

3.5.1 Special marking. Each package of covers shall be labeled with the following special marking:

CAUTION: DO NOT USE IN OXYGEN TENTS OR NEAR FLAMMABLE GASES AND ANESTHETICS.

3.6 Workmanship. The finished cover shall conform to the quality and grade of product established by this CID. The vinyl film shall be free from any bubble, sharp crease, wrinkle, blister, gouge, or other imperfection and from any objectionable odor (other than the odor typical to vinyl chloride). The slide fastener shall be free from any defect affecting function, appearance, or serviceability and shall remain securely attached to the cover during normal opening and closing of the fastener. The finished cover shall be clean and free of any foreign matter; any spot, stain, or other discoloration; any hole, cut, tear, break, or crack; any open, pleated, or puckered seam; any bulging or raw edge on the outside of the cover; and any uneven seam width. The pillow cover shall also be free from any unbound seam or, if applicable, any thread end not secured. The finished cover shall be free from any defect affecting function, appearance, or serviceability.

3.7 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parenthesis are for information purposes only.

3.8 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.

4. REGULATORY REQUIREMENTS.

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. PACKAGING.

6.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or purchase order.

7. NOTES.

7.1 Part Identification Number (PIN). Covers conforming with this CID are identified by a part number configuration consisting of a portion of the CID number, type, and size. An example of a part number configuration is shown below. This part numbering system is intended for identification and cross-indexing of the item within the federal cataloging system. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

AA3134A1 EXAMPLE: AA3134A1 = Type I, size 1 (36" x 75" x 6.5" mattress cover).
| | |____ Size (1, 2, 3).
| |_____ Type (I = A, II = B).
|_____ Commercial item description number.

7.2 Referenced document. The document referenced in this CID shall be the issue in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. This document forms a part of this CID to the extent specified. In the event of a conflict between this CID and the document referenced herein, this CID shall take precedence.

Copies of the Code of Federal Regulations are available from Superintendent of Documents, US Government Printing Office, Washington, DC, 20402.

7.3 Ordering data. Purchaser should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a) Title, number, and date of this commercial item description.
b) Type and size (see 2.1).
c) Preservation, packing, and marking desired.

7.4 National stock numbers (NSNs). The following NSNs correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

National Stock Number	Type	Size	PIN
7210-00-761-1471	I	1	AA3134A1
7210-00-761-1470	I	2	AA3134A2
7210-00-958-9118	II	3	AA3134B3

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the current version before use.

MILITARY COORDINATING ACTIVITY:

Custodian:

Air Force 99

Review Activities:

Air Force 84, 45

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.