[INCH - POUND]
A-A-3143
November 5, 1997

COMMERCIAL ITEM DESCRIPTION

PILLOW, BED, SHREDDED URETHANE FOAM FILLER

The General Services Administration has authorized the use of this commercial item description (CID), for all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers requirements for a shredded urethane foam bed pillow.

2. SALIENT CHARACTERISTICS

2.1 Materials.

2.1.1. Shredded urethane foam. The filling material shall be new (not used after manufacture) white shredded urethane foam. The Individual shredded pieces shall be screened to 1/2 to 3/4 inch (1.3 to 1.9 cm) in diameter.

2.1.2 Ticking fabric. The ticking fabric shall be odor free, non-allergenic, mildew resistant, white, 100% cotton, pre-shrunk to not exceed 1.5% residual shrinkage in either the warp or filling direction, treated with a flame resistant finish, and suitable for durable pillow ticking. The fabric shall have a pH value of not less than 4.5 nor more than 8.0, shall be colorfast to perspiration, shall be woven closely enough to prevent filling material from migrating out of the pillow, and shall be soft and smooth enough to allow the finished pillow to slip easily into an appropriately sized pillow case without dragging or bunching.

2.1.3 Thread. Spun or multi-filament thread of a type appropriate for sleep pillow production and for the ticking shall be used. Thread color shall match the ticking color. The thread shall be durable in appearance and function to the care method appropriate for the finished pillow.

2.2 Dimensions. The finished pillow shall be 26 inches (66.0 cm) long by 20 inches (50.8 cm) wide. Length and width measurements shall be determined from end of seam to end of seam on the finished pillow. A ±1/2 inch (±1.3 cm) tolerance shall be permitted in each dimension.

2.3 Construction. The bed pillow shall be rectangular in shape. Ticking edges shall be parallel to the fabric grain. All seams shall be straight, uniform, and sewn with sufficient stitches per inch to produce secure seams and prevent any migration of the foam to the outside of the pillow. All stitching shall be uniform and evenly spaced. No raw edges shall be exposed on the finished pillow. Seams shall not slip or pull out. All thread ends, when not caught in other seams and stitching, shall be secured to prevent unraveling. The shredded foam shall be evenly distributed inside the seamed cover. The finished pillow shall weigh 2 1/4 ± 1/2 pounds (1.0 ± 0.2 kg).

2.4 Ticking fabric flammability. The cloth shall pass flammability testing after a minimum of ten (10) launderings when laundered in accordance with AATCC 135 using machine washing and tumble drying procedures for sturdy cotton. The maximum average length of char or destroyed fabric shall not exceed 5-1/2 inches when tested in accordance with FED-STD-191, Test Method 5903.1. The fabric shall not continue flaming for more than two seconds after the flame is removed from the specimen.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor Street, Fort Worth, TX 76102-6114.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.

2.5 Labeling requirements. Each pillow shall have permanent, tear resistant label(s) marked with the following information: National Stock Number (NSN); pillow dimensions; fiber content of the ticking; filling material; care instructions appropriate for the pillow; and a label conforming to the legal requirements of the state of manufacture, if applicable. When allowed under state law, the information required under state regulation may be combined in the identification and care label. Manufacturer's name and trademark may be added to the permanent label(s), at the manufacturer's option. The label(s) shall be sewn into an end seam. Multiple labels shall be layered in one area. All required information shall be completely visible after the label(s) is (are) sewn in. Marking shall be well defined and clearly legible. Label material and marking shall be durable to the care method appropriate for the pillow.

2.6 Workmanship. The finished pillow shall conform to the quality of product established by this commercial item description and shall function as a comfortable, durable sleep pillow. The ticking fabric shall be free from cuts, tears, mends, burns, thread pulls, or other fabric defects. The finished pillow shall be clean, free of objectionable odor, and free of objectionable sound and crackling noise when the head is rested on the pillow. The ticking shall fit smoothly on the finished pillow and shall fit so that the pillow is free to spread as required in use. The ticking shall not be pulled so tightly that the fabric shows evidence of strain or that the stitching breaks or pulls loose. The finished pillow shall be free of any part assembled off grain or not aligned; corners not square; raw edges of any length; needle chews; puckered, twisted, pleated, uneven, or loose seams; or tight stitch tension (breaks when normal strain applied). Stitches shall be secure and uniform. The finished pillow shall be free of filling material on the outside. No defects affecting function, appearance, or serviceability shall be permitted.

2.7 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parenthesis are for information purposes only.

2.8 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

3. REGULATORY REQUIREMENTS

3.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5. PACKAGING

5.1 Packaging. Packaging, packing, and marking shall be as specified in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Referenced documents. The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Copies of AATCC standards and test methods are available from American Association of Textile Colorists and Chemists, PO Box 12215, Research Triangle Park, NC 27709.

Copies of Federal standards, are available from the Federal Supply Service Bureau Specification Section (3FBP-W), Specification Unit, Suite 8100, 470 E. L'Enfant Plaza, SW, Washington, DC 20407.

6.2 Ordering data. Purchaser should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a) Title, number, and date of this commercial item description.
b) The packaging, packing, and marking desired.

6.3 National stock number (NSN). NSN 7210-00-894-1144 corresponds to this commercial item description. This may not be the only NSN associated with this commercial item description.

MILITARY INTERESTS:

Custodian:
Air Force Code 99

Review Activity:
Air Force Code 82

PREPARING ACTIVITY
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.