[METRIC]
A-A-3180
August 20, 1999
SUPERSEDING
AA-C-00293C
January 29, 1990

CHAIRS, ROTARY AND STRAIGHT (STEEL, GENERAL OFFICE)

The General Services Administration has authorized the use of this Commercial Item Description by all Federal Agencies

1. SCOPE. The steel chairs covered by this Commercial Item Description are a matching group, uniform in appearance, comfort, design and quality of materials. They are primarily intended for general offices where there is a need for their use in relation to other standard gray metal office furniture to maintain uniformity.

2. CLASSIFICATION.

2.1 Types, classes, and styles. The chairs shall be of the following types, classes, and styles.

Type I - Chair, straight, four legs style.

Style A – With Arms
Style B – Without Arms

Type II - Chair, rotary.

Class 1 - Tilting seat and back.

Style A – With Arms
Style B – Without Arms

Class 2 - Non-tilting seat, posture back.

Style A – With Arms
Style B – Without Arms

3. SALIENT CHARACTERISTICS.

3.1 Material. Materials shall be the best commercial grade provided by the manufacturer. Materials shall be suitable in every respect for the purpose intended. All materials shall be new and unused, and free from defects that may affect serviceability or appearance of the finished product.

3.2 Pretreatment and finishing. All exposed ferrous metal shall have a corrosion resistant finish or the manufacturer's best commercial coating. The finish shall produce a finished chair satisfactory in

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data that may improve this document should be sent to: General Services Administration, Federal Supply Service, National Furniture Center (3FNE-CO), Washington, DC 20406

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the current version before use.

function, and appearance.

3.3 Color of finish. The finish shall be in accordance with the manufacturer's commercial product. The colors shall match Federal Standard 595 No. 26134 or the manufacturer's commercial equivalent.

3.4 Color of upholstery. Unless otherwise specified, the color shall closely match the following Government standard samples as specified in the invitation for bids or request for proposals.

Red	FSS-V-06001	Gray	FSS-V-06004
Gold	FSS-V-06002	Yew Green	FSS-V-06005
Black	FSS-V-06003	Mist Green	FSS-V-06006

Government standard samples are available from the General Services Administration, Federal Supply Service, Furniture Commodity Center (3FNE-CO), Washington, D.C. 20406.

3.5 Design. Figures 1-3 illustrate the general appearance and typical construction of the chairs required. A chafing pad shall be attached to the back frame to preventing scuffing or marking walls. The pad shall match the color of the metal finish. Chafing pads may be omitted if the rear legs are designed to prevent the chair back from contacting walls. Scuff plates shall completely protect the top of the painted (enameled) surfaces of the base from abrasions.

3.6 Dimensions. All dimensions are minimum. Dimensions are in millimeters.

	Type I Style A	Type I Style B	Type II Class 1 Style A	Type II Class 1 Style B	Type II Class 2 Style A	Type II Class 2 Style B
(A) Seat width	470	431	470	431	431	431
(B) Seat depth	431	381	431	381	381	381
(C) Seat height						
Adjustable	N/A	N/A	431-508	431-508	431-508	431-508
Fixed	457	457	N/A	N/A	N/A	N/A
(D) Backrest width	406	343	406	343	356	406
(E) Backrest height	241	241	241	241	254	229
(F) Back height	387	387	387	387		
(G) Arm height	178+13	N/A	178+13	N/A	178+13	N/A
(H) Width between arms	470	N/A	470	N/A	470	N/A

3.7 Workmanship. The details of construction including designs, joining, assembly, filling, shall be in accordance with the manufacturer's best quality and commercial practice. Any of the above details that are not specified or shown in the figures shall be in accordance with first class commercial, chair practice. Finished chairs shall be neat and free from any defects that affect the appearance or which might affect the serviceability of the chairs or the safety of the user.

3.8 Test Requirements. The chairs shall be tested as follows.

The chairs shall be tested in accordance with applicable requirements of ANSI/BIFMA X5.1-1993.

California Technical Bulletin 117 tests shall be performed on all chair upholstery.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the currentversion before use.

3.9 Marking. The marking shall be in accordance with the manufacturers standard commercial practice. In addition, a label shall be affixed to the underside of the chairs and include the manufacturer's name or trademark, contract number, National Stock Number (if specified), and month and year manufactured.

4. Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

5. PRODUCT CONFORMANCE.

5.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Sampling for inspection shall be performed in accordance with ANSI/ASQC Z1.4 unless the contracting officer or his/her representative approves an equal or better plan. A lot shall consist of one size and color. A sample shall be one each. Inspection levels and AQL's shall be as follows:

For fit, finish and all other workmanship - level II, AQL 4.0 defects per hundred.

6. PACKAGING

6.1 Preparation for delivery. Preservation and packing shall be in accordance with the manufacturer's best commercial practice. Chairs shall be packed one per shipping container. The shipping container shall be marked as specified in the purchase order or if not specified, in accordance with the manufacturers standard markings.

7. NOTES.

7.1 Ordering options.

a. Type, Class and Style of chair required.
b. Color of upholstery fabric required.
c. Packaging, packing and marking required.
d. Shipping instructions

7.2 Sources of documents.

7.2.1 ANSI/ASQC Z1.4. The ANSI/ASQC Standard is obtainable from the American Society for Quality Control, 611 East Wisconsin Avenue, Milwaukee, Wisconsin 53202.

7.2.2 ANSI/BIFMA X5.1-1993. The ANSI/BIFMA Standard for General Purpose Office Chairs Tests is obtainable from American National Standards Institute, 1430 Broadway, New York, NY 10018.)


7.2.3 California Technical Bulletin 117: The California Technical Bulletin is obtainable from The State of California, Department of Consumer Affairs, and Bureau of Home Furnishings, North Highlands, CA 95660.)


Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:
None: DOD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.







TYPE I
STYLE A

MINIMUM DIMENSIONS

Figure I

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.







TYPE II
CLASS I
STYLE B

MINIMUM DIMENSIONS

Figure 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.





TYPE II
CLASS 2
STYLE A

MINIMUM DIMENSIONS

Figure 3

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the current version before use.