MILITARY SPECIFICATION

LANTERN, GASOLINE, LEADED OR NONLEADED FUEL WITH CASE

This amendment forms a part of Military Specification MIL-L-1594L, dated 22 March 1978, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under Military Specifications: Add "MIL-P-14105 - Paint, Heat-Resisting (For Steel Surfaces)."
under Federal Specifications: Delete "TT-E-489 - Enamel, Alkyd, Gloss (For Exterior and Interior Surfaces)."
Delete "TT-P-636 - Primer Coating, Alkyd, Wood and Ferrous Metal."
under Federal Standards: Delete "FED-STD-151 - Metals, Test Methods."
under Military Standards: Add "MIL-STD-1188 - Commercial Packaging of Supplies and Equipment."

PAGE 4

2.2 continued: Delete lines 1-8 inclusive.

PAGE 5

3.3.1: Delete in its entirety.

3.3.7: Delete in its entirety.

PAGE 8

3.3.8: Delete and substitute the following:

"3.3.8 Enamel. Enamel shall conform to TT-E-485, type II, composition G or L, Olive Drab No. 24087 of FED-STD-595."

3.5.3, heading: Delete and substitute "Painting and Enameling".

3.5.3.1: Delete and substitute the following:

"3.5.3.1 Paint heat-resisting. The bottom (4-1), ring (4-2) and top (4-3) of the ventilator assembly shall be given a ground coat of heat-resisting paint conforming to MIL-P-14105. In addition, the exterior surfaces shall be given a finish coat. The color of the finish coat shall be Olive Drab color No. 14087 of FED-STD-595."

FSC 6260

Source: https://assist.dla.mil -- Downloaded: 202610-16T13:32Z
Check the source to verify that this is the currentversion before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:32Z
Check the source to verify that this is the current version before use.

PAGE 8 (cont'd)

3.5.3.2, lines 5 and 6: Delete and add "of enamel as specified in 3.3.8."

PAGE 13

4.3, line 5: Delete "4.5.6,".

PAGE 14

4.4.1.1: Delete in its entirety.

4.4.2.1, under heading "Operation", line 6: Delete "Vitreous enameling" and substitute "Heat-resisting paint".

PAGE 17

4.4.3.1, table III, under heading "Finish", line 1: Delete "Enameled" and substitute "Painted, enameled".

PAGE 19

4.4.3.3, line 2, after "4.5.5": Delete ", 4.5.6".

PAGE 20

4.4.4, line 2: Delete "-packaging".
line 4: Delete "prepared for delivery" and substitute "packaged".

4.5, Heading: Delete "Test methods" and substitute "Methods of inspection".

PAGE 21

4.5.6: Delete in its entirety.

5.1: Delete and substitute the following:

"5.1 Preservation. Preservation shall be level A.

PAGE 22

5.1.1.2.1, line 3: Delete "packaged" and substitute "unit packed".

PAGE 23

5.1.1.2.2, line 4: Delete "packaged" and substitute "unit packed".

5.2: Delete "C" and substitute "Commercial".

Source: https://assist.dla.mil -- Downloaded: 202610-16T13:32Z
Check the source to verify that this is the currentversion before use.

shall be subjected to humidity ... humidity. The light

PAGE 23 (cont'd)

5.2.1.1, line 2: Delete "-packaged".

5.2.1.2.1, line 2: Delete "-packaged".

5.2.1.2.2, line 2: Delete "-packaged".

5.2.2.1, line 2: Delete "-packaged".

PAGE 24

5.2.2.2.1, line 2: Delete "-packaged".

5.2.2.2.2, line 2: Delete "-packaged".

5.2.3: Delete and substitute the following:

"5.2.3 Commercial packing. Lanterns with cases, globes, quadrants and chann preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188.

5.3 Delete and substitute the following:

"5.3 Marking. In addition to any special marking required by the contract, unit packs, except lantern carrying cases, and shipping containers shall be marked in accordance with MIL-STD-129 or MIL-STD-1188, as applicable."

Custodians:

Army - GL
Air Force - 99

Preparing activity:

Army - GL

Project No. 6260-004

Review activity:

DLA - GS

User activities:

Navy - MC

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:32Z
Check the source to verify that this is the current version before use.