INCH-POUND

MIL-I-25941D
AMENDMENT 1

30 JAN 1994

MILITARY SPECIFICATION

INDICATOR, TURN AND SLIP, 2-INCH SIZE, INTEGRALLY LIGHTED

This amendment forms a part of MIL-I-25941D, dated 17 October 1986, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Under 2.1.1 above Federal add: "SPECIFICATIONS." Under Federal delete "PPP-B-601" and "PPP-B-636" entirely and add: "PPP-B-1672 Boxes, Shipping, Reusable With Cushioning."

Beneficial comments block, line 3, delete "MMEDO" and add: "TICLA."

PAGE 2

Under SPECIFICATIONS, Military, delete "MIL-I-6181" entirely and add: "MIL-B-121 Barrier Material, Greaseproofed, Waterproofed, Flexible."

Under STANDARDS, Federal, add: "FED-STD-101 Preservation, Packaging, And Packing Materials: Test Procedures."

Under SPECIFICATIONS, Military, delete "MIL-STD-143" entirely and add: "MIL-STD-461 Electromagnetic Emission And Susceptibility Requirements For The Control Of Electromagnetic Interference"; "MIL-STD-462 Electromagnetic Interference Characteristics, Measurement Of"; "MIL-STD-970 Standards & Specifications Order of Preference For the Selection Of" and "MIL-STD-2073-1 DOD Materiel Procedures For Development & Application Of Packaging Requirements."

PAGE 3

3.2 Line 3 delete "MIL-STD-143" and add: "MIL-STD-970."

PAGE 6

3.5.1 Line 2 delete "MIL-I-6181" and add: "MIL-STD-461 and MIL-STD-462."

PAGE 9

Add: 4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall

AMSC N/A FSC 6610

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 202610-20T07:32Z
Check the source to verify that this is the current version before use.

inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material."

PAGE 20

4.6.31 Line 2 delete "MIL-I-6181" and add: "MIL-STD-461 and MIL-STD-462."

PAGE 21

Delete section "5" entirely and add new:

5. PACKAGING.

5.1 Preservation. Preservation shall be level "A" or "C", as specified (see 6.2).

5.1.1 Preservation-packaging. Unless otherwise specified by the contracting activity, item shall be packaged in quantity unit pack (QUP) of one each. Each item will be provided a preservation method IC-1 IAW MIL-P-116.

5.1.2 CLEANING. Item shall be cleaned IAW MIL-P-116 C-1 process.

5.1.3 Drying. Immediately after cleaning, the items shall be dried following any one or combination of the drying procedures listed in MIL-P-116. The drying procedures employed shall not be injurious to the item.

5.1.4 Level A. Item shall be preserved IAW MIL-P-116 and MIL-STD-2073-1 to provide a method IC--1.

5.1.5 Level C. Item shall be individually preserved in a manner that will afford adequate protection against corrosion, deterioration, and physical damage during shipment from the supply source to the first receiving activity as specified in MIL-P-116 and MIL-STD-2073-1.

5.2 Packing. Packing shall be level "A", "B", or "C", as specified (see 6.2).

5.2.1 Container-cushioning. Unit container requirements shall conform to MIL-B-121, barrier material, unless otherwise specified by the contracting activity. Unit containers shall be large enough to allow for application of sufficient cushioning/wrap material, between the item and unit container.

Source: https://assist.dla.mil -- Downloaded: 202640-20T07:32Z
Check the source to verify that this is the currentversion before use.

Item cushioning/wrap material shall be of sufficient density and thickness to protect the unit container from punctures. Intermediate container requirements shall conform to PPP-B-1672, weather-resistant, unless otherwise specified by the contracting activity. Intermediate containers shall be large enough to allow for application of sufficient cushioning material, between the unit container and intermediate transmission does not exceed peak values in G's established for the item.

PAGE 22

5.2.2 Level A. Item will be preserved as specified in 5.1 and shall be packed in exterior containers conforming to PPP-B-1672, weather-resistant, unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size, and minimum tare and cube, consistent with the protection required. Closure shall be IAW appropriate PPP-B-1672 procedures, as specified by contractor, special packaging instructions (SPI), and contracting activity.

5.2.3 Level B. Same as Level "A" unless otherwise specified by SPI or the contracting activity.

5.2.4 Level C. Item will be packed in such a manner that will afford adequate protection against physical damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to MIL-STD-2073-1.

5.3 Marking. Unit, intermediate, and exterior containers shall be marked IAW special markings required by the contractor, SPI, and MIL-STD-129.

5.4 Inspection and Test. Test of methods of preservation shall be accomplished IAW section 4 of MIL-P-116 to ensure compliance with section 5 of this specification. Packaging tests shall be conducted IAW rough handling as specified in FED-STD-101.

Under Section 6. "NOTES" add: "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

6.2 Delete "line 1" entirely and add: "Acquisition requirements. Acquisition documents must specify the following:".

6.2 Add "f". Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1)."

6.6 Delete entirely.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:32Z
Check the source to verify that this is the current version before use.