INCH-POUND
MIL-PRF-22885K
SUPPLEMENT 1
26 June 2023

PERFORMANCE SPECFICATION

SWITCHES, PUSH BUTTON, ILLUMINATED
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-PRF-22885K, 26 June 2023.

SPECIFICATION SHEETS

MIL-PRF-22885/9	SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, (MODULAR CONSTRUCTED)
MIL-PRF-22885/10	SWITCH, PUSH BUTTON, ILLUMINATED, INDICATOR LIGHT FOR, MODULAR, 4-LAMP
MIL-PRF-22885/11	SWITCH, PUSH BUTTON, ILLUMINATED, MODULAR SWITCH ASSEMBLIES FOR
MIL-PRF-22885/12	SWITCH, SUBASSEMBLY, COLOR FILTERS (FOR SWITCH, PUSH BUTTON, ILLUMINATED)
MIL-PRF-22885/13	SWITCH, SUBASSEMBLY,BOOT, DRIPPROOF PANEL SEAL (FOR ILLUMINATED PUSH BUTTON SWITCH)
MIL-PRF-22885/18	SWITCH, PUSH BUTTON, ILLUMINATED, DRIP PROOF SEAL, MOMENTARY AND ALTERNATE ACTION (DPDT/TWO CIRCUIT - 2 AMPERES)
MIL-PRF-22885/52	SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH PLANAR COLOR FILTERS)
MIL-PRF-22885/53	SWITCH, PUSH BUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH LAMP-CAP COLOR FILTERS)
MIL-PRF-22885/56	SWITCH, PUSH BUTTON, ILLUMINATED, 2PDT, 4PDT AND INDICATOR ASSEMBLIES, 4-LAMP, SOLID MOUNTING
MIL-PRF-22885/58	SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, SOLID MOUNT, 3 AMPERES, UNSEALED
MIL-PRF-22885/59	SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, LENS ARRANGEMENTS FOR
MIL-PRF-22885/67	SWITCHES, PUSH BUTTON, ILLUMINATED, 4 LAMP, 0.75 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE
MIL-PRF-22885/71	SWITCHES, PUSH BUTTON, ILLUMINATED, 7 AMPERES AND LOW LEVEL, 4-LAMP, RFI SHIELDED, SOLID MOUNT
MIL-PRF-22885/74	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, PLUG-IN MODULE (INSERTABLE TYPE TERMINATION)
MIL-PRF-22885/75	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.87 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED
MIL-PRF-22885/77	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7.5 AMPERES, AND LOW LEVEL INTEGRATED WIRE TERMINATION, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE
* MIL-PRF-22885/79	SWITCHES, PUSH BUTTON, ILLUMINATED, MOMENTARY, SPDT AND DPDT, ONE LAMP, 7 AMPERE SILVER CONTACTS, 1 AMPERE GOLD CONTACT

* Inactive for new design.

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:12Z
Check the source to verify that this is the current version before use.

	MIL-PRF-22885/80	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP SOLID MOUNT, RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT
	MIL-PRF-22885/82	SWITCH, PUSH BUTTON, ILLUMINATED, LENS ASSEMBLIES FOR, .665 SQ AND .916 LG X .665 WIDE
*	MIL-PRF-22885/83	SWITCH, PUSH BUTTON, ILLUMINATED, (2.330 LONG X .750 SQUARE)
	MIL-PRF-22885/85	SWITCH, PUSH BUTTON, ILLUMINATED, LENS PLATE FOR, 1.030 LONG X .730 WIDE
	MIL-PRF-22885/86	SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, .870 SQUARE, 2 AMPERES, 2PDT AND 4PDT, PLUG-IN MODULE, EMI/RFI SHIELDING
	MIL-PRF-22885/87	SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, SOLID MOUNT, MODULAR CONSTRUCTED, HIGH IMPACT SHOCK
	MIL-PRF-22885/88	SWITCH, PUSH BUTTON, ILLUMINATED, HIGH IMPACT SHOCK, MODULAR SWITCH ASSEMBLIES FOR
*	MIL-PRF-22885/89	SWITCH, PUSHBUTTON, ILLUMINATED, SINGLE LAMP, 7 AMPERES, MOMENTARY ACTION
	MIL-PRF-22885/90	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, LOW LEVEL TO 7 AMPERES, (DRIPPROOF, EMI/RFI SHIELDING, NIGHT VISION GOGGLE COMPATIBLE)
*	MIL-PRF-22885/96	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, RFI SHIELDED
	MIL-PRF-22885/99	SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN)
	MIL-PRF-22885/101	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 5.0 AMPERES SILVER CONTACTS, 1 AMPERE MAX. GOLD CONTACTS, DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED, NVIS COMPATIBLE
	MIL-PRF-22885/102	SWITCH, PUSHBUTTON, 4-LAMP, PUSHBUTTON AND LENS ASSEMBLIES FOR, .610 SQUARE (DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED)
	MIL-PRF-22885/108	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP REPLACEABLE INCANDESCENT OR NON-REPLACEABLE LIGHT EMITTING DIODE (LED), 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES): GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION
	MIL-PRF-22885/109	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE HOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION
	MIL-PRF-22885/110	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SUNLIGHT READABLE, NIGHT VISION IMAGING SYSTEM COMPATIBLE, EMI/RFI SHIELDED, DRIPPROOF, SNAP ACTION, 4PDT, MOMENTARY, ALTERNATE
	MIL-PRF-22885/111	SWITCHES, PUSHBUTTON, LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS
	MIL-PRF-22885/112	SWITCHES, PUSHBUTTON, WHITE LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, DIMMABLE, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS

* Inactive for new design.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:12Z
Check the source to verify that this is the current version before use.

MIL-PRF-22885/113	SWITCHES, PUSHBUTTON, ILLUMINATED, 1.17 BY .96, LIGHT EMITTING DIODE (LED), SUNLIGHT READABLE, VOLTAGE DIMMABLE, NIGHT VISION GOGGLE COMPATIBLE, EMC COMPLIANT, COMMON TERMINATION SYSTEM (CTS), SPDT, DPDT, 4PDT, LOGIC LEVEL TO 7.5 AMPERES, DRIPPROOF, WATERTIGHT, SPLASHPROOF, HIGH IMPACT SHOCK RESISTANT
MIL-PRF-22885/115	SWITCHES, PUSHBUTTON, ULTRA-COMPACT, LED ILLUMINATION, NVIS, SEALED

* Inactive for new design.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:12Z
Check the source to verify that this is the current version before use.

Application Cross-Reference

MIL-PRF-22885	Threaded bushing	Snap-in flange mount	Solid flange mount	Plug-in switch/ connector module	28 V dc rating amperes	Low level rating	Gold contacts	Solid state switching	Solder terminals	Common termination system	Wire wrap terminals	Printed circuit terminals	Switch circuits
/9			X		5				X				DPDT/4 PDT
/18	X				2				X			X	DPDT/2 CKT
/56			X		2				X				DPDT/4 PDT
/58			X		3				X				DPDT/4 PDT
/67			X		7	X	X		X				1,2,3,4 PDT
/71			X		7	X	X		X				DPDT
/74			X	X	5					X			DPDT/4 PDT
/75			X		7				X				1,2,3,4 PDT
/77			X		7.5	X	X			X			2,3,4 PDT
/79	X				7		X		X			X	SPDT, DPDT
/80			X	X	5					X			DPDT/4 PDT
/86			X	X	2				X		X		DPDT/4 PDT
/87			X		5				X				DPDT/4 PDT
/89	X				7		X		X				SPDT, DPDT
/90			X		7	X	X		X				1,2,3,4 PDT
/96			X		7		X		X				1,2,3 PDT
/101			X	X	5	X	X		X	X		X	SPDT, DPDT
/108			X	X	7.5	X	X		X	X		X	1,2,4 PDT
/109			X	X	7		X		X	X		X	2 PDT, 4 PDT
/110			X	X	8	X			X	X		X	4 PDT
/111			X	X	7	X	X		X	X		X	SPDT, DPDT
/112			X	X	7	X	X		X	X		X	SPDT, DPDT
/113			X	X	7.5	X	X		X	X		X	1, 2, 4 PDT
/115			X	X	10	X	X		X	X		X	1, 2, 4 PDT

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:12Z
Check the source to verify that this is the current version before use.

Application Cross-Reference

MIL-PRF-22885	Drip-proof	Splash-proof	Watertight	Vibration grade	High impact shock	Sunlight readabilbity	EMI shielding	Momentary action	Alternate action	Push-pull	Magnetically held	Night vision Imaging system (NVIS) compatible
/9	X			2			X	X	X			
/18	X			2				X	X			
/56				2			X	X	X			
/58				2			X	X	X			
/67				3		X	X	X	X			
/71				2			X	X	X			
/74				2				X	X			
/75				2			X	X	X			
/77				3		X	X	X	X		X	
/79	X			3				X				
/80	X			2	X		X	X	X			
/86				3			X	X	X			
/87	X			2	X		X	X	X			
/89				3				X				
/90	X			2		X	X	X	X			X
/96				2			X	X	X			
/101	X			3		X	X	X	X			X
/108	X	X	X	3	X	X	X	X	X			X
/109	X			3		X	X	X	X			X
/111	X	X		3	X	X	X	X				X
/112	X	X	X	3	X	X	X	X	X			X
/113	X	X	X	3	X	X	X					X
/115	X	X	X	3	X	X	X	X	X			X

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:12Z
Check the source to verify that this is the current version before use.

Custodians:
Army – CR
Navy – EC
Air Force – 85
DLA – CC

Preparing activity:
DLA – CC

Review activities:
Army - AR, AV, MI
Navy - AS, MC, OS, SH
Air Force - 19

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:12Z
Check the source to verify that this is the current version before use.