METRIC

MIL-L-45550A(AR)
AMENDMENT 4
18 April 1991
SUPERSEDING
AMENDMENT 3
1 June 1984

MILITARY SPECIFICATION

LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M15A2

This Amendment forms a part of Military Specification MIL-C-45550A (WC}, dated 7 March 1972, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Delete Military Specification "MIL-P-116 Preservation, Methods of."

2.1, STANDARDS, Add: "MIL-STD-1168 - Ammunition Lot Numbering"

PAGE 2

3.2.1: Delete in its entirety.

3.2.1.1: Delete in its entirety.

PAGE 4

4.4: Delete in its entirety and substitute the following:

"4.4 First article inspection. The first article initial production unit(s) shall be submitted for inspection in accordance with the contract (see 6.1). The first article shall be representative of the production processes to be used during quantity production. The first article shall be subjected to the quality conformance inspection specified herein, the function test specified in 4.6.6 and such other inspection as necessary to determine that all requirements of the contract have been met."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:23Z
Check the source to verify that this is the current version before use.

4.5.1: Delete in its entirety and substitute the following:

"4.5.1 Inspection lot. Unless otherwise specified, the formation, size and presentation of inspection lots shall be in accordance with MIL-STD-105. Applicable samples shall be withdrawn in accordance with MIL-STD-105 from packaged links. Inspection lots shall not exceed 500,000 links per lot. Lots shall be within the limitations of MIL-W-13855."

4.5.1: Delete "with MIL-STD-105." and substitute 'with MIL-STD-105 and MIL-STD-1168."

PAGE 5

4.5.2.1(f): Add to the end of the sentence: ", using inspection level I."

* 4.5.2.1.1 Add the following:

"Major 115	Detent height (Section D-D)	0.65	SME"

4.5.2.1.1, Minor Category: Add Minor Defect 206 as follows:

"206	Incorrect or missing surface treatment and supplementary coating"	2.5	Visual

PAGE 6

4.5.2.1.2: Delete Major Defect 104 in its entirety.

4.5.3.2: Delete in its entirety and substitute the following:

"4.5.3.2 Protective finish testing.

4.5.3.2.1 Accelerated corrosion testing. Accelerated corrosion testing of links shall be performed in accordance with applicable drawings and specifications."

4.5.3.2.2: Delete paragraph in its entirety and substitute the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:23Z
Check the source to verify that this is the current version before use.

"Supplementary wax coating weight testing (if applicable). A sample of 10 links with supplementary wax coating shall be taken from each shift's production, from each production machine and tested for supplementary wax coating weight using the test method specified in 4.6.7. Failure of links to meet the specified supplementary wax coating requirements shall be cause for rejection of the represented lot."

4.5.3.4: last sentence: Delete "(See 3.2.1.1)."

4.5.3.5: Delete in its entirety and substitute the following:

"4.5.3.5 Free hinging testing. A sample of 800 links (Separate from the examination sample) from each packaged inspection lot shall be tested for free hinging (see 3.2.2) using the test method specified in 4.6.2. Failure of any link shall be cause for rejection of the lot."

4.6.1, Delete from the end of sentence: "of 3.2.1.1" and substitute "on Drawing F7791440."

PAGE 8

Add the following new paragraph:

"4.6.7 Supplementary wax coating weight test. The sample links shall be tested by weighing the links together to the nearest milligram. The supplementary wax coating shall then be completely removed from the links by trichloroethylene vapor decreasing, and the links dried and reweighed. The difference between the total weights before and after removal of the supplementary wax coating divided by the number of links tested shall be considered as the weight of the supplementary wax coating of each link."

The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1305-AD54)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:23Z
Check the source to verify that this is the current version before use.