METRIC
MIL-DTL-24728/6
w/AMENDMENT 1
24 March 2023
SUPERSEDING
MIL-I-24728/6
1 June 1995

DETAIL SPECIFICATION SHEET

INTERCONNECTION BOX, FIBER OPTIC, CONNECTOR PATCH PANEL MODULE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-24728.






FIGURE 1. Patch panel module, M24728/6-001.

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.





Millimeters	Inches
102	4.0
112.8	4.44
249	9.8

NOTES:

1. Dimensions are in millimeters.
2. Inch-pound equivalents are given for information only.
3. DELETED.
4. For identification of subcomponent parts, see table I.

FIGURE 1. Patch panel module, M24728/6-001 – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.





FIGURE 2. Patch panel assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.




Millimeters	Inches	Millimeters	Inches	Millimeters	Inches
1.98	0.078	12.7	0.50	84.8	3.34
3.3	0.13	16.8	0.66	85.3	3.63
3.96	0.156	22.3	0.88	112.8	4.44
4.75	0.187	25.4	1.00	135.6	5.34
8.4	0.33	29.5	1.16	220.7	8.69
8.6	0.34	47.8	1.88		

NOTES:

1. Dimensions are in millimeters.
2. Inch-pound equivalents are given for information only.
3. DELETED.

FIGURE 2. Patch panel assembly – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.




Millimeters	Inches	Millimeters	Inches
3.3	0.13	19.1	0.75
4.8	0.19	91.9	3.62
9.7	0.38	101.6	4.00
17.5	0.69	109.5	4.31

NOTES:

1. Dimensions are in millimeters.
2. Inch-pound equivalents are given for information only.
3. DELETED.

FIGURE 3. Slider channel assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.




Millimeters	Inches
1.5	0.06
1.8	0.07
2.8	0.11
6.4	0.25
8.9	0.35
9.4	0.37
9.78	0.385
15.88	0.625
17.3	0.68

NOTES:

1. Dimensions are in millimeters.
2. Inch-pound equivalents are given for information only.
3. DELETED.

FIGURE 4. Captive screw.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.



Millimeters	Inches
1.0	0.04
2.0	0.08
2.5	0.10
3.0	0.12
5.8	0.23
6.4	0.25
8.1	0.32
13.5	0.53

NOTES:

1. Dimensions are in millimeters.
2. Inch-pound equivalents are given for information only.
3. DELETED.

FIGURE 5. Spring plunger.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.

TABLE I. Parts list.

Subcomponent identification numbers, circled (see figures 1 through 5)	Part name	PIN M24728/6 dash number	Subassembly number		Remarks and reference figures
		-001	01	02	
01	Slide channel assembly	1	1		1 and 3
02	Patch panel assembly	1		1	1 and 3
03 1/	Slide channel			2	3
04 1/	Slide channel bracket			2	3
05 2/	Spring plunger			2	3 and 5
06 1/	Patch plunger		1		2
07 2/	M6.35 x 1.27 (0.25-20) captive screw		2		2 and 4

NOTES:
1/ Aluminum, 5052 H-32, in accordance with ASTM B209/B209M
2/ Corrosion-resistant steel (CRES)

REQUIREMENTS:

Design and construction. See figures 1 through 5, and table I.

Patch panel modules shall be class 1A conversion coated in accordance with MIL-DTL-5541.

Patch panel modules shall be stress relieved in accordance with MIL-E-24142.

Mass. (M24728/6-001) 454 kg (1 pound) maximum.

Patch panel module mounting. See figure 5 of MIL-DTL-24728/1.

Interconnect organization.

Fiber optic connector adapters. The patch panel module shall organize up to 48 MIL-DTL-83522/17 connector adapters.

Cable retention. Not applicable.

Cable seal flexing. Not applicable.

Cable twist. Not applicable.

Compression resistance. Not applicable.

Impact. Not applicable.

Degree of enclosure. Not applicable.

Flammability. Not applicable.

Salt spray. Not applicable.

Flame spread. Not applicable.

Fungus test. The fungus test shall be conducted only on polymeric materials.

Temperature range. See temperature range 1 of MIL-DTL-24728.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.

Part or identifying number (PIN). See table I.

M24728/6-001: Patch panel assembly and two slide channel assemblies.

Qualification by similarity. Manufacturers who produce products for either MIL-DTL-24728/1, MIL-DTL-24728/2, or MIL-DTL-24728/3 and this specification sheet; are qualified under MIL-DTL-24728/1, MIL-DTL-24728/2, or MIL-DTL-24728/3; and pass the size inspection specified herein, are qualified under this slant sheet.

Measurement system. The U.S. Government preferred system of measurement is the metric (SI) system. However, this item was originally designed using inch-pound units of measurement. In the event of conflict between the metric and inch-pound units, the inch-pound units shall take precedence.

AMENDMENT NOTATIONS: The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

CONCLUDING MATERIAL

Custodians:
Army – CR
Navy – SH
Air Force – 85
DLA – CC

Review activities:
Army – AR, MI
Navy – AS, CG, EC, MC,
Air Force – 19
DLA – GS

Civil agency:
NASA – NA

Preparing activity:
Navy – SH
(Project 6099-2022-010)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T01:28Z
Check the source to verify that this is the current version before use.