QPL-2-6
28 July 1977
SUPERSEDING
QPL-2-5
4 October 1972

QUALIFIED PRODUCTS LIST

OF

FSC 8120

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION MIL-V-2
VALVES, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES)

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not connote indorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The activity responsible for this Qualified Products List is US Army Mobility Equipment Research and Development Command.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Acetylene MIL-V-2/1 V1-511-1	I	AV-5160-MG	Eng-88-QV-52	1
	I	5411M	Th-QPL-CP-100	5
	I	1239-LE-2D	QVP-5	3
	II	AV-1430-MG	QVD-2	1
	III	TV-5160-MG	QPL-A	1
	III	1139-LE-2D	QVD-4	3
Acetylene MIL-V-2/1 V2-511-1	I	AV-5180-MG	Eng-88-QV-52	1
	I	5410M	Th-QPL-CP-100	5
	I	1239-LF-2D	QVD-5	3
	II	AV-1431-MG	QVD-2	1
	III	TV-5180-MG	QPL-A	1
	III	1139-LF-2D	QVD-4	3

SMEFB Form 643-R (Rev)
24 July 1972

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Acetylene MIL-V-2/3 V3-201-1	I	AV-MC-201M	QPL-B	1
Aerosol MIL-V-2/4 V4-621-1	I	CVF-6612M7	Eng-88-QV-51	1
	I	CVF-6612BM7	Eng-88-QV-51	1
	I	1210-0-2D1	Eng-88-QV-54	3
Air (Human) Respiration MIL-V-2/5 V-51341-*	III	MV-1346X-XX-MB	Eng-88-QV-44	1
	III	TV-1346X-XX-MB	QPL-A	1
	III	1200-ZXXXX-2D	Eng-88-QV-71	3
	III		QVD-4	3
	III	2514M-XXX-XXXXXX	Thermo-QPL-PS-101	5

*Determine specific Government safety designator, then substitute the respective contractors safety code number from Table I into the underlined X's portion of the manufacturer's designation number listed.

Air (Industrial) MIL-V-2/6 V6-591-*	III	TV-596X-XX-MR	QPL-A	1
	III	MV-596X-XX-MR	Eng-88-QV-44	1
	III	2559M-XXX-XXXXXX	Thermo-QPL-PS-101	5
	III	1200-GXXXX-2D1	Eng-88-QV-71	3
	III	1100-GXXXX-2D1	QVD-4	3

*Determine specific Government safety designator, then substitute the respective contractors safety code number from Table I into the underlined X's portion of the manufacturer's designation number listed.

SMEFB Form 643-R (Rev) Continued on Page
24 July 1977

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Ammonia Anhydrous MIL-V-2/8 V8-241-1	I	1206A-2D	Eng-88-QV-58	3
Ammonia Anhydrous MIL-V-2/10 V10-241-1	I	1206AF-2D	Eng-88-QV-58	3
Inert O.F. MIL-V-2/11 V11-581-*	III	TV-586X-XX-M1	QPL-A	1
	III	MV-586X-XX-M1	Eng-88-QV-44	1
	III	2558M-XXX-XXXXXX	Thermo-QPL-PS-101	5
	III	1200-XXXX-2D	Eng-88-QV-71	3
	III	1100-FXXXX-2D	QVD-4	3
Butane Propane Mapp Gas MIL-V-2/14 V14-511-1	II	PV-3250A-375-MU	QVD-3	1
	II	3143CO	USAMECOM letter 27 June 1972	2
	II	1032E-2D	USAMECOM letter 6 April 1972	3
	IV	600B	USAMECOM letter 6 Jan. 1972	4

*Determine specific Government safety designator, then substitute the respective contractors safety code number from Table I into the underlined X's portion of the manufacturer's designation number listed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
CARBON DIOXIDE	III	TV-3264-28-MC	QPL-A	1
MIL-V-2/15	III	MV-3264-28-MC	Eng-88-QV-44	1
V15-321-3	III	2532M-12A-3000	Thermo-QPL-PS-101	5
	III	1200-A70A-2D	Eng-88-QV-71	3
	III	1100-A70A-2D	QVD-4	3
CARBON DIOXIDE (MED.)	III	TVA-3264-28-MD	QPL-A	1
	III	MVA-3264-28-MD	Eng-88-QV-44	1
MIL-V-2/16	IV	VA-3264-28-MD	Eng-88-QV-38	1
V16-321-3	III	2532MMP-12A-3000FB	Thermo-QPL-PS-101	5
	III	1200M-A70AM-2DC	Eng-88-QV-71	3
	III	1100M-A70AM-2DC	QVD-4	3
CARBON DIOXIDE (Pin Index)	I	KVA-9444-AF-28-MD	Eng-88-QV-41	1
MIL-V-2/17 V17-941-2	I	1222M-940-2D	Eng-88-QV-32	3
CARBON MONOXIDE	III	TV-3565-28-MM	QPL-A	1
MIL-V-2/18	III	MV-3565-28-MM	Eng-88-QV-44	1
V18-351-2	III	2535MCM-12A-3000FB	Thermo-QPL-PS-101	5
	III	1200-E70AW-2DC	Eng-88-QV-71	3
	III	1100-E70AW-2DC	QVD-4	3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Chlorine (Cylinder) MIL-V-2/20 V20-661-1	I	CV-6612-BMB	Eng-88-QV-43	1
	I	1210-B1-2D	Eng-88-QV-53	3
Chlorine (Ton container) MIL-V-2/21 V21-661-1	I	CV-6610-BMB	Eng-88-QV-43	1
	I	1214-B1-2D	Eng-88-QV-53	3
Refrigerant Gases MIL-V-2/22 V22-621-1	I	CVF-6612M7	Eng-88-QV-51	1
	I	CVF-6612BM7	Eng-88-QV-51	1
	I	1210-0-2D2	Eng-88-QV-54	3
INERT OIL TOLERANT MIL-V-2/26 V26-591-*	III	TV-596X-XX-M2	QPL-A	1
	III	MV-596X-XX-M2	Eng-88-QV-44	1
	III	2559M-XXX-XXXXXX	Thermo-QPL-PS-101	5
	III	1200-GXXXX-2D2	Eng-88-QV-71	3
	III	1100-GXXXX-2D2	QVD-4	3
Oxygen-Helium (He not over 8%) MIL-V-2/27 V27-281-2	III	TVA-2864-28-MQ	QPL-A	1
	III	MVA-2864-28-MQ	Eng-88-QV-44	1
	IV	DVA-2864-28-MQ	Eng-88-QV-38	1
	III	2528MP-12-A3000FB	Thermo-QPL-PS-101	5
	III	1200M-CC70AM-2DC	Eng-88-QV-71	3
	III	1100M-CC70AM-2DC	QVD-4	3

*Determine specific Government safety designator, then substitute the respective contractors safety code number from Table I into the underlined X's portion of the manufacturer's designation number listed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Oxygen-Helium (Pin Index) MIL-V-2/28 V28-891-2	I	KVA-8944-F-28-MQ	Eng-88-QV-41	1
	I	1222M-890-2D	Eng-88-QV-32	3
Hydrogen MIL-V-2/29 V29-351-2	III	TV-3565-28-MY	QPL-A	1
	III	MV-3565-28-MY	Eng-88-QV-44	1
	III	2535M-12A-3000FB	Thermo-QPL-PS-101	5
	III	1200-E70AW-2D1	Eng-88-QV-71	3
	III	1200-E70AW-2D1	QVD-4	3
Nitrogen (Recoil) MIL-V-2/33 V33-000-2	III	TV-7865-28-MN	QPL-A	1
	III	2578M-12A-3000FM	Thermo-QPL-PS-101	5
	III	1200-U70AW-2D	Eng-88-QV-29	3
	III	1100-U70AW-2D	QVD-4	3
Nitrogen (Recoil) MIL-V-2/33 V33-000-7	III	TV-7861-48-MV	QPL-A	1
	III	2578-12-E-5000	Thermo-QPL-PS-101	5
	III	1200-U70E-2D	Eng-88-QV-71	3
	III	1100-U70E-2D	QVD-4	3
Nitrogen (Recoil) MIL-V-2/33 V33-000-8	III	TV-7861-55-MV	QPL-A	1
	III	2578-12-F-6000	Thermo-QPL-PS-101	5
	III	1200-U70K-2D	Eng-88-QV-71	3
	III	1200-U70K-2D	QVD-4	3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Nitrous Oxide (MED)	III	TVA-13264-28-M3	QPL-A	1
MIL-V-2/37	IV	DVA-13264-28-M3	Eng-88-QV-38	1
V37-1321-2	III	MVA-13264-28-M3	Eng-88-QV-44	1
	III	2513MP-12A-3000FB	Thermo-QPL-PS-101	5
	III	1200M-NO7OAM-2DC	Eng-88-QV-71	3
	III	1100M-NO7OAM-2DC	QVD-4	3
Nitrous Oxide (Pin Index) MIL-V-2/38 V38-911-2	I	KVA-9144-F-28-M3	Eng-88-QV-41	1
	I	1222M-910-2D	Eng-88-QV-32	3
Oxygen	III	TV-546X-XX-MO	QPL-A	1
MIL-V-2/39	III	MV-546X-XX-MO	Eng-88-QV-44	1
V39-541-*	III	2541M-XXX-XXXXX	Thermo-QPL-PS-101	5
	III	1100-CXXXX-2D	QVD-4	3
	III	1200-CXXXX-2D	Eng-88-QV-72	3
Oxygen (MED)	III	TVA-5465-28-M4	QPL-A	1
MIL-V-2/41	IV	DVA-5465-28-M4	Eng-88-QV-38	1
V41-541-2	III	MVA-5465-28-M4	Eng-88-QV-44	1
	III	2541MMP-12-A-3000FB	Thermo-QPL-PS-101	5
	III	1200M-C7OAW-2DC	Eng-88-QV-71	3
	III	1100M-C7OAW-2DC	QVD-4	3

*Determine specific Government safety designator, then substitute the respective contractors safety code number from Table I into the underlined X's portion of the manufacturer's designation number listed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Oxygen (Pin Index) MIL-V-2/42 V42-871-2	I	KVA-8744-F-28-M4	Eng-88-QV-41	1
	I	1222M-870-2D	Eng-88-QV-32	3
Phosgene MIL-V-2/43 V43-641-1	I	CV-6460-BM7	Eng-88-QV-41	1
LPG (200 pounds) MIL-V-2/44 V44-511-1	II	PV-3250B-375-MU	QVD-3	1
	II	3143CO	USAMECOM letter 27 June 1972	2
Sulfur Hexafluoride MIL-V-2/46 V46-591-2	III	TV-5965-28-MS	QPL-A	1
	III	MV-5965-28-MS	Eng-88-QV-44	1
	III	2559MSH-12A-3000FB	Thermo-QPL-PS-101	5
	III	1200-G70AW-2D3	Eng-88-QV-71	3
	III	1100-G70AW-2D3	QVD-4	3
Air (Human Respiration) (Pin Index)	I	KVA-9544-F-28-M5	Eng-88-QV-44	1
	I	1222M-950-2D	Eng-88-QV-32	3
Air (Human Respiration) (MED) MIL-V-2/48 V48-1341-2	III	TVA-13464-28-M5	QPL-A	1
	III	MVA-13464-28-M5	Eng-88-QV-44	1
	IV	VA-13464-28-M5	Eng-88-QV-38	1
	III	2514-MMP-12-A-3000 FB	Thermo-QPL-PS-101	7

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
V48-1341-2 (Cont'd)				
	III	1200M-Z70AM-2DC	Eng-88-QV-71	3
	III	1100M-Z70AM-2DC	QVD-4	3
Cyclopropane (Pin Index) MIL-V-2/49 V49-921-2	I	KVA-9244-F-28-M6	Eng-88-QV-41	1
	I	1222M-920-2D	Eng-88-QV-32	3
High Pressure (6000) MIL-V-2/51 V51-67U-9	III	MV-67765-95-M7	Eng-88-QV-44	1
	III	2567UM-12-C-10,000	Thermo-QPL-PS-102	5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

TABLE I

MIL-V-2D(1.3) Government Safety Designator	Service Pressure	Safety Device	Manufacturer's Codes				
			1 Sherwood Selpac	2 REGO	3 Superior	4 McKinney	5 Thermo
-1	Under 600 psi	Fusible Plug, Relief valve or none	Safety device as specified in MIL-V-2 specification sheet				
-2	1800 psi to 2400 psi	Standard-212° Backed Disk	5-28		70AW		
		Medical-160°	4-28	N/A	70AM	N/A	12A-3000FB
-3	1800 psi	Disk	1-28	N/A	70A	N/A	12-A-3000
-4	2015 psi	Disk	1-32	N/A	70B	N/A	12-B-3360
-5	2265 psi	Disk	1-35	N/A	70C	N/A	12-C-3775
-6	2400 psi	Disk	1-38	N/A	70D	N/A	12-D-4000
-7	3000 psi	Disk	1-48	N/A	70E	N/A	12-E-5000
-8	3500 psi	Disk	1-55	N/A	70K	N/A	12-F-6000
-9	6000 psi	Disk	1-95	N/A	70J	N/A	12-G-10,000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.

TABLE II

The following listing is the name and address of manufacturer's corresponding to the numbers listed against the approved products on the preceding pages:

1. Sherwood Selpac Corporation
   120 Church Street
   Lockport, NY
   Phone A/C 716-433-3891

2. REGO
   4201 West Peterson Avenue
   Chicago, IL 60646
   Phone A/C 312-685-1121

3. Superior Valve Company
   2200 North Main Street
   Washington, PA 15301
   Phone A/C 412-225-8000

4. McKinney Division
   Fisher Governor Division
   P.O. Box 900
   McKinney, TX 75069
   Phone A/C 214-542-5512

5. Thermo Valves Corp.
   915 Linda Vista Avenue
   Mountain View, CA 94043
   Phone A/C 415-967-2761

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:03Z
Check the source to verify that this is the current version before use.