[INCH-POUND]

A-A-55485/2A
15 February 1999
A-A-55485/2
30 September 1993

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-M-38527/2 for all federal agencies.

1. SCOPE. This CID covers the general requirements for mounting pads with pin through-holes located on a .200 diameter or .230 diameter circle. Mounting pads covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 7.1).

A-55485/02	-	001	D
CID number		Dash number	Material letter (see 3.2)

3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Mounting pads supplied to this CID shall be as specified herein (see figure 1).

3.2 Material. Material shall be diallyl phthalate (D) or nylon (N).

3.3 Marking. Mounting pads supplied to this CID shall be marked with the manufacturer's standard commercial PIN.


4. REGULATORY REQUIREMENTS. This section is not applicable to this CID sheet.

Beneficial comments recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Supply Center, Columbus, ATTN: DSCC-VAM, 3990 East Broad Street, Columbus, OH 43213-1199, or telephone (614) 692-0542, or facsimile (FAX) (614) 692-6939.


AMSC N/A FSC 5999

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-001




A-55485/02-002

Figure 1. Configurations and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-003




A-55485/02-004

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-005



A-55485/02-006

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.








Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-009




A-55485/02-010

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-011




A-55485/02-012

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-013




A-55485/02-014

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-015




A-55485/02-016

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-017



A-55485/02-018


Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.002	0.05
.010	0.25
.021	0.53
.045	1.14
.060	1.52
.200	5.08
.350	8.89

A-55485/02-019




Inches	mm
.017	0.43
.038	0.96
.045	1.14
.050	1.27
.060	1.52
.200	5.08
.305	7.75
.350	8.89


A-55485/02-020

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-021



A-55485/02-022


Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.010	0.25
.015	0.38
.028	0.71
.050	1.27
.060	1.52
.075	1.90
.200	5.08
.265	6.73
.350	8.89

A-55485/02-023




Inches	mm
.025	0.64
.028	0.71
.030	0.76
.050	1.27
.060	1.52
.085	2.16
.200	5.08
.273	6.93
.343	8.71


A-55485/02-024

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-025




A-55485/02-026

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-027



A-55485/02-028


Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.025	0.64
.036	0.91
.050	1.27
.145	3.68
.230	5.84
.446	11.33

A-55485/02-029




Inches	mm
.020	0.51
.036	0.91
.055	1.40
.060	1.52
.075	1.90
.200	5.08
.375	9.52


A-55485/02-030

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-031



A-55485/02-032


Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.036	0.91
.050	1.27
.055	1.40
.075	1.90
.160	4.06
.230	5.84
.320	8.13
.375	9.52

A-55485/02-033




Inches	mm
.003	0.08
.005	0.13
.025	0.64
.040	1.02
.145	3.68
.230	5.84
.350	8.89

A-55485/02-034


Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.036	0.91
.050	1.27
.055	1.40
.075	1.90
.160	4.06
.230	5.84
.320	8.13
.375	9.52

A-55485/02-035




Inches	mm
.020	0.51
.045	1.14
.062	1.57
.075	1.90
.200	5.08
.281	7.14

A-55485/02-036

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.031	0.79
.040	1.02
.075	1.90
.080	2.03
.200	5.08
.375	9.52
.395	10.03
.405	10.29

A-55485/02-037

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.012	0.30
.015	0.38
.030	0.76
.060	1.52
.090	2.29
.183	4.65
.330	8.38


A-55485/02-038

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-039



A-55485/02-040

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.







Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.028	0.71
.030	0.76
.040	1.02
.045	1.14
.100	2.54
.130	3.30
.200	5.08
.300	7.62
.355	9.02

A-55485/02-043

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.





Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.025	0.64
.050	1.27
.062	1.57
.100	2.54
.300	7.62
.370	9.40

A-55485/02-046

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.030	0.76
.035	0.89
.045	1.14
.050	1.27
.075	1.90
.200	5.08
.281	7.14

A-55485/02-047

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance on height of pad shall be ±.015 (0.38 mm).
4. Unless otherwise specified, tolerances are ±.010 (0.25 mm) for decimals and ±10 on angles. A .010 (0.25 mm) radius is permissible on corners and edges. A 10 draft is permitted on sides.

Figure 1. Configurations and dimensions – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

5. QUALITY ASSURANCE PROVISIONS. Quality assurance provisions shall be as specified in A-A-55485.

6. PACKAGING. Packaging shall be as specified in A-A-55485.

7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these mounting pad to DSCC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.3 Source of documents.

Commercial Item Description

A-A-55485 - Mounting Pads, Electrical-Electronic Component, General Requirements for.

7.4 Ordering data. Ordering data shall be as specified in A-A-55485.

7.5 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.

MFGR's CAGE	MFGR's name and address
08289	Delbert Blinn Company, Incorporated 1678 East Mission Boulevard Pomona, CA 91766-2007 (909) 623-1257
13103	Thermalloy, Incorporated 2021 West Valley View Lane Dallas, TX 75381-0839 (214) 243-4321
21071	Globe Plastics, Incorporated 13477 Twelfth Street Chino, CA 91710-9998 (909) 464-1520
24227	Teknational Industries, Incorporated 480 Clinton Avenue South Rochester, NY 14620-1103 (716) 232-1291
32559	Bivar, Incorporated 4 Thomas Irvine, CA 92718-2512 (714) 951-8808
53174	APX Plastics Company 3407 Dalworth Street Arlington, TX 76011-6815 (817) 275-3883
54355	Accessories for Electronics, Incorporated 800 Merrick Road Baldwin, NY 11510-3593 (516) 546-1751

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

7.6 Part number (P/N) supersession data. This CID supersedes the following manufacturer's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE I. P/N Supersession Data.

Dash number (see figure 1) A-A-55485/02	MFGR's P/N 1/						
	CAGE code 08289	CAGE code 13103	CAGE code 21071	CAGE code 24227	CAGE code 32559	CAGE code 53174	CAGE code 54355
001N		7717-253N	10318-1			AP-240/N	965-540N
001D			10318-2			AP-240/D	965-540D
002N			10460-1			AP-053/N	965-516N
002D			10460-2			AP-053/D	965-516D
003N			10344-1			AP-155/N	965-552N
003D			10344-2			AP-155/D	965-552D
004N		7717-122N	10316-1	4041	616-070	AP-045/N	965-563N
004D		7717-122D	10316-2			AP-045/D	965-563D
005N			10350-1			AP-262/N	965-558N
005D			10350-2			AP-262/D	965-558D
006N			10456-1			AP-386/N	965-543N
006D			10456-2			AP-386/D	965-543D
007N			10756-1			AP-153/N	965-539N
007D			10756-2			AP-153/D	965-539D
008N		7717-30N	10152-1		613-075	AP-026/N	965-576N
008D			10152-2			AP-026/D	965-576D
009N			10742-1			AP-158/N	965-551N
009D			10742-2			AP-158/D	965-551D
010N	404-340-N	7717-3N	10085-1	3001	503-075	AP-073/N	965-581N
010D	404-340-D	7717-3D	10085-2			AP-073/D	965-581D
011N		7717-238N				AP-068/N	965-627N
011D						AP-068/D	965-627D
012N				4015		AP-100/N	965-628N
012D						AP-100/D	965-628D
013N			10222-1	3027	516-038	AP-011/N	965-557N
013D			10222-2			AP-011/D	965-557D
014N	333-030-N		10054-1	3005	525-038	AP-172/N	965-508N
014D	333-030-D		10054-2			AP-172/D	965-508D
015N						AP-127/N	
015D						AP-127/D	
016N			10032-1			AP-164/N	965-614N
016D			10032-2			AP-164/D	965-614D
017N	333-075-N	7717-22N	10034-1			AP-006/N	965-504N
017D	333-075-D	7717-22D	10034-2			AP-006/D	965-504D

See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE I. P/N Supersession Data – Continued.

Dash number (see figure 1) A-A-55485/02	MFGR's P/N 1/						
	CAGE code 08289	CAGE code 13103	CAGE code 21071	CAGE code 24227	CAGE code 32559	CAGE code 53174	CAGE code 54355
018N		7717-15N	10144-1	3019	515-020	AP-042/N	965-503N
018D		7717-15D	10144-2			AP-042/D	965-503D
019N		7717-178N	10182-1	3034	520-021	AP-067/N	965-615N
019D		7717-178D	10182-2			AP-067/D	965-615D
020N				3005A	511-038	AP-404/N	965-630N
020D			10163-2			AP-404/D	965-630D
021N			10186-1			AP-060/N	965-511N
021D			10186-2			AP-060/D	965-511D
022N			10200-1		528-117	AP-133/N	965-532N
022D			10200-2			AP-133/D	965-532D
023N			10224-1			AP-275/N	965-575N
023D			10224-2			AP-275/D	965-575D
024N			10044-1			AP-429/N	965-594N
024D			10044-2			AP-429/D	965-594D
025N	710-019-N	7717-109N	10293-1		517-095	AP-450/N	965-507N
025D	710-019-D		10293-2			AP-450/D	965-507D
026N			10188-1			AP-191/N	965-530N
026D			10188-2			AP-191/D	965-530D
027N		7717-128N	10728-1	3030	527-117	AP-007/N	965-514N
027D	501-000-D		10728-2			AP-007/D	965-514D
028N						AP-463/N	965-631N
028D						AP-463/D	965-631D
029N			10332-1			AP-190/N	965-632N
029D			10332-2			AP-190/D	965-632D
030N		7717-10N	10136-1	4031	611-075	AP-121/N	965-573N
030D		7717-10D	10136-2			AP-121/D	965-573D
031N		7717-08N			610-075	AP-459/N	965-523N
031D		7717-08D				AP-459/D	965-523D
032N			10816-1			AP-122/N	965-596N
032D			10816-2			AP-122/D	965-596D
033N		7717-38N	10156-1	4029	615-075	AP-041/N	965-562N
033D	810-249-N	7717-38D	10156-2			AP-041/D	965-562D
034N			10342-1			AP-257/N	965-549N
034D			10342-2			AP-257/D	965-549D
035N			10154-1			AP-431/N	965-634N
035D			10154-2			AP-431/D	965-634D

See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE I. P/N Supersession Data – Continued.

Dash number (see figure 1) A-A-55485/02	MFGR's P/N 1/						
	CAGE code 08289	CAGE code 13103	CAGE code 21071	CAGE code 24227	CAGE code 32559	CAGE code 53174	CAGE code 54355
036N			10174-1			AP-035/N	965-565N
036D			10174-2			AP-035/D	965-565D
037N							
037D							
038N			10092-1		526-090	AP-173/A/N	965-520N
038D			10092-2			AP-173/A/D	965-520D
039N			10190-1	3005-C		AP-421/N	965-571N
039D			10190-2			AP-421/D	965-571D
040N							965-636N
040D							965-636D
041N							
041D							
042N			10811-1			AP-307/N	965-638N
042D			10811-2			AP-307/D	965-638D
043N			10666-1			AP-321/N	965-639N
043D			10666-2			AP-321/D	965-639D
044N							965-644N
044D			10274-2			AP-210/D	965-644D
045N			10218-1			AP-269/N	965-641N
045D			10218-2			AP-269/D	965-641D
046N			10418-1			AP-418/N	965-642N
046D			10418-2			AP-418/D	965-642D
047N				3006	508-075	AP-426/N	965-408N
047D						AP-426/D	965-643D

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE II. Supersession information. 1/

Superseded (old) PIN in accordance with MIL-M-38527/2: M38527/02-	Superseding (new) CID PIN A-A-55485/02-
001	001
002	002
003	003
004	004
005	005
006	006
007	007
008	008
009	009
010	010
011	011
012	012
013	013
014	014
015	015
016	016
017	017
018	018
019	019
020	020
021	021
022	022
023	023
024	024
025	025
026	026
027	027
028	028
029	029
030	030
031	031
032	032
033	033
034	034
035	035
036	036
037	037
038	038
039	039
040	040
041	041
042	042
043	043
044	044
045	045
046	046
047	047

1/ Complete PIN shall include a suffix letter to denote material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

7.7 Government users. To acquire information on obtaining these mounting pads from the Government inventory system, contact Defense Supply Center, Columbus, ATTN: DSCC-CNBG, P.O. Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-7962.

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-7FXE

Preparing Activity:

DLA-CC

Project 5999-0340

Custodians:
Army - CR
Navy - EC
Air Force - 85

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.