DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. TITLE	2. IDENTIFICATION NUMBER
CONTRACTOR OPERATION AND MAINTENANCE OF SIMULATORS/EQUIPMENT MANAGEMENT STATUS REPORT	DI-MISC-81392

3. DESCRIPTION/PURPOSE

3.1 The Contractor Operation and Maintenance of Simulators/Equipment (COMS/E) Management Status Report provides management information which summarizes contractor performance, utilization of manpower, maintenance actions taken, actual consumables, and class statistics. The information will be used for compliance with COMS/E maintenance contracts.

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
940328	N/NAWCTSD-422		

7. APPLICATION/INTERRELATIONSHIP

7.1 This Data Item Description contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER
		N7005

10. PREPARATION INSTRUCTIONS

10.1 Format. The report shall be in Contractor's format. The report shall be submitted in a point size no smaller than 10 point type. A sample of a management status report is provided in Figure 1.

10.2 Content.

10.2.1 The following information shall be included on the top of each page of the report:

a. Contract number.
b. Training Command where services are provided, including location.
c. Name of Contractor.
d. Type of report (daily or monthly).
e. Period report covers (day or month ending).
f. Report date.
g. Title of project (i.e., COMS/E).

10.2.2 Definition of all abbreviations and acronyms shall be included as the last page of the report.

(Continued on Page 2)

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.
U.S. Government Printing Office: 1989-704-010/00809 2-1

Block 10, Preparation Instructions (Continued)

10.2.3 The report shall contain five sections. Section I addresses the operational status of each device. Section II addresses contractor performance, including major significant performance issues. Section III identifies contractor manpower and the utilization of that manpower. Section IV summarizes corrective maintenance actions, including relevant Mean Time to Repair (MTTR) and Mean Time Between Failure (MTBF) data. Section V summarizes consumable data for fire fighter training devices and class statistics.

10.2.3.1 Section I: Device operational status. Summarize the operational status of each device at a particular point in time. The data elements include:

10.2.3.1.1 Device number. Identify each device for which contractor has operations and maintenance responsibility. Minor devices, as designated by the Government, may be aggregated as such.

10.2.3.1.2 Status code. A one or two character alphanumeric code indicating the contractor's informed assessment of the operational status of each device. The following codes shall be utilized:

A --- 100% AVAILABLE FOR GOVERNMENT USE
B --- LESS THAN 100% AVAILABLE FOR USE

1 --- In Repair
2 --- Under Test
3 --- Modification (Mod #)
4 --- Heating, Ventilation & Air Conditioning (HVAC) Failure
5 --- Power Failure
6 --- Awaiting Parts
7 --- Preventive Maintenance Schedule (PMS)
8 --- Other

10.2.3.1.3 Comments. Enter a brief comment that is descriptive of the current operational status when such status is less than 100% available. This information should be expanded in a Notes section, as identified in 10.2.3.1.4. Additionally, if a device was the subject of a Casualty Report (CASREP) for the reporting period, so indicate here with the message number associated with the CASREP.

10.2.3.1.4 Note. Notes include: the device affected; key information relating to its status; estimated return to service date (RSD); corrective action(s) taken or in process; major spares/repair parts replaced, including their source; status of CASREPs; and similar information. There should be a note for each device in the report.

10.2.3.1.5 Scheduled. Indicate whether or not the device was scheduled for use (yes or no) at the time the report was prepared.

10.2.3.1.6 Operating window. Indicate the operating window in which the device is either scheduled for use or normally scheduled for use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

10.2.3.2 Section II: Performance. Summarize contractor performance by device, identify significant actions undertaken by the contractor in support of the Government, identify major problem areas and planned courses of action, and identify any contractual issues that bear examination. The data elements include:

10.2.3.2.1 Device number. Identify each device for which contractor has operations and maintenance responsibility. Minor devices, as designated by the Government, may be aggregated as such.

10.2.3.2.2 Number of scheduled uses. Enter the number of uses by the Government, as scheduled by the Government scheduling authority. When a device is returned to the contractor for corrective maintenance prior to the conclusion of a scheduled use, the rescheduled use counts as an additional use for reporting purposes.

10.2.3.2.3 Current month operational performance factor (OPF). Enter the OPF, as calculated and provided by the responsible Government agent. If not available in time to meet the report deadline, indicate N/A on the report.

10.2.3.2.4 Current month preventive performance factor (PPF). Enter the PPF, as calculated and provided by the responsible Government agent. If not available in time to meet the report deadline, indicate N/A on the report.

10.2.3.2.5 Current month contractor performance factor (CPF). Enter the CPF, as calculated and provided by the responsible Government agent. If not available in time to meet the report deadline, indicate N/A on the report.

10.2.3.2.6 Note. Notes include: the device affected; key information relating to contractor's performance on that device; significant actions undertaken by contractor in support of the Government; identification of major problem areas and planned courses of action; identification of any contractual issues that bear examination; and similar information. There isn not necessarily a note for each device.

10.2.3.3 Section III: Manpower. Summarize the manhours expended by the contractor, by device, by skill type, and work statement requirement, for a fiscal year (October through the report date). The data elements include:

10.2.3.3.1 Personnel on-site. Identify the number of full time and part time personnel utilized in meeting its performance requirements. Only on-site personnel are to be counted. For determining whether the personnel are full time or part time, use the same guidelines used for reporting Social Security data.

10.2.3.3.2 Current month. Self-explanatory.

10.2.3.3.3 Previous month. Self-explanatory.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

10.2.3.3.4 Year-to-date. The simple average of the number of personnel, whether full time or part time, from the beginning of the fiscal year.

10.2.3.3.5 Total manhours expended. Enter the total manhours expended by all on-site personnel utilized by the contractor in meeting performance requirements. The totals reported shall include the current month, the previous month, and year-to-date totals.

10.2.3.3.6 Cumulative distribution of expended manpower. Report total manhours expended to date, by fiscal year, by device, by requirement, by skill type.

10.2.3.3.6.1 Fiscal year. The year beginning 1 October.

10.2.3.3.6.2 Device number. Identify each device for which the contractor has operations and maintenance responsibility, whether or not time was actually expended by the contractor to support the device for the reporting period.

10.2.3.3.6.3 Requirement. Categorize the hours expended by the appropriate work statement requirement category. The categories are as follows:

Mobilization
Ops & Maint:
  Operations
  Corrective
  Preventive
  Standby
  SW Maint
  Maint-Other
Modifications
Remove/Relocate
Documentation:
  Verification
  SW Library
  Other
Supply Support:
  Physical Inven
  Other
Records/Reports
Admin-Other
Transition

10.2.3.3.6.4 Skill type. Utilize the skill types referenced in the work statement as they relate to on-site personnel.

10.2.3.4 Section IV: Maintenance actions. Summarize the corrective maintenance actions taken by the contractor, by the appropriate classification, for a fiscal year (October through the report date).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

The data elements include:

10.2.3.4.1 Corrective maintenance actions. Such actions will be classified as: On-Site - those that were corrected by on-site personnel; Corporate - those that were corrected by using contractor resources other than those located on-site; Other Vendor - the correction was completed by an organization legally distinct from the contractor, including brother, sister, and parent organizations; Other - not classifiable in the other categories.

10.2.3.4.2 Current month. Self-explanatory.

10.2.3.4.3 Previous month. Self-explanatory.

10.2.3.4.4 Year-to-date. The cumulative totals of the corrective maintenance actions to date from the beginning of the fiscal year.

10.2.3.4.5 Device MTTR and MTBF data. For each corrective maintenance action, the following data is reported by device:

10.2.3.4.5.1 Report period. Cumulative, by calendar year.

10.2.3.4.5.2 Major subsystem/assembly. Report by major subsystem or assembly, as identified in the Equipment Inventory Record (EIR), or work statement Major Equipment List. Unless otherwise identified, trainer meter time is the standard for time measurements.

10.2.3.4.5.3 Time failed. Enter the date and time of the failure. This is used to compute MTTR and MTBF for the calendar year.

10.2.3.4.5.4 Time restored. Enter the date and time the device was restored to its operational level. This is used to compute MTTR and MTBF for the calendar year.

10.2.3.4.5.5 Time to repair. The number of days, in 0.1 hour increments, required to repair the device.

10.2.3.4.5.6 Last failure. Enter the date and time of the last failure prior to the current failure.

10.2.3.4.5.7 MTTR to date. Calculate the average MTTR to date. Express in number of days, in 0.1 hour increments, for the calendar year.

10.2.3.4.5.8 MTBF to date. Calculate the average MTBF to date. Express in number of days, in 0.1 hour increments, for the calendar year.

10.2.3.5 Section V: Fire fighter consumables. Summarize the actual consumption of fire fighter training device consumables, by device, by month, for a fiscal year (October through the report date), and related class statistics. The data elements include:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

10.2.3.5.1 Device number. Identify each fire fighter training device (FFTD) for which the contractor has operations and maintenance responsibility, whether or not the device was actually utilized during the reporting period.

10.2.3.5.2 Report month. The month for which consumable data are reported.

10.2.3.5.3 Commodity. List each consumable required to support the operation of the FFTD. Typical examples are included in Figure 1.

10.2.3.5.4 Unit. List the unit of consumption associated with each commodity, such as gallons, pounds, each.

10.2.3.5.5 Beginning balance. The balance at the beginning of the reporting period for each identified commodity.

10.2.3.5.6 Units used. The consumption of each commodity for the reporting period.

10.2.3.5.7 Units purchased. The quantity of each commodity purchased during the reporting period.

10.2.3.5.8 Ending balance. The balance in inventory of each commodity at the end of the reporting period. Mathematically, this equals the beginning balance, less consumption, plus purchases.

10.2.3.5.9 Unit cost. The unit price the Government is to be charged for the consumed quantities.

10.2.3.5.10 Total cost. The total price the Government is to be charged for the consumed quantities. Mathematically, this is equal to the units used times the unit cost.

10.2.3.5.11 Total. The sum of the total costs for each commodity consumed.

10.2.3.5.12 Classes taught. The course identification number, as furnished by the Government, for the classes taught utilizing the FFTD.

10.2.3.5.13 Number taught. The number of classes taught, by course identification number, during the reporting period.

10.2.3.5.14 Students. The number of students taught, by course identification number, as provided by the Government, for the reporting period.

10.2.3.5.15 Other consumption. List the quantity of Oxygen Breathing Apparatus (OBA) canisters consumed during the month, as well as the number of fire extinguishers refilled and replaced, by type (AFFF, CO2, PKP), for the reporting period.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

SECTION I: DEVICE OPERATIONAL STATUS

DEVICE	STATUS	COMMENTS/CASREP	NOTE	SCHED	OPERATING WINDOW
11G2 #9	B1		1	N	0600-1130,1145-2000
11G3 #1	A		2	Y	0600-1130,1145-2000
12D8 #5	B3	MOD IN PROGRESS	3	N	
14E28 #2	B6	12 JAN 90	4	N	0800-1600
15F6 #1	A		5	Y	0800-1600
20F15B/1	B1	P-222305Z	6	N	0800-1600
20F17 #1	B2		7	N	NOT SCHEDULED
MK-19	B4	HVAC LEAKS	8	N	2300-0600
21C12#1	B7		9	Y	0830-1630

STATUS CODES:

A --- 100% AVAILABLE FOR GOVERNMENT USE
B --- LESS THAN 100% AVAILABLE FOR USE

1 --- In Repair
2 --- Under Test (By whom?)
3 --- Modification (Mod #)
4 --- HVAC Failure
5 --- Power Failure
6 --- Awaiting Parts (Date Ord.)
7 --- PMS
8 --- Other

1 11G2 #9: Power conditioner down; turned in to NTSC for repair; RSD 3/16/95.

2 11G3 #1: Trainer available for use.

3 12D8 #5: 4 spare touch panel controllers down; new software load installed by NTSC; awaiting NTSC turnover to COMS; RSD 2/25/95.

4 14E28 #2: Cable connectors on logic panels brittle; replacements ordered from OEM 12 Jan 95; RSD 2/28/95.

5 15F6 #1: Trainer available for use.

6 20F15B/1: CASREPT, Sys Interface down; referred to NTSC for repair; RSD 3/5/95.

7 20F17 #1: Trainer awaiting acceptance by NTSC; RSD 2/20/95.

8 MK-19 : HVAC failure; leaks around device; Public Works notified 2/2/95; RSD unknown.

9 21C12#1: Upper level floor grating preservation in progress; 10% reduction in student access. RSD - 8/31/93

FIGURE 1. Example of a management status report

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

SECTION II: PERFORMANCE

DEVICE	# SCHED USES	Current Month OPF (%)	Current Month PPF (%)	Current Month CPF (%)	NOTE
19F5A #1 (TUE)	20	92.0*	95.0*	92.8*	1
19F5A #1 (FAC)	20	95.0*	95.0*	100.0*	2
19F5A #1 (TSG)	20	99.0*	95.0*	100.0*	2
14E35C	20	95.0*	95.0*	100.0*	3
21C12	2	92.0*	95.0*	92.8*	4

1 19F5A #1: Computer required tape rebuild.
2 19F5A #1: Propane leak identified & repaired.
3 14E35C #4: NTDS card manufacturer discontinued; alternate sourcing being investigated.
4 21C12 Computer required tape rebuild.

* Performance Data Provided By the Government for Summarization Herein

SECTION III: MANPOWER

	Current Mo.	Previous Mo.	Fiscal Yr to Date
Personnel On-Site			
Full Time	8	7	7.5 (avg)
Part Time	1	1	1.0 (avg)
Total	9	8	8.5 (avg)
Tot. Manhours Expended	1,462.0	1,299.0	2,761.0 (2 mos.)

FIGURE 1. Example of a management status report - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

Cumulative Distribution of Expended Manpower
By Fiscal Year (Oct - Month of Report)
(Hours by Device, by Skill Type)

DEVICE NUMBER:

REQUIREMENT	Site Mgr	Sr. ET	Elec Tech	Log Spec	Etc.
Mobilization					
Ops & Maint:					
Operations					
Corrective					
Preventive					
Standby					
SW Maint					
Maint-Other					
Modifications					
Remove/Relocate					
Documentation:					
Verification					
SW Library					
Other					
Supply Support:					
Physical Inven					
Other					
Records/Reports					
Admin-Other					
Transition					

SECTION IV: MAINTENANCE ACTIONS

	Current Mo.	Previous Mo.	Fiscal Yr to Date	
Corrective Maintenance Actions				
# On-Site	16	20	36	(2 mos.)
# Corporate	1	2	3	(2 mos.)
# Other Vendor	0	0	0	(2 mos.)
# Other	2	0	2	(2 mos.)
Totals to date:	17	22	39	(2 mos.)

FIGURE 1. Example of a management status report - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

Device MTTR and MTBF Data
(For Corrective Maintenance Actions)

DEVICE: _____ Report Period: _____

Major Sub-Sys/Assy	Time Failed	Time Restored	Time to Repair	Last Failure	MTTR To Date	MTBF To Date
As listed in TDIR or Major Eqpt List	Date/Time; used to compute MTTR/ MTBF for calendar year		# of days to repair; use 0.1 hour increments	Date of last failure	Averages of time taken to repair and of time between failure; express in days/ hours for calendar year	

SECTION V: FIRE FIGHTER CONSUMABLES REPORT

DEVICE NUMBER:
REPORT MONTH:

COMMODITY	UNIT	BEG BAL	UNITS USED	UNITS PURCH	END BAL	UNIT COST	TOTAL COST
PROPANE	GL	1000	1000	1000	1000	$ 0.000	$ 0.00
SMOKE GEN. AGENT	GL	10	10	10	10	$ 0.000	$ 0.00
AFFF SURROGATE	GL	10	10	10	10	$ 0.000	$ 0.00
PKP SURROGATE	LB	10	10	10	10	$ 0.000	$ 0.00
CO2	LB	10	10	10	10	$ 0.000	$ 0.00
SULFURIC ACID	LB	10	10	10	10	$ 0.000	$ 0.00
FOAM CONTROL AGENT	GL	10	10	10	10	$ 0.000	$ 0.00
PKP CO2 SEALS (5.25)	EA	10	10	10	10	$ 0.000	$ 0.00
PKP CO2 SEALS (8.5)	EA	10	10	10	10	$ 0.000	$ 0.00
						TOTAL	$ 0.00

FIGURE 1. Example of a management status report - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

CLASSES TAUGHT	NUMBER	STUDENTS
XXX-XX-XXX	15	345
YYY-YY-YYY	10	234
ZZZ-ZZ-ZZZ	5	123

OTHER CONSUMPTION

OBA CANISTERS USED:	00
AFFF FIRE EXTINGUISHERS REFILLED:	00
CO2 FIRE EXTINGUISHERS REFILLED:	00
PKP FIRE EXTINGUISHERS REFILLED:	00
AFFF FIRE EXTINGUISHERS REPLACED:	00
CO2 FIRE EXTINGUISHERS REPLACED:	00
PKP FIRE EXTINGUISHERS REPLACED:	00

FIGURE 1. Example of a management status report - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.