U-A-408A
March 26, 1976
SUPERSEDING
Int. Fed. Spec. U-A-00408(DSA-DM)
February 17, 1965

FEDERAL SPECIFICATION

ALCOHOL, DEHYDRATED, ANALYZED REAGENT

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for use of all Federal agencies.

1. SCOPE

1.1 Scope. This specification covers dehydrated alcohol, analyzed reagent (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issues in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-676	- Boxes, Setup.
PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Federal Standard:

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for prop[illegible] shall apply.

U.S. Department of Health, Education, and Welfare:

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U.S. Pharmacopeial Convention, Inc.:

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be in accordance with the tests, standards, and requirements of the N.F. X, which was official from December 15, 1955, to September 30, 1960.

3.2 Description. Shall be clear and free from sediment.

3.3 Workmanship. The product and its container shall be free from defects which detract from their appearance or may impair their serviceability.

3.4 Delivery. Not more than 6 months shall have elapsed from the date of manufacture of the product to the date of delivery to the Government.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.1.3 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of the product subjected to the same manufacturing operation and filled into final containers.

4.2 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

TABLE I. Sampling

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Immediate Container
Minor	II	2.5	Immediate Container

4.2.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects

Categories	Defects 1/
Major	
101	Alcohol not free from foreign matter.
102	Alcohol not clear.
Minor	
201	Exterior of immediate container is not free from foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.3 Tests. Tests shall be performed to determine compliance with N.F. X, and all referenced documents.

4.4 Examination of preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table III. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

TABLE III. Examination of preparation for delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and Packing Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper location, sequence, or method of application.

5. PREPARATION FOR DELIVERY

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186 and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue (for military use only). One bottle containing one pint (473 ml), as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged in a box conforming to PPP-B-566, PPP-B-676 or PPP-B-636, class domestic. A corrugated fiberboard box of "E" flute may be used. Closure shall be as specified in the applicable box specification.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:20Z
Check the source to verify that this is the currentversion before use.

5.2.2.3 Intermediate package. Twenty-four units shall be packaged in a box conforming to PPP-B-636, class domestic and having a minimum bursting strength of 275 pounds. The box shall include partitions, and top and bottom pads.

5.2.2.3.1 Liner. Liner shall be of one-piece, covering the sides and ends of the box, and fabricated of the same material as the box. Liners shall be of the same height as the bottles.

5.2.2.3.2 Partitions. Partitions shall be full or shoulder height, half-slotted style, and fabricated of the same material as the box. The partitions shall form an individual, snug-fitting cell for each bottle container. When unit boxes are used, partitions shall not be required. Partitions shall not be required when plastic bottles are specified in the procurement document.

5.2.2.3.3 Pads. Top and bottom pads shall be fabricated of the same material as the box and not more than 1/8 inch less than the inside length and width of the box and positioned on bottom and top of the liners and partitions.

5.2.2.3.4 Closure. Closure shall be in accordance with Appendix of PPP-B-636.

5.2.3 Level C. Units shall be packed in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intende purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. One intermediate package (24 units) shall be packed in an exterior container designed for a type 1 load and conforming to PPP-B-636, class weather-resistant. Closure, strapping and water-proofing shall be as specified in the appendix of PPP-B-636.

5.3.2 Level B. Units packaged as specified in 5.2.2 shall require no overpacking. The intermediate package shall be considered the shipping container.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:20Z
Check the source to verify that this is the currentversion before use.

5.4 Marking.

5.4.1 Civil agencies.

5.4.1.1 Interior packages. Commercial labeling conforming to the requirements of the Federal Food, Drug and Cosmetic Act.

5.4.1.2 Shipping container. Shipping container shall be marked in accordance with Fed. Std. No. 123.

5.4.2 Military agencies.

5.4.2.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.2.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the date of manufacture prefixed by "MFD".

5.4.2.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES:

(1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Labeling adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container.

5.4.2.2 Intermediate package. Marking shall not be required on intermediate packages. When intermediate packages are used as an exterior container (Level B packing), marking as specified in 5.4.2.3 shall apply.

5.4.2.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number and the following legends shall be shown: "FLAMMABLE" and "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F)".

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:20Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents.

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item appearing in the Federal Supply Catalog:

National Stock Number	Item Identification
6505-00-105-0000	ALCOHOL, DEHYDRATED, ANALYZED, Reagent, 1 pt (473 ml)

6.3 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

MILITARY CUSTODIANS:
Army - MD
Navy - MS
Air Force - 03

Preparing Activity:
Defense Supply Agency - DM

Civil Agency Coordinating Activities:
GSA - FSS
GPO
HEW - FDA, NIH
VA - DMS

Project No. 6505-1399

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 30 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
U-A-408A ALCOHOL, DEHYDRATED, ANALYZED REAGENT

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

GPO 1974—603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:20Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.