U-M-210A
April 9, 1976
SUPERSEDING
Int. Fed. Spec. U-M-00210(DSA-DM)
February 16, 1965

FEDERAL SPECIFICATION

SIMETHICONE TABLETS, N.F.

This specification was approved by the Commissioner, Federal Supply Services, General Services Administration for use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers Simethicone Tablets, N.F.

1.2 Classification. The tablets covered by this specification shall be the following sizes and strengths (See 6.2):

Size 1 - Bottle of 500s
Size 2 - Individually Sealed, 1000s

Strength 1 - 40 mg
Strength 2 - 80 mg

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

Federal Specification:

PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

Federal Standards:

Fed. Std. No. 123	- Marking for Shipment (Civil Agencies).
Fed. Std. No. 140	- Tablets (for Medicinal Purposes).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations:

U.S. Department of Health, Education, and Welfare, Food and Drug Administration:

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. Pharmacopeial Convention, Inc.:

The U.S. Pharmacopeia
National Formulary

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be Simethicone Tablets, N.F., and shall be in accordance with all applicable requirements of Fed. Std. No. 140, and as specified herein:

S2 Classification. Shall be Type I, class 1.

S5.2 The following is added to this paragraph:

Shall be tablets containg 40 mg of Simethicone per tablet, for strength 1 and 80 mg of Simethicone per tablet for strength 2, within the applicable assay limits for the tablets.

Shall be a palatable, chewable tablet.

S6.4.9.1 Disintegration. In addition to the disintegration test specified in N.F., the tablets shall disintegrate with a minimum of chewing, both at the time of delivery and at the time of use.

3.2 Palatability. The tablets shall be palatable and pleasant to the taste with no unpleasant after-taste. For military use only, the tablets shall comply with the palatability test as specified in 4.3.1.

3.2.1 Samples. Not later than the time specified for opening the bids or receipt of proposals, the offeror shall submit to the contracting officer three (3) units of product which are representative of the product which the offeror proposes to furnish. A portion of the samples will be subjected to panel testing for a determination compliance of supplies furnished hereunder with the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determines that such product was previously procured and/or tested by the purchasing activity and found to comply with the specification requirement.

3.3 Expiration dating period. The expiration dating period shall be not less than 48 months for strength 1 and not less than 36 months for strength 2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in Fed. Std. No. 140 shall be applicable.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.3.1 Palatability test (for military use only). A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Palatability Standard, 1/ when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the samples shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1/ The Palatability Standard is available upon separate request to the Contracting Officer, Defense Personnel Support Center, Directorate of Medical Materiel.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extremely

4.4 Examination of preparation for delivery (for military use only). An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 with acceptable quality level of 4.0 expressed in terms of percent defective.

TABLE I. Examination of preparation for delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and Packing Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

5. PREPARATION FOR DELIVERY

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be Level A or C as specified (see 6.1).

5.2.1 Unit of issue (for military use only). One bottle containing five hundred (500) tablets of size 1 or one box containing 1000 tablets of size 2, as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. Immediate container for size 1 shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 2. Immediate container for size 2 shall be a commercially available blister or strip packaging considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in PPP-B-186.

5.2.2.3 Intermediate package. Twelve units of size 1 shall be packaged as specified in PPP-C-186. Intermediate package is not required for size 2.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Twenty-four units of size 1 or 6 units of size 2 shall be packed as specified for procedure code 4 in PPP-C-186.

5.3.2 Level B. Twenty-four units of size 1 or 6 units of size 2 shall be packed as specified for procedure code 4 in PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Civil agencies. Marking for shipment shall be in accordance with Fed. Std. No. 123.

5.4.2 Military activities.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

5.4.2.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.2.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.2.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the national stock number.

Notes: (1) The national stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for size 1, the national stock number shall appear on the immediate container label.

5.4.2.3 Intermediate package. Each intermediate package shall be marked as specified in PPP-C-186. Type II shelf life markings shall be shown as specified in MIL-STD-129.

5.4.2.4 Exterior container. Exterior container shall be marked as specified in PPP-C-186. Type II shelf life marking shall be shown as specified in MIL-STD-129.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents.

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following items appearing in the Federal Supply Catalog:

National Stock Number	Item Identification	Specification Designation
6505-00-149-0748	SIMETHICONE TABLETS, NF, 80 mg, Individually Sealed, 1000s	Size 2, Strength 2
6505-00-890-1373	SIMETHICONE TABLETS, NF, 40 mg 500s	Size 1, Strength 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

6.3 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

MILITARY CUSTODIANS:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Civil Agency Coordinating Activities:

GSA-FSS
HEW-FDA
VA-DMS

Project No. 6505-1403

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 30 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
U-M-210A SIMETHICONE TABLETS, NF

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974— 603-680/ 6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:20Z
Check the source to verify that this is the current version before use.