[Metric]
A-A-2772A
October 29, 1996
Superseding
A-A-2772
February 24, 1992

COMMERCIAL ITEM DESCRIPTION
PENCIL, EXTRA FINE LEAD

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1. Scope: This Commercial Item Description covers wood, paper or plastic cased lead pencils some of which have recycled materials and are used as a marking medium on paper.

2. Classification:

Type: I. - Wood Cased
II. - Paper Cased (Recycled)
III. - Plastic Cased (Recycled)

3. Salient Characteristics:

3.1 Type I wood cased pencils shall be provided with black lead with diameters as specified in table I. The length of the pencil shall be not less than 16.98 cm (6.685 inches) excluding the eraser. The casing shall be round or hexagonal shaped. The finish shall be either colored lacquer with a non-offensive odor, natural, or rubberized and in conformance with normal commercial practice as specified in the contract or order.

3.2 Type II paper cased pencils may contain recycled materials. The pencils shall be black lead with diameters as specified in table I. The length of the pencil shall be not less than 16.98 cm (6.685 inches) not including the eraser. The casing shall be round or hexagonal shaped. The finish shall have a non-offensive odor with a colored lacquer coating, natural or rubberized and in conformance with normal commercial practice as specified in the contract or order.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

3.3 Type III plastic case pencils shall contain recycled materials in accordance with paragraph 4.1. The pencil leads shall be black lead with diameters as specified in table I. The length of the pencil shall be not less than 16.98 cm (6.685 inches) excluding the eraser. The casing shall be round or hexagonal shaped. The finish shall have a non-offensive odor with a colored lacquer coating, natural or rubberized and in conformance with normal commercial practice as specified in the contract or order.

3.4 The eraser shall be in accordance with the latest revision of commercial item description A-A-132 for the eraser type normally used for the type pencil specified. The eraser shall be crimped or otherwise attached to the casing, by use of a metal or plastic collar.

3.5 The pencils shall produce marks normally made by pencils, when used on paper. Marks shall be smudge resistant, shall reproduce clearly and shall erase cleanly without ghosting when using a pencil type rubber eraser, artgum eraser or plastic film eraser.

3.6 The leads shall be continuously smooth marking, and shall not crumble or chip, and shall be of such strength and resilience so as to reduce breakage when used properly.

3.7 The hardness and diameters of the leads shall be expressed as a **"grade"** as defined by ASTM C709 and designated in accordance with table I. below:

Table I.

Degree of Hardness	Lead Diameter Range
No. 2, Medium Soft	0.165 to 0.190 cm (0.065 to 0.075 inch)
No. 2 1/2, Firm	0.147 to 0.182 cm (0.058 to 0.072 inch)
No. 3, Hard	0.147 to 0.180 cm (0.058 to 0.071 inch)

3.7.1 Hardness of the lead shall be such that no inversion shall take place as the density increases from soft to hard for the leads of the same brand. The grades and lack of inversions shall be certified by the vendor to be in conformance with normal commercial practice. The evidence of this conformance shall be available to the government in the form of a chart of line densities for the full range of grades, upon request.

3.8 Leads shall be centered and securely bonded (glued) within the casing throughout the entire length of the pencil. Leads shall be continuously smooth marking, provide clearly visible lines and not crumble or dust.

3.9 Pencils shall be marked with the manufacturer's name or trademark, hardness of lead provided. Normal commercial markings shall be acceptable. The color of the case shall also be in accordance with normal commercial practice.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

3.10 Workmanship. Pencils shall be free from defects which may affect the serviceability or appearance.

4. Regulatory Requirements: For all types the offerer/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.1 Certification. For type III the contractor shall certify that if polystyrene is used in the manufacture of the item, it shall contain a minimum of 25 percent Postconsumer Recovered Materials in accordance with the 40 Code of Federal Regulations Part 247, Comprehensive Guideline for Procurement of Products Containing Recovered Materials; final rule. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provision of the contract.

5. Quality Assurance Requirements:

5.1 Product Conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. Packaging:

6.1 Preservation, packing, and marking shall be specified in the contract or order.

7. Notes:

7.1 Source of Documents. Issues of the following documents, in effect on the date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

7.1.1 Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, Government Printing Office, Washington. DC 20402.

7.1.2 Copies of the appropriate ASTM's may be obtained from the American Standards for Testing Materials at 1916 Race Street, Philadelphia, PA 19103.

7.1.3 Title 40, Code of Federal Regulations, Protection of Environment, Part 247 copies may be obtained from the U.S. Government Printing Office Washington, DC 20402, phone (202) 783-3238.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

7.1.4 Federal Standards and Specifications may be obtained from the General Services Administration Specifications Section (3FBO-W) in Suite 8100 at 490 L'Enfant Plaza, SW Washington DC 20407.

7.2 **National Stock Number Listing (NSN's).** The following is a list of nsn's assigned which correspond to this CID. The list may not be indicative of all possible nsn's associated with the CID.

7510-00-286-5750
7510-00-286-5751
7510-00-286-5755

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.