INCH-POUND

A-A-30012C
October 15, 1993

SUPERSEDING
A-A-30012B
July 1, 1986

COMMERCIAL ITEM DESCRIPTION

BOTTLE, SAFETY CAP (Tablets and Capsules)

The General Services Administration has authorized the use of this commercial item description.

This commercial item description describes a vial and 2 styles of caps for use as a container for tablets and capsules.

Salient characteristics. Bottles must conform to the current USP requirements for light transmission and moisture tight container; amber color. All caps white color, press-lug child-safe non-reversible design, conforming to the Poison Prevention Act of 1970 (Public Law 91-601); made of plastic for light resistant container. Bottles must have an available prescription label surface height of at least 5.08 cm (2 inches) with a closure cap in place. Instructions for opening the container shall be legibly embossed or permanently marked in contrasting color upon the surface of the cap. Bottles furnished with equal number of safety caps and an additional supply of 10% non-safety snap caps in each package. As an alternate, the purchaser may require a different quantity of non-safety snap caps to be supplied in a package (see Ordering data). Non-safety snap caps shall be legibly embossed or permanently marked in contrasting color upon the surface of the cap, "Warning: Snap cap not child resistant" Suitable for use with tablets and capsules. Safety cap must still be child-safe after being opened and closed 25 times.

SIZE 1

Minimum Bottle Circumference - 2.54 cm to 3.05 cm (1 inch to 1.2 inch)
Minimum Bottle Height - 5.87 cm to 6.99 cm (2-5/16 inches to 2-3/4 inches)

8-9 dram (31.04 - 34.92 grams)

SIZE 2

Minimum Bottle Circumference - 9.52 cm (3-3/4 inches)
Minimum Bottle Height - 5.08 cm (2 inches)

12-13 dram (46.656 - 50.544 grams)
16 dram (62.208 grams)
20 dram (77.760 grams)
30 dram (116.640 grams)
40 dram (155.520 grams)
60 dram (233.280 grams)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:35Z
Check the source to verify that this is the current version before use.

A bottle with one dram size shall not be offered as a substitute for a bottle with a requirement for another dram capacity size.

Workmanship. The bottle and safety caps shall be free from defects which detract from its appearance or impair its serviceability.

UNIT: As stated in solicitation

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the government. The government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Tests. Tests shall be conducted to determine compliance with this commercial item description requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 1.0 (percent defective) and an inspection level of S-1.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:35Z
Check the source to verify that this is the current version before use.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerance specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements

Federal Food, Drug and Cosmetic Act - If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by it subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials - The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking - Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE. The following National Stock Numbers are covered by this document:

DEFENSE LOGISTICS AGENCY (DLA)

NATIONAL STOCK NUMBER	SIZE	DRAM	QUANTITY (RANGE)
6530-01-365-2081	1	8-9	PG 380-400
6530-01-320-7515	2	12-13	PG 250-270
6530-01-316-0282	2	16	PG 200-230
6530-01-320-7514	2	20	PG 150-180

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:35Z
Check the source to verify that this is the current version before use.

DEFENSE LOGISTICS AGENCY (DLA)

NATIONAL STOCK NUMBER	SIZE	DRAM	QUANTITY (RANGE)
6530-01-320-7513	2	30	PG 120
6530-01-366-7529	2	40	PG 90-100
6530-01-334-8797	2	60	PG 60

DEPARTMENT OF VETERANS AFFAIRS (DVA)

NATIONAL STOCK NUMBER	SIZE	DRAM	QUANTITY
6530-01-103-8444	2	12-13	PG 200
6530-01-103-1305	2	16	PG 100
6530-01-103-1306	2	20	PG 100
6530-01-103-1307	2	30	PG 100
6530-01-103-1308	2	40	PG 100
6530-01-103-1309	2	60	PG 50

Copies of Federal Standard No. 376, Preferred Metric Units for General Use by the Federal Government and Federal Test Standard 191 are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.

Copies of Specifications and Standards are also available from Department of Defense Single Stock Point. Special Assistance Desk, telephone (215) 697-2667 or 2179, will provide you adequate information by mail or TeleSpecs mode.

Copies of United States Pharmacopedia (USP) regulations may be obtained from: USPC, Inc., 12601 Twinbrook Parkway, Rockville, MD 20852 USA.

Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

(a) Title, number, and date of this commercial item description

(b) Size

(c) When required quantity of non-safety snap caps is different from what is specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:35Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Military Coordinating Activity:

DoD-MB

CIVIL AGENCY COORDINATING ACTIVITIES:

FDA-MPQAS
PHS

PREPARING ACTIVITY:

VA-OSS VANAC (904)
Agent VA-OSS VACO (92A):

AGENT:

DLA-DM

Custodians:

Army-MD
Navy-MS
Air Force-03

Project No. 6530-2403

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:35Z
Check the source to verify that this is the current version before use.