MILITARY SPECIFICATION

PHOTOMAPPING SECTION, TOPOGRAPHIC

MAPPING SET, TRUCK MOUNTED, PACKAGING OF.

1. SCOPE

1.1 This specification covers requirements for preservation, packaging, packing, and marking of a Photomapping Section, Topographic Mapping Set, Truck Mounted (SC 6675-93-CL-E40).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Box, Fiberboard.

Military

MIL-P-116	- Preservation, Methods of.
MIL-R-3593	- Refrigeration and Cooling Equipment (Excluding Household Refrigerators), Packaging of.
MIL-H-15424	- Hand Tools; Packaging of.
MIL-G-52367	- Generator Sets, Gasoline-Engine-Driven, 3.0 KW, Alternating-Current, Air-Cooled, Portable, Tubular-Frame, Skid-Shock-Mounted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-281	- Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; with Appropriate Test Methods.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Tariff Publishing Officer, Room 202 Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Att'n Tariff Order Section, 1616 P Street, NW, Washington, D. C. 20036.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article.

3.1.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified, to prove, prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination shall be as specified in section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be level A or C, as specified.

3.3.1 Level A.

3.3.1.1 Preservatives. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116.

3.3.1.2 Methods of preservation. Methods of preservation indicated by symbols herein shall conform to the corresponding symbols in MIL-P-116.

3.3.1.3 Hand tools. The hammer, knives, pliers, screwdriver, shears, pin vises, and open end wrenches shall be preserved and packaged in accordance with MIL-H-15424, level A. The preserved and packaged tools shall be placed in the toolbox furnished as a set component.

3.3.1.4 Truck/van. The components and accessories of the truck/van shall be preserved in accordance with MIL-STD-281, level A, (mobile), and as follows.

3.3.1.4.1 Screw jacks. The screws of the jacks shall be coated with type P-11 preservative and the screws fully retracted into the jacks. Exterior unpainted surfaces of the jacks shall be coated with type P-1 preservative. The jacks shall be secured in the stowage compartment on the truck/van body.

Source: https://assist.dla.mil -- Downloaded: 20261O-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.4.2 Power cable and cable reel. The cable assembly shall be wound on the cable reel provided and the reel secured to prevent the cable from unwinding. The reel cover shall then be placed on the cable reel.

3.3.1.4.3 Heating and air conditioning unit. The heating and air conditioning unit shall be preserved in accordance with MIL-R-3593, level A.

3.3.1.5 Generator set (MAP). The generator set, accessories, repair parts, tools, and publications shall be preserved, packaged, packed and marked in accordance with MIL-G-52367, level A.

3.3.1.6 Wastepaper basket, folding chairs, desk lights, revolving stools, electric eraser, drawing board, and folding leg table. Each of these items shall be preserved in accordance with MIL-P-116, method III. The containers shall conform to PPP-B-636, W6c, W5c, or V3c, as applicable, style RSC. The boxes shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.7 Paperweights. The paperweights shall be preserved together method III. Containers and the sealing thereof shall be as specified in 3.3.1.6.

3.3.1.8 Dusting brushes, compasses, drafting curves, dividers, drafting instrument sets, lettering sets, line guides, magnifiers, map measurers, dressmaker needle packets, ruling pens, protractors, drafting scales, plotting scales, pencil sharpners, stapler, stereoscopes sharpening stones, straightedges, triangles, T-squares and slide rules. These items shall be individually preserved, method IC-1.

3.3.1.9 Consolidated packaging. Small components preserved method IC-1 and method III, shall be placed in table drawers, cabinet drawers, or any other available space, such as cabinets, within the van body. Other components such as the waste basket, folding leg table, folding chairs, and revolving stools, for which space is not available, shall be consolidated packaged in a minimum number of boxes conforming to PPP-B-601, domestic type, style I. The size of the boxes shall be determined by the available space that will permit securing them within the van body or truck cab. Strapping of the boxes shall not be required. The boxes shall be immobilized within the van body or truck cab, using blocking, bracing, and strapping as required, applied in a manner not to damage the items or the set component to which the boxes are secured. Blocking, bracing and anchoring shall be in accordance with MIL-STD-1186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.2 Level C. The components of the set including the truck/van shall be preserved and packaged to afford protection against deterioration and damage from the supplier to the initial destination.

3.4 Packing. Packing shall be level A or C, as specified.

3.4.1 Level A. The truck/van, containing the set components, prepared for shipment as specified in 3.3, shall be shipped unboxed (mobile). Wheels shall be free to rotate. The packed generator set (MAP) shall be placed inside the van body in any available space and shall be secured to prevent movement within the van body. When space is not available for securing within the van body, the generator set shall be shipped separately from but at the same time as the truck/van.

3.4.2 Level C. The truck/van, containing the set components, preserved and packaged as specified in 3.3, shall be prepared for shipment unboxed (mobile) in a manner to assure carrier acceptance and safe delivery to destination at the lowest ratings of the carrier in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order, packages, consolidated containers, and unboxed (mobile) truck/vans shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Workmanship shall be such as to provide maximum protection to the set components, by application of the requirements specified herein, to prevent corrosion, deterioration, and mechanical or physical damage to the components during handling, shipment, and storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages.

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into location in the van or prior to placing the packages into consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement and blocking and bracing of the located items and blocking and bracing of consolidated containers in the van.
(c) The third stage shall include inspection of the closed and marked mobile van as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stages that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. Acceptable quality level (AQL) shall be 2.5 percent defective.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

Table I. Classification of defects

No.	Defect	Level A	Level C
101.	Materials, methods, and containers not as specified. Each incorrect material, method, or container shall constitute one defect (3.2, 3.3, 3.4).	X	X
102.	Threads of screw jacks not coated with preservative and the screws not fully retracted as specified (3.3.1.4.1).	X	-
103.	Cable reel not secured to prevent cable from unwinding (3.3.1.4.2).	X	-
104.	Consolidated packaging not as specified (3.3.1.9).	X	-
105.	Wheels not free to rotate (3.4.1).	X	-
106.	Marking illegible, incomplete, or incorrect (3.5).	X	X

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a Photomapping Section, Topographic Mapping Set, Truck Mounted (FSN 6675-526-4631) for MAP (FSN 6675-914-4665).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6675-A144

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION: MIL-P-52674(ME) Photomapping Section, Topographic Mapping Set, Truck Mounted, Packaging Of

ORGANIZATION

CITY AND STATE | CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?
☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS (Attach any pertinent data which may be of use in improving this specification. If there are additional papers attach to form and place both in an envelope addressed to preparing activity.)

SUBMITTED BY (Printed or typed name and activity - Optional) | DATE

DD FORM 1426 REPLACES EDITION OF OCT 64 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. A. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZK-KX
FORT BELVOIR, VIRGINIA 22060

OFFICIAL BUSINESS

POSTAGE AND FEES PAID

DEPARTMENT OF THE ARMY
U. S. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZK-KX
FORT BELVOIR, VIRGINIA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.