MIL-S-52697A(ME)
25 July 1975
SUPERSEDING
MIL-S-52697(ME)
13 August 1970

MILITARY SPECIFICATION

SURVEYING CONTROL SECTION, TRUCK MOUNTED,

PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers requirements for preservation, packaging, packing, and marking of a surveying control section, truck mounted (SC 6675-97-CL-E45).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-P-40	- Packaging and Packing of Hand Tools.

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-R-3593	- Refrigeration and Cooling Equipment (Excluding Household Refrigerators), Packaging of.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

MIL-G-28554 - Generator Sets, Mobile Electric Power; Packaging of.

STANDARDS

Military

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.
MIL-STD-281 - Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section,1616 P Street, NW, Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack within the time frame specified (see 6.2) to prove prior to starting production packaging that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be Level A or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Preservatives. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116.

3.3.1.2 Methods of preservation. Methods of preservation indicated by symbols herein shall conform to the corresponding symbols in MIL-P-116.

3.3.1.3 Handtools. The hammer, screwdriver, shears, and wrench shall be preserved and packaged in accordance with PPP-P-40, Level A. The preserved and packaged tools shall be placed in the toolbox furnished as a set component.

3.3.1.4 Truck/van. The components and accessories of the truck/van shall be preserved in accordance with MIL-STD-281, Level A, (mobile) and as follows.

3.3.1.4.1 Screwjacks. The screws of the jacks shall be coated with Type P-11 preservative and the screws fully retracted into the jacks. Exterior unpainted surfaces of the jacks shall be coated with Type P-1 or P-19 preservative. The jacks shall be secured in the stowage compartment on the truck/van body.

3.3.1.4.2 One-hundred-foot power cable assembly, cable reel, and cover. The cable assembly shall be wound on the cable reel provided and the reel secured to prevent the cable from unwinding. The reel cover shall then be placed on the cable reel.

3.3.1.4.3 Heaters and air conditioner. Heaters shall be completely drained of fuel. Components of the air conditioner shall be preserved in accordance with applicable requirements of MIL-R-3593, Level A.

3.3.1.5 Generator set (MAP). The generator set, accessories, repair parts, and tools shall be preserved, packaged, packed, and marked in accordance with MIL-G-28554, Level A.

3.3.1.6 Cans of adhesive, reel of telephone cable, bottles of ink, toolbox, and padlocks. These items shall not require unit packaging. Items shall be consolidated packaged as specified in 3.3.1.13.

Source: https://assist.dla.mil -- Downloaded: 20261O-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.7 Dusting brush. The hair of the brush shall be protected by an envelope of fiber pads to prevent deformation. The brush shall then be preserved Method IC-1.

3.3.1.8 Bolt assemblies, books, charts, tracing cloth, drafting compass, blackout curtains, dividers, drafting instrument set, erasers, fountain pen set, pencil lead, magnifier map measurer, writing paper pads, drawing paper, graph paper, tracing paper, paperweights, pen point assortment, pencils, pencil pointers, penholders, paper perforator, plastic sheet, tracing cloth powder, protractors, drafting scale, plotting scales, pencil sharpener, erasing shields, slide rules, stapler, staples, stereoscopes, tape, thumbtacks, drafting triangles, and T-square. These items shall be preserved Method IC-1. Items of like description shall be preserved together when item configuration and size permit. When the item size and configuration does not permit practical multiple preservation, the items shall be individually preserved.

3.3.1.9 Eight foot, 9 inch power cable assembly. The terminal lugs of the four conductors shall be secured together with tape and the cap covers installed. The cable assembly shall then be coiled in a minimum coil not less than 10 times the cable diameter and secured with cotton tape or twine.

3.3.1.10 Calculator machine with case, folding [illegible], fluorescent lamps, desk lights, installation kit, and stools. As applicable, items shall be positioned to the minimum cube. Each item shall be preserved Method III. Containers shall conform to PPP-B-636, W6c, W5c or V3c as applicable, style optional. Box closure shall be in accordance with the appendix to the box specification, Method V. Note: When the installation kit is to be installed at set assembly by the supplier, Method III preservation of the installation kit shall not be required.

3.3.1.11 Fire extinguishers and ground rods. These items shall be secured in the mounting brackets provided and installed in the van.

3.3.1.12 Electrical wire. The wire shall be coiled in a minimum safe coil that will not damage the wire and the coil shall be secured with cotton tape or twine.

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.13 Consolidated packaging. Small components, in bottles, cans, boxes, unpackaged items, and items preserved Method IC-1 shall be placed in table drawers, file cabinets, storage cabinets,and desk drawers, or any other available space within the van body. Other components for which space is not available shall be consolidated packaged in a minimum number of boxes conforming to PPP-B-601, Domestic Type, Style I. The size and configuration of the boxes shall be determined by the available space that will permit securing within the van body or truck cab. Strapping of consolidated containers shall not be required. The boxes shall be immobilized within the van body or truck cab using blocking, bracing or strapping as required, applied in a manner that will not damage the items or set components to which the boxes are secured.

3.3.2 Level C. The components of the set including the truck/van shall be preserved and packaged to afford protection against deterioration and damage from the supplier to the initial destination.

3.4 Packing. Packing shall be Level A or C as specified (see 6.2).

3.4.1 Level A. The truck/van containing the set components, prepared for shipment as specified in 3.3, shall be shipped unboxed (mobile). Wheels shall be free to rotate. The packed generator set (MAP) shall be placed inside the van body in any available space and shall be secured to prevent movement. When space is not available for securing within the van body, the generator set shall be shipped separately, but at the same time as the truck/van.

3.4.2 Level C. The truck/van containing the set components, preserved and packaged as specified in 3.3, shall be prepared for shipment unboxed (mobile) in a manner to assure carrier acceptance and safe delivery to destination at the lowest ratings of the carrier in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order, packages, consolidated containers, and unboxed (mobile) truck/vans shall be marked in accordance with MIL-STD-129. When other marking is required (see 6.2).

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages.

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into location in the van or prior to placing the packages into consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement and blocking and bracing of the located items and blocking and bracing of consolidated containers in the van.
(c) The third stage shall include inspection of the closed and marked mobile van as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stages that will comprise a complete pack, shall be considered a unit of product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4. Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in Table I. Acceptable Quality Level (AQL) shall be 2.5 percent defective.

Table I. Classification of defects

No.	Defect	Level A	Level C
101.	Materials, methods, or containers not as specified. Each incorrect material, method, or container shall constitute one defect (3.2, 3.3, 3.4).	X	-
102.	Threads of screwjacks not coated with preservative and the screws not fully retracted as specified (3.3.1.4.1).	X	-
103.	Cable reel not secured to prevent cable from unwinding (3.3.1.4.2).	X	-
104.	Heaters not completely drained of fuel (3.3.1.4.3).	X	-
105.	Dusting brush hair not protected to prevent deformation (3.3.1.7).	X	-
106.	Eight foot 9 inch power cable not coiled and secured as specified (3.3.1.9).	X	-
107.	Fire extinguishers and ground rods not secured in the mounted brackets (3.3.1.11).	X	-
108.	Box closure not Method V (3.3.1.10).	X	-
109.	Electrical wire not coiled and secured as specified (3.3.1.12).	X	-
110.	Consolidated packaging not as specified (3.3.1.13).	X	-
111.	Wheels not free to rotate (3.4.1).	X	-
112.	Marking illegible, incomplete, incorrect, or missing (3.5).	X	X

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY
(This section not applicable to this specification.)
6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a surveying control section, truck mounted (NSN 6675-00-649-8273) or (NSN 6675-00-926-4478) for MAP.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6675-A196

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-S-52697A(ME) Surveying Control Section, Truck Mounted, Packaging Of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Center
ATTN: AMXFB-DS
Ft. Belvoir, Va. 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.