

FED. SUP CLASS
FSC 5905





FLATTED SHAFT

SLOTTED SHAFT

CANCELLED AFTER 28 January 1974

FOR REPLACEMENT USE MIL-R-94/6 STYLE "2RV7"

ALL DIMENSIONS IN INCHES

APPROVED 24 JULY 1951 REVISED Ⓐ 28 JAN 74

This standard has been approved by Department of the and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. SIGNAL CORPS Other Cust	International interest	TITLE RESISTORS, VARIABLE, COMPOSITION, DUAL UNIT	MILITARY STANDARD MS 35056 (SIG C)
Procurement Specification JAN - R - 94		SUPERSEDES:	SHEET 1 OF 3

DD FORM 1 SEP 63 672 (LIMITED COORDINATION)

5905 - A 246

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:09Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
FSC 5905

CHARACTERISTIC	DESIGNATING SYMBOL	MEANING OF SYMBOL
TORQUE, OPERATING TEMP STABILITY CHARACTERISTIC	N	NORMAL TORQUE, MAXIMUM ALLOWABLE CHANGE IN TOTAL RESISTANCE DUE TO MOISTURE RESISTANCE TEST ±10%
SHAFT	P-	PLAIN SHAFT
	S-	SLOTTED SHAFT
	-D	7/8 ±1/32 LONG FROM MOUNTING SURFACE (DIM A)
	-E	1 ±1/32 LONG FROM MOUNTING SURFACE (DIM A)
	-J	2 ±1/32 LONG FROM MOUNTING SURFACE (DIM A)
RESISTANCE CHARACTERISTIC	B	TAPER A, TOLERANCE ±20%
	D	TAPER C, TOLERANCE ±20%
	F	TAPER F, TOLERANCE ±20%

DASH NUMBER	TOTAL RESISTANCE OHMS EACH SECTION	SHAFTS AVAILABLE	TAPERS AVAILABLE
1	250	[illegible]	ACP
2	1000	[illegible]	ACP
3	5000	[illegible]	ACP
4	10000	[illegible]	ACP
5	50000	[illegible]	ACP
	MEG		
6	.1	[illegible]	ACP
7	.25	[illegible]	ACP
8	.5	[illegible]	ACP
9	1.0	[illegible]	ACP
10	5.0	[illegible]	ACP

NOTE:

1. RESISTORS SHALL MEET THE REQUIREMENTS FOR CHARACTERISTIC T OF SPECIFICATION JAN-R-94, STYLE RV4.

CANCELLED AFTER 28 January 1974

FOR REPLACEMENT USE MIL-R-94/6 STYLE 2RV7

APPROVED 24 JULY 1951 REVISED (A) 28 JAN 74

This standard has been approved by the Department of the [illegible] and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.


P.A. SIGNAL CORPS Other Cust	International Interest	TITLE RESISTORS, VARIABLE, COMPOSITION, DUAL UNIT	MILITARY STANDARD MS 35056 (SIG C)
Procurement Specification JAN-R-94		SUPERSEDES:	SHEET 2 OF 3


DD FORM 1 SEP 63 672 (LIMITED COORDINATION)


5905-A246

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:09Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
FSC 5905







CANCELLED AFTER 28 January 1974

FOR REPLACEMENT USE MIL-R-94/6 STYLE "2RV7"

APPROVED 24 JULY 1951 REVISED (A) 28 JAN 74

This standard has been approved by the Department of the and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. SIGNAL CORPS Other Cust	International interest	TITLE RESISTORS, VARIABLE, COMPOSITION, DUAL UNIT	MILITARY STANDARD MS 35056 (SIG C)
Procurement Specification JAN-R-94		SUPERSEDES:	SHEET 3 OF 3

DD FORM 1 SEP 63 672 (LIMITED COORDINATION)

5905-A246

☆ U. S. GOVERNMENT PRINTING OFFICE: 1974-713-151/3862

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:09Z
Check the source to verify that this is the current version before use.