INCH-POUND
MIL-DTL-52618/2D
25 November 2002
SUPERSEDING
MIL-F-52618/2C (ME)
29 June 1990

DETAIL SPECIFICATION SHEET

FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND REDUCERS AND CLOSE AND OPEN PATTERN RETURN BENDS (STRAIGHT SIZES)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the fittings described herein shall consist of this document and the latest issue of specification MIL-DTL-52618.

REQUIREMENTS:

The fittings shall be as shown in figure I.



A - REDUCER

B – CLOSE PATTERN RETURN BEND

C – OPEN PATTERN RETURN BEND

FIGURE I. Reducers, close and open return bends (not to scale).

AMSC N/A
FSC 4730
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

Part or identifying numbers. The military specification sheet number, configuration code letter, size code numbers, thread direction code letter and finish code letter are combined to form the part or identifying number. PIN numbers are assigned as follows:



TABLE I. Configuration code letter for fittings.

Description	Configuration code
Reducers	F
Close pattern return bend	G
Open pattern return bend	H

TABLE II. Size code numbers for reducers.

Nominal pipe size (inch) x (inch)	Size code numbers
1/2 x 3/8	24
1/2 x 1/4	25
3/4 x 1/2	26
3/4 x 3/8	27
3/4 x 1/4	28
1 x 3/4	29
1 x 1/2	30
1-1/4 x 1	31
1-1/4 x 3/4	32
1-1/2 x 1-1/4	33
1-1/2 x 1	34
1-1/2 x 3/4	35
2 x 1-1/2	36
2 x 1-1/4	37
2 x 1	38
2-1/2 x 2	39
3 x 2-1/2	40
3 x 2	41
4 x 3	42

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE III. Size code numbers for close and open pattern return bends.

Nominal pipe size (inch)	Size code numbers
1/2	04
3/4	05
1	06
1-1/4	07
1-1/2	08
2	09
2-1/2	10
3	11
3-1/2	12
4	13
5	14
6	15
8	16
10	17
12	18

TABLE IV. Thread direction code letter.

Thread direction	Thread direction code letter
Right-hand	X
Left-hand	Y
Right- and left-hand	Z

TABLE V. Finish code letter.

Finish	Finish code letter
As cast	A
As extruded	B
Anodized	C

CONCLUDING MATERIAL

Custodians:
Army – AT
Navy – AS
DLA – CC

Review activities:
Army – CE
Navy – SA

Preparing activity:
DLA – CC

(Project 4730-2229)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.