INCH-POUND
MIL-DTL-52618/8D
25 November 2002
SUPERSEDING
MIL-F-52618/8C (ME)
29 June 1990

DETAIL SPECIFICATION SHEET

FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND OUTSIDE HEAD, INSIDE HEAD, AND FACE BUSHINGS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the fittings described herein shall consist of this document and the latest issue of specification MIL-DTL-52618.

REQUIREMENTS:

The fittings shall be as shown in figure 1.



A – OUTSIDE HEAD B – INSIDE HEAD C - FACE

FIGURE 1. Bushings (not to scale).

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

Part or identifying numbers. The military specification sheet number, configuration code letter, size code numbers, thread direction code letter and finish code letter are combined to form the part or identifying number. PIN numbers are assigned as follows:



TABLE I. Configuration code letter for fittings.

Description of bushing	Configuration code
Outside head bushing	T
Inside head bushing	U
Face bushing	V

TABLE II. Size code numbers for bushings.

Nominal pipe size (inch x inch)	Size code numbers
1/4 x 1/8	801
3/8 x 1/4	802
3/8 x 1/8	803
1/2 x 3/8	804
1/2 x 1/4	805
1/2 x 1/8	806
3/4 x 1/2	807
3/4 x 3/8	808
3/4 x 1/4	809
3/4 x 1/8	810
1 x 3/4	811
1 x 1/2	812
1 x 3/8	813
1 x 1/4	814
1 x 1/8	815
1-1/4 x 1	816
1-1/4 x 3/4	817
1-1/4 x 1/2	818
1-1/4 x 3/8	819
1-1/4 x 1/4	820

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE II. Size code numbers for bushings - Continued.

Nominal pipe size (inch x inch)	Size code numbers
1-1/2 x 1-1/4	821
1-1/2 x 1	822
1-1/2 x 3/4	823
1-1/2 x 1/2	824
1-1/2 x 3/8	825
1-1/2 x 1/4	826
2 x 1-1/2	827
2 x 1-1/4	828
2 x 1	829
2 x 3/4	830
2 x 1/2	831
2 x 3/8	832
2 x 1/4	833
2-1/2 x 2	834
2-1/2 x 1-1/2	835
2-1/2 x 1-1/4	836
2-1/2 x 1	837
2-1/2 x 3/4	838
2-1/2 x 1/2	839
3 x 2-1/2	840
3 x 2	841
3 x 1-1/2	842
3 x 1-1/4	843
3 x 1	844
3 x 3/4	845
3 x 1/2	846
3-1/2 x 3	847
3-1/2 x 2-1/2	848
3-1/2 x 2	849
3-1/2 x 1-1/2	850
3-1/2 x 1-1/4	851
3-1/2 x 1	852
4 x 3-1/2	853
4 x 3	854
4 x 2-1/2	855
4 x 2	856
4 x 1-1/2	857
4 x 1-1/4	858
4 x 1	859
5 x 4	860
5 x 3-1/2	861
5 x 3	862
5 x 2-1/2	863
5 x 2	864
6 x 5	865
6 x 4	866
6 x 3-1/2	867
6 x 3	868
6 x 2-1/2	869
6 x 2	870

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE II. Size code numbers for bushings - Continued.

Nominal pipe size (inch x inch)	Size code numbers
8 x 6	871
8 x 5	872
8 x 4	873
8 x 3-1/2	874
8 x 3	875

TABLE III. Thread direction code letter.

Thread direction	Thread direction code letter
Right-hand	X
Left-hand	Y
Right- and left-hand	Z

TABLE IV. Head code number.

Head	Code number
Hexagonal	6
Octagonal	8

TABLE V. Finish code letter.

Finish	Finish code letter
As cast	A
As extruded	B
Anodized	C

CONCLUDING MATERIAL

Custodians:
Army – AT
Navy – AS
DLA – CC

Review activities:
Army – CE
Navy – SA

Preparing activity:
DLA – CC

(Project 4730-2235)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.