MILITARY SPECIFICATION SHEET

CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO)

This specification sheet is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the cable described herein shall consist of this document and the latest issue of specification MIL-C-22442.




FIGURE 1. Cable assembly.




FIGURE 2. Cable assembly schematic diagram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:31Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. The cable shall be in accordance with MIL-C-55668 Type III 2 conductor or MIL-C-10392 WD-27.

2. The stay cord shall be firmly attached to the connectors.

3. The stay cord shall be .250 longer than the conductors.

4. The DC resistance shall be less than 1 ohm between the following contacts.

   (a) Contact 1 and contact 1 of U-173/U.

   (b) Contact 2 and contact 2 of U-173/U.

5. The cable assembly shall be tested in accordance with the tests listed in Table I.

NOTES:

1. All dimensions are in inches.

2. Tolerances are $\pm$.125 unless otherwise specified.

Preparing Activity
Navy - AS
Project No. 5995-N118-9

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:31Z
Check the source to verify that this is the current version before use.

TABLE I. Cable assembly inspections.

Inspection	Paragraph		Group I	Group II	Group III
	Require-ments	Test	Qualifi-cation tests	Quality conformance inspection 100%	Sample testing per 4.5.1
GROUP A (ALL SAMPLE UNITS)					
Visual & Mechanical Inspection	3.1, 3.4 3.6	4.6.2	X	X	
Soldering	3.4.24	4.6.2.1	X	X	
Dielectric Withstanding Voltage	3.5.5	4.6.7	X	X	
Insulation Resistance	3.5.4	4.6.6	X	X	
Pull Test	3.5.7	4.6.9	X		X
DC Resistance	3.5.2	4.6.4	X	X	
GROUP B (2 SAMPLES)					
Ozone Resistance	3.5.14	4.6.16	X		X
GROUP C (4 SAMPLES)					
Temperature-Altitude	3.6.1	4.7	X		
Salt Fog	3.6.1	4.7	X		
Thermal Shock	3.5.9	4.6.11	X		
Vibration	3.6.1	4.7	X		

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:31Z
Check the source to verify that this is the current version before use.