INCH-POUND

MIL-C-10015D
AMENDMENT 1
16 June 1993

MILITARY SPECIFICATION

CHEST, TOOL KIT, EMPTY

This amendment forms a part of MIL-C-10015D dated 26 August 1982, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Under "SPECIFICATIONS FEDERAL": Delete

"FF-H-111 - Hardware, Builders'; Shelf and Miscellaneous
TT-P-636 - Primer Coating, Alkyd, Wood and Ferrous Metal
MMM-A-125 - Adhesive, Casein-Type, Water and Mold Resistant"

Add: "A-A-472 - Hasp, Hinged
TT-P-664 - Primer Coating, Alkyd, Corrosion-Inhibiting, Lead and Chromate Free, VOC-Compliant"

Update the following specification titles:

"TT-C-490 - Cleaning Methods for Ferrous Surfaces and Pretreatments for Organic Coatings
TT-E-529 - Enamel, Alkyd, Semigloss, Low VOC Content"

PAGE 2

2.1: Under "STANDARDS FEDERAL": Update the following standard:

"FED-STD-595 - Colors Used in Government Procurement"

Under "STANDARDS MILITARY": Delete

"MIL-STD-1188 - Commercial Packaging of Supplies and Equipment
MIL-STD-1363 - Measurement of Wood Moisture Content"

Add: "MIL-STD-147 - Palletized Unit Loads"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:21Z
Check the source to verify that this is the current version before use.

PAGE 2 (cont'd)

After listing of military standards, add:

"(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.1 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation."

2.2: Under "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)": Add

"D 3951 - Standard Practice for Commercial Packaging
D 4444 - Use and Calibration of Hand-Held Moisture Meters
D 4689 - Adhesive, Casein-Type"

PAGE 3

3.2.2.1: Delete "any type of MMM-A-125" and substitute: "Class A of ASTM D 4689"

PAGE 4

3.2.5: Delete "TT-P-636" and substitute: "TT-P-664"

3.2.9: Delete "type F1405, size 4-1/2-inch, finish US2C of FF-H-111" and substitute: "size 2 of A-A-472"

PAGE 5

After paragraph 4.1, add the following new paragraphs:

"4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:21Z
Check the source to verify that this is the current version before use.

4.1.2 Responsibility for dimensional requirements. Unless otherwise specified in the contract or purchase order, the contractor is responsible for ensuring that all specified dimensions have been met. When dimensions cannot be examined on the end item, inspection shall be made at any point, or at all points in the manufacturing process necessary to ensure compliance with all dimensional requirements."

PAGE 6

4.4.1.1, line 2: Delete "MIL-STD-1363" and substitute: "ASTM D 4444"

PAGE 8

5.1.2: Delete and substitute:

"5.1.2 Commercial preservation. Chests shall be preserved in accordance with ASTM D 3951."

PAGE 9

5.2: Delete and substitute:

"5.2 Packing. Packing shall be Commercial.

5.2.1 Commercial packing. Chests, preserved as specified in 5.1, shall be packed in accordance with ASTM D 3951.

5.3 Palletization. When specified (see 6.2), chests packed as specified in 5.2 shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Pallet type shall be type I (4-way entry), type IV or type V in accordance with MIL-STD-147. Each prepared load shall be bonded with straps in accordance with bonding means C and D or film bonding means F or G. Pallet pattern shall be in accordance with the appendix of MIL-STD-147.

5.4 Marking. In addition to any special marking required by the contract or purchase order, each chest shall be provided with two shipping tags secured to the handles with minimum 0.072 inch diameter annealed wire. The tags and markings thereon shall be in accordance with MIL-STD-129 or ASTM 3951, as applicable."

6.2: (c): Delete and substitute the following:

"(c) Selection of applicable level of preservation (see 5.1).
(d) When palletization is required (see 5.3)."

Source: https://assist.dla.mil -- Downloaded: 20260-17T13:21Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Air Force - 99

Review activities:

Army - CR
Air Force - 84

User activities:

Army - ME
Navy - MC

Civil agency coordinating activity:

GSA - FSS

Preparing activity:

Army - GL

(Project 5140-0110)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:21Z
Check the source to verify that this is the current version before use.