NOT MEASUREMENT SENSITIVE

MIL-DTL-9977N(USAF)
w/AMENDMENT 2
27 June 2024

SUPERSEDING
MIL-DTL-9977N(USAF)
w/AMENDMENT 1
31 January 2020

DETAIL SPECIFICATION MUNITIONS/NUCLEAR WEAPONS BASIC INFORMATION AND LOADING TECHNICAL MANUALS AND CHECKLISTS

Comments, suggestions, or questions on this document should be addressed to AFLCMC/GBS Technical Data Section, 1865 4th Street, Bldg 14, Room 32, Area B, Wright-Patterson AFB, OH 45433 or emailed to SGMLsupport@us.af.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC 10491 **AREA TMSS**

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

This specification is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

1 SCOPE

1.1 Scope. This detail specification establishes the requirements for preparation of Technical Manuals (TM) and checklists for loading/unloading nuclear weapons and nonnuclear munitions on aircraft, and for checking various armament systems used to control/release/fire munitions and weapons that are approved for loading on an aircraft. This specification provides for digital delivery of data using the Document Type Definitions (DTDs) prescribed in appendices A through K.

1.2 Types of manuals. The types of TMs prescribed within this detail specification are as follows:

a. Nuclear Weapons Basic Information and Loading Procedures Manual (Fighter Aircraft) (see 3.3).
b. Nuclear Weapons Loading Procedures Manual (Bomber Aircraft) (see 3.4).
c. Nonnuclear Munitions Basic Information Manual (Standard Volume) (see 3.5).
d. Nonnuclear Munitions Loading Procedures Manual (see 3.6).
e. Integrated Combat Turnaround Procedures Manual (see 3.7).
f. Nonnuclear Munitions Loading Standard Data Packages (see 3.8).
g. Loading Procedures Checklist (see 3.9).
h. Single Loading Procedures Checklist (see 3.9.1.a).
i. Integrated Loading Procedures Checklist (see 3.9.1.b).
j. Family Group Loading Procedures Checklist (see 3.9.1.c).
k. Nuclear Weapons Loading Procedures Checklist (see 3.9.1.d).
l. Smart Loading Procedures Checklists (see 3.9.1.e).
m. Integrated Combat Turnaround Procedures Checklist (see 3.10).
n. NATO Stage B Cross-Servicing Checklist (see 3.11).
o. Functional Check Procedures Checklist (see 3.12).
p. End of Runway (EOR) Procedures Checklist (see 3.13).

1.3 Illustrations in this specification. The illustrations appearing in this specification are used only as examples. If there is any conflict between the text and illustrations of this document, the text applies.

2 APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in Sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in Sections 3 and 4 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

DEPARTMENT OF DEFENSE SPECIFICATIONS

MIL-DTL-5096 - Manuals, Technical - Inspection and Maintenance Requirements; Inspection Work Cards; and Checklists; Preparation of

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE STANDARDS

MIL-STD-38784 - General Style and Format Requirements for Technical Manuals

(Copies of these documents are available online at https://quicksearch.dla.mil.)

2.2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

PUBLICATIONS

AIR FORCE MANUAL

DAFMAN 91-201 - Explosives Safety Standards

(Copies of this document are available online at https://www.e-publishing.af.mil. Copies of documents required by contractors in connection with specific procurement functions should be obtained from the acquiring activity or as directed by the contracting officer.)

AIR FORCE TECHNICAL MANUALS

TO 00-5-1 - AF Technical Order System

TO 00-25-172 - Ground Servicing of Aircraft and Static Grounding/Bonding

(Copies of these documents required by users with ".mil" government web address access are available online at https://www.my.af.mil/etims/ETIMS/index.jsp. Copies of documents required by contractors in connection with specific procurement functions should be obtained from the acquiring activity or as directed by the contracting officer.)

2.3 Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3 REQUIREMENTS

3.1 Development and preparation. The development and preparation of manuals covered by this specification shall be in accordance with the requirements of MIL-STD-38784 and for checklists shall be in accordance with MIL-DTL-5096, except as otherwise specified herein.

3.1.1 Format and changes. Loading procedures shall be in single column format and procedures may contain single steps.

3.1.2 TM Paper/PDF-unique functionality/formatting requirements. As specified by the acquiring activity (see 6.2.b), the Paper output or PDF output unique functionality/formatting requirements shall apply for the development of all manuals specified herein.

3.1.3 Location of illustrations. Illustrations and artwork shall be located as close as possible to the applicable text.

3.1.4 Nomenclature. Nomenclature of switches, circuit breakers, and other controls shall be as it appears on the aircraft decals, placards, engraved legends, and nameplates. Munition/weapon nomenclature used as chapter/section titles and on checklist title pages/screens, shall be common terminology. Nomenclature of Support Equipment (SE) and other types of equipment shall be the official assigned nomenclature, consisting of the item name and type designation. Munition/weapon and SE nomenclature used elsewhere in the manuals and checklists shall be common terminology, unless listed otherwise in the loading standard data package, which shall take precedence.

3.1.5 Deleted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.1.6 Applicability notations. Procedural steps within the text, that are applicable to a specific item, shall be prefixed with applicability notations for identification. The applicability notations shall be explained in the manual introduction (see 6.7).

3.1.7 References. References shall be prepared according to 3.1, except as otherwise specified herein.

PDF output: All references shall be linked to the data to which they apply, including for manuals/checklists published in PDF, unless otherwise specified by the acquiring activity (see 6.2.c).

3.1.8 Standardization. The appearance of all nuclear and nonnuclear loading procedures manuals shall be as similar as possible.

3.1.8.1 Standard switch and indicator light terminology. Terms used for activating bomb release buttons, triggers, jettison buttons, sensing switches, etc., shall be "depressed," "released," or "momentarily depressed." All other switches shall be "positioned." Circuit breakers shall be "in" or "out." Lights shall be "on" or "off," "momentarily on," "momentarily off," or "flashing."

3.1.8.2 Standardization of terms for procedural steps. Once a phrase such as "check that...," "ensure that...," "lift...," "raise...," etc., has been selected, the phrase shall remain the same throughout the loading manuals, as specified by the acquiring activity (see 6.2.d).

3.1.8.3 Standardization of terms "if applicable" and "if required". The term "if required" shall not be used. Unless otherwise specified by the acquiring activity (see 6.2.e), the term "if applicable" shall only be used when the completion of the procedural step may, or may not, be required due to aircraft configuration or load condition e.g., "remove power (if applicable)" is considered correct if the operation may require power in later steps.

3.1.8.4 Standardization of cockpit switch safing for aircraft preparation. Unless otherwise specified by the acquiring activity (see 6.2.f), cockpit switch safing procedures shall read, "Check that all cockpit armament switches are in the OFF, SAFE, or NORMAL position." These procedures shall be amplified to include showing required switch positions (see figure 6).

3.2 Deleted.

3.2.1 Deleted.

3.2.2 Deleted.

3.2.3 Deleted.

3.2.4 Deleted.

3.2.5 Deleted.

3.2.6 Deleted.

3.2.7 Deleted.

3.2.7.1 Deleted.

3.2.7.1.1 Deleted.

3.2.7.1.2 Deleted.

3.2.7.1.3 Deleted.

3.2.7.1.4 Deleted.

3.2.7.2 Deleted.

3.2.7.3 Deleted.

3.2.7.4 Deleted.

3.2.7.5 Deleted.

Source: https://assist.dla.mil -- Downloaded: 2026l0-17T13:18Z
Check the source to verify that this is the currentversion before use.

3.3 Nuclear Weapons Basic Information and Loading Procedures Manual (Fighter Aircraft). See appendix A for resources available for digital preparation of this manual. This manual consists of descriptive material, supplemental information, emergency procedures, and weapons loading/unloading procedures as detailed below. The following apply:

a. Nonnuclear munitions procedures shall not be incorporated in this manual.

b. Capitalization and underscoring of chapter, section, and paragraph titles shall be in accordance with the requirements of MIL-STD-38784 (see 6.8).

c. All information shall be unclassified.

3.3.1 Arrangement. The Nuclear Weapons Basic Information and Loading Procedures Manual (Fighter Aircraft) manual shall be arranged as follows:

a. Front matter (see 3.3.1.1).

b. Chapter 1 - Basic Information (see 3.3.1.2).

1. Section I - General Safety Requirements (see 3.3.1.2.1).
2. Section II - Emergency Procedures (see 3.3.1.2.2).
3. Section III - Aircraft Description and General Arrangement (see 3.3.1.2.3).
4. Section IV - Support Equipment (SE) Description (see 3.3.1.2.4).
5. Section V - Bomb/Weapon Descriptions (see 3.3.1.2.5).
6. Section VI - General Procedures (see 3.3.1.2.6).
7. Section VII - Aircraft Preparation (see 3.3.1.2.7).
8. Section VIII - Flight Circuit Test (FCT)/Functional Checks (see 3.3.1.2.8).
9. Section IX - Stray Voltage Checks (see 3.3.1.2.9).

c. Chapter 2 - Bombs/Weapons Loading Procedures (see 3.3.1.3).

1. Section I - General (see 3.3.1.3.2).
2. Section II - Loading Procedures (see 3.3.1.3.3).
3. Section III - Unloading Procedures (see 3.3.1.3.4).
4. Section IV - Ferry Procedures (see 3.3.1.3.5).

d. Chapter 3 - Practice Bomb Loading Procedures (see 3.3.1.4).

1. Section I - General (see 3.3.1.4.1).
2. Section II - Loading Procedures (see 3.3.1.4.2).
3. Section III - Unloading Procedures (see 3.3.1.4.3).

3.3.1.1 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784, except that no List of Illustrations (LOI), List of Tables (LOT), or Safety Summary (SS) shall be included.

3.3.1.1.1 Introduction. The introduction shall be arranged in accordance with the requirements of MIL-STD-38784, with the following additional requirements. The introduction shall include a List of Related Publications (LRP), a precedence paragraph or statement, and a nuclear safety certification statement as provided by the acquiring activity (see 6.2.i). Submittal and routing instructions for TM improvement reports shall be included and shall reference TO 00-5-1 as the authority for recommending changes. A paragraph shall be included identifying the Air Force activity having technical responsibility for the manual (see 6.2.j). Standard definitions of WCNs shall be included as the final entry of the introduction. Any other additional information shall be included, as provided by the acquiring activity (see 6.2.k). (See figure 1.)

Source: https://assist.dla.mil -- Downloaded: 2026l0-17T13:18Z
Check the source to verify that this is the current version before use.

3.3.1.2 Chapter 1 - Basic Information. Unless otherwise specified by the acquiring activity (see 6.2.l), all of the following sections shall be included (see 3.3.1.b). When a section is not required, the section heading (section number and title) shall be included, followed by "Not Applicable." When specified by the acquiring activity (see 6.2.m), additional sections shall be included, as specified by Air Force Nuclear Weapons Center (AFNWC), Technical Order Branch, and shall begin after the last of the required sections.

3.3.1.2.1 Section I - General Safety Requirements. Section I shall contain all general safety requirements necessary for preparation, handling, loading, and unloading of weapons/munitions (see 6.11).

3.3.1.2.2 Section II - Emergency Procedures. Section II shall contain emergency procedures related to weapons/munitions or weapons/munitions loaded aircraft. Procedures shall be prefaced by a brief explanation of actions to be accomplished. Emergency procedures shall be marked in accordance with the requirements of MIL-STD-38784 and shall include the words "Emergency Procedures" directly below the TM identification number (see figures 2 and 3).

3.3.1.2.3 Section III - Aircraft Description and General Arrangement. Section III shall contain the aircraft description and general arrangement in an illustrated, informational form. The location of panels, switches, safety devices, etc., which are used as part of loading procedures, shall be shown. Each identified item shall have an accompanying brief description of its function/use. (See figure 4.)

3.3.1.2.4 Section IV - Support Equipment (SE) Description. Section IV shall include descriptive information concerning testers, handling, and loading equipment listed as SE in loading procedures. Authorized nuclear weapons SE shall be listed in accordance with the Master Nuclear Certification List (MNCL).

3.3.1.2.5 Section V - Bomb/Weapon Descriptions. Section V shall contain descriptive information on all nuclear weapons, trainers, and their components that are approved for loading on the aircraft concerned.

3.3.1.2.6 Section VI - General Procedures. Section VI shall contain general information followed by detailed procedures for selected items of a repetitive nature within the different chapters of the manual (checking test equipment for proper operation, aircraft grounding procedures, marking of impulse cartridges, etc.).

3.3.1.2.7 Section VII - Aircraft Preparation. Section VII shall contain detailed steps required to prepare the basic aircraft and installed weapons/munitions accessories e.g., rack, launcher, etc., for functional/stray voltage checks and weapons/munitions loading.

3.3.1.2.7.1 Aircraft Preparation. The Aircraft Preparation primary paragraph shall contain all steps required to prepare the basic aircraft for functional/stray voltage checks and weapons/munitions loading.

3.3.1.2.7.2 Installed Accessory Preparation. The Installed Accessory Preparation primary paragraph shall contain all necessary steps to prepare each installed weapon/munition accessory, e.g., rack, launcher, etc., for functional/stray voltage checks and weapons/munitions loading.

3.3.1.2.8 Section VIII - Flight Circuit Test (FCT)/Functional Checks. Section VIII shall contain all necessary steps to perform functional checks of the weapons munitions control/release/fire and jettison systems. (See figure 6.)

3.3.1.2.8.1 System requirements. When specified by the acquiring activity (see 6.2.n), procedures shall be subdivided to meet weapon system requirements and additional primary paragraphs shall be included, as provided by AFNWC, in the designated sequence.

3.3.1.2.9 Section IX - Stray Voltage Checks. Section IX shall contain all necessary steps to perform stray voltage tests of weapons/munitions control/release/fire and jettison systems. As a minimum, procedures shall reflect the application of power to the aircraft during the stray voltage checks, unless otherwise specified by the acquiring activity (see 6.2.o).

3.3.1.3 Chapter 2 - Bombs/Weapons Loading Procedures. Arrangement (see 3.3.1.c) shall be in accordance with 3.3.1.3.2 through 3.3.1.3.5.3. The organization of information within the chapter shall be dictated by the similarity of tasks to be performed (see 6.7). Integrated nuclear/nonnuclear loading procedures shall not be incorporated in the Nuclear Weapons Basic Information and Loading Procedures Manual.

3.3.1.3.1 Method of presentation. The presentation of the detailed procedures shall be standardized as much as possible. The following method of presentation shall be used:

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.3.1.3.1.1 Applicability notations. Applicability notations shall be in accordance with 3.1.6.

3.3.1.3.1.2 Illustrations. The illustrations shall be provided in a concise and standard form (see figure 6) and shall support the procedures/steps as needed. Illustrations shall be as close as possible to the applicable step and be of a standard size, where possible.

Paper output: Illustration/text shall be arranged so that the procedures are on the right side and illustrations on the left side of the page or with procedures at the top and illustration across the bottom of the page. Illustrations shall be placed both along the left side and across the bottom of the page, if necessary. Pages shall not require turning to view an illustration.

3.3.1.3.1.3 Use of callouts and leader lines. Figure callouts shall be brief and concise. Referenced illustration content, such as a switch position directed by a procedural step, shall be indicated by leader lines or nomenclature callouts on the applicable figure (see figure 7).

3.3.1.3.1.4 Procedural identification. Paper output: Procedural pages shall carry identification consisting of the primary sidehead title, or the initial first subordinate sidehead used, on left pages and the primary sidehead title, or the last first subordinate sidehead used, on right pages. An abbreviated weapon/munition designation and aircraft station shall also be included when the aircraft has more than single carriage capability. This identification shall be placed on one line, if possible, below the TO number. Examples are:

Nuclear		Nonnuclear
a.	TO 1F-XX-16 Loading/61/WB/CL	TO 1F-XXX-33-1-2 Ldg/BSU/CL/WS/CFT
b.	TO 1F-XX-16 Acft Prep	TO 1F-XXX-33-1-2 Acft Prep
c.	TO 1F-XX-16 Unldg/Bomb	TO 1F-XXX-33-1-2 Unldg/Bomb GP (R)/MC

3.3.1.3.1.5 Deleted.

3.3.1.3.1.6 Titles and headings. Section titles and primary paragraph titlesshall be limited to those listed in 3.3.1.3.2 through 3.3.1.3.5. If a specific paragraph is not applicable to a particular aircraft/weapon, the paragraph title shall be included, followed by “Not applicable.” See table I.

3.3.1.3.1.7 Deleted.

3.3.1.3.2 Section I - General. Under the General section, the following first primary paragraphs shall be covered:

3.3.1.3.2.1 Scope. The scope paragraph shall include a description of the purpose of the chapter, outline of the major functions therein, and the TM identification number of the supporting checklist.

3.3.1.3.2.2 Support Equipment (SE). The SE paragraph shall list all SE that may be needed to accomplish the requirements of the chapter. For -16 manuals, the use of nuclear safety certified or approved equipment is mandatory, and shall be listed in accordance with the MNCL.

3.3.1.3.2.3 Specific safety requirements. The specific safety requirements paragraph shall include all specific safety procedures pertaining to the weapon/munition and loading procedures.

3.3.1.3.3 Section II - Loading Procedures. Under the Loading Procedures section, the following primary paragraphs shall be covered.

3.3.1.3.3.1 Aircraft preparation. The following note and steps shall be included in all loading manuals:

NOTE

Refer to Chapter 1, Section _, for applicable aircraft preparation.
Refer to Chapter 1, Section _, for FCT/functional checks.
Refer to Chapter 1, Section _, for stray voltage checks.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

Steps:

a. Perform aircraft preparation.

b. Perform required FCT/functional checks.

c. Perform required stray voltage checks.

3.3.1.3.3.2 Weapons/munitions preparation. The weapons/munitions preparation paragraph, applicable to a single weapon/munition, multiple rack, and pre-loaded accessories, shall include steps required to inspect and prepare each weapon/munition, including components. All steps shall be singular.

3.3.1.3.3.3 Cartridge installation. For the Bomb Release Unit (BRU)-3, Miscellaneous Armament Unit (MAU)-12, and similar racks, when the cartridges cannot be installed after the store is loaded due to configuration, the following note shall follow the paragraph title:

NOTE

Omit step a. if a stray voltage check was performed during aircraft preparation or FCT/functional check, provided no additional power has been applied to the aircraft.

The following steps shall be included, all steps shall be plural:

a. Perform required stray voltage checks.

b. Check impulse cartridges for serviceability.

c. Install impulse cartridges.

3.3.1.3.3.4 Loading. This paragraph shall include steps required to load the weapons. All steps shall be singular.

3.3.1.3.3.5 Cartridge Installation. The following note shall follow the paragraph title:

NOTE

Omit steps a. through c. if impulse cartridges were installed as part of the loading and a stray voltage check was performed during aircraft preparation or FCT/functional check, provided no additional power has been applied to the aircraft.

The following steps shall be included, all steps shall be plural:

a. Perform required stray voltage checks.

b. Check impulse cartridges for serviceability.

c. Install impulse cartridges.

3.3.1.3.3.6 Postloading inspection. This paragraph shall include steps required to ensure that safety devices are installed or removed as required. All steps shall be plural.

3.3.1.3.3.7 Delayed flight or alert. This paragraph shall include procedural steps required for safing of aircraft accessories, weapons/munitions, impulse cartridges, and procedural steps for optional readiness configurations. The following note shall be placed immediately following the mandatory procedures:

NOTE

Omission of, or options relating to, the following steps may be dictated by the local commander.

3.3.1.3.3.8 Immediately prior to launch. This paragraph shall include steps required to place the aircraft in a launch configuration. All steps shall be plural.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.3.1.3.4 Section III - Unloading Procedures. Under this section, the following primary paragraphs shall be covered.

3.3.1.3.4.1 Safing. This paragraph shall include essential steps required to safe the aircraft/weapons/munitions and install required safety devices. All steps shall be plural. The following note shall be placed immediately after the paragraph preceding the steps:

NOTE

Omission of the following steps may be authorized by the local commander.

3.3.1.3.4.2 Preunloading. This paragraph shall include steps and checks required to prepare the aircraft/weapons/munitions for unloading. All steps required to safe the aircraft/weapons/munitions shall be repeated in this paragraph. All steps shall be plural.

3.3.1.3.4.3 Unloading. This paragraph shall include steps required to unload the weapons/munitions from the aircraft. All steps shall be plural.

3.3.1.3.5 Section IV - Ferry Procedures. Under this section, the following primary paragraphs shall be covered.

3.3.1.3.5.1 Deployment. This paragraph shall include information regarding the proper configuration for deployment or logistic shipment on strike aircraft, and the statement: “Ferry checklist procedures are provided in TO 1F-XXX-16CL-X. For amplification of the checklist steps, refer to comparable steps presented in this technical order.”

3.3.1.3.5.2 Strike to nonstrike. This paragraph shall include steps required to convert a strike-loaded aircraft to the configuration required for deployment to an alternate base, from which a strike mission may be flown.

3.3.1.3.5.3 Nonstrike to strike. This paragraph shall include steps required to reconfigure the aircraft to strike configuration in a minimum of turnaround time, after arrival at the alternate base.

3.3.1.4 Chapter 3 - Practice Bomb Loading Procedure. Loading procedures for practice bombs shall be essentially as identified in 3.3.1.3.

3.3.1.4.1 Section I - General. General information shall be in accordance with 3.3.1.3.2.

3.3.1.4.2 Section II - Loading Procedures. Loading procedures shall be in accordance with 3.3.1.3.3.

3.3.1.4.3 Section III - Unloading procedures. Unloading procedures shall be in accordance with 3.3.1.3.4.

3.4 Nuclear Weapons Loading Procedures Manual (Bomber Aircraft). See appendix B for resources available for digital preparation of this manual. This manual consists of descriptive material, general support information, supplemental information, and loading/unloading procedures as detailed below. The following apply:

a. Deleted.

b. Illustrations shall be prepared in accordance with the requirements of MIL-STD-38784. Aircraft and weapon locator type illustrations shall not be used, except where essential to explain data in the supplemental loading information chapter and illustrations required for the procedures.

c. Unless otherwise specified by the acquiring activity (see 6.2.s), text shall be single column unjustified, and illustrations shall be integrated with text.

d. All information shall be unclassified.

3.4.1 Arrangement. The Nuclear Weapons Loading Procedures Manual (Bomber Aircraft) shall be arranged as follows:

a. Front matter (see 3.4.1.1).

b. Chapter 1 - General Support Information (see 3.4.1.2).

c. Chapter 2 and subsequent - Loading Operations (see 3.4.1.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

d. Chapter X - Supplemental Loading Information (see 3.4.1.4).

3.4.1.1 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784. When specified by the acquiring activity (see 6.2.t), the LOI and LOT shall not be included.

3.4.1.1.1 Introduction. The introduction shall be in accordance with the requirements of 3.3.1.1.1.

3.4.1.2 Chapter 1 - General Support Information. This chapter shall contain equipment, safety, loading restrictions, and any necessary procedures and information pertaining to preparation of the aircraft for loading. In addition, a listing of aircraft components, controls, and indicators of direct concern to the load crew, shall be included.

3.4.1.2.1 Emergency procedures. If specified by the acquiring activity (see 6.2.u), emergency procedures shall be provided similar to Chapter 1, Section II, of the Nuclear Weapons Basic Information and Loading Procedures Manual (Fighter Aircraft) (see 3.3.1.2.2).

3.4.1.3 Chapter 2, 3, etc. - Loading Operations. Loading procedures shall be presented for all stores. One chapter shall be used for each weapon or group of weapons. Chapter titles shall identify the applicable weapons. Breakdown shall be presented under the following primary paragraphs:

a. General.

b. Loading/unloading preparation.

c. Loading/unloading procedures.

d. Loading completion procedures prefixed with applicability notations for the applicable bomb or warhead, if applicable (see 3.1.6).

3.4.1.3.1 Procedures. The following apply:

a. Deleted.

b. Deleted.

c. Procedures shall be identified by the type of procedures and by the weapon designation, if applicable. This identification shall be placed below the TM identification number.

d. Only illustrations essential to the operation shall be used and they shall contain no text or callouts, other than arrowheads, to indicate the specific switch or equipment item mentioned in the procedural step.

e. Reference to these illustrations shall be accomplished by the expression “Figure XX” next to the number of the illustrated step. Illustrations in the procedures shall not be used more than once; the illustrations shall be referenced as often as necessary.

f. Figure titles shall not be used in the procedures.

Each page shall be identified by the type of procedures and by the weapon designation, if applicable (see 3.4.1.3.1.c). This identification shall be placed below the TM identification number.

Paper output: When the procedures require illustrations, they shall be placed on the left-hand page, if possible, and procedures on the facing right-hand page.

3.4.1.4 Chapter X - Supplemental Loading Information. This chapter shall follow the loading operations procedures and shall contain any additional information required by the load crew, such as when to perform safety checks and transfer procedures. The chapter shall be numbered in sequence behind the preceding chapters (see 3.4.1.3).

3.5 Nonnuclear Munitions Basic Information Manual (Standard Volume). See appendix C for resources available for digital preparation of this manual. This manual consists of descriptive material for use in conjunction with all USAF aircraft Nonnuclear Munitions Loading Procedures manuals, as detailed below. The following apply:

a. Deleted.

b. Deleted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

c. Manual shall not contain foldout pages.

d. Illustrations shall be in accordance with 3.3.1.3.1.2.

e. Chapters 1 through 5 - Description: Descriptions of all munitions items, munitions suspension equipment, aircraft gun systems, munitions SE, and appropriate supplementary information shall be included in sufficient detail for loading purposes (see 3.8).

f. All information shall be unclassified.

Paper output: After the first section of a chapter, subsequent sections within a chapter shall begin on an odd (right hand) page and not follow the text from a previous section.

PDF output: After the first section of a chapter, subsequent sections within a chapter shall begin on a new page and not follow the text from a previous section.

3.5.1 Arrangement. The Nonnuclear Munitions Basic Information Manual (Standard Volume) shall be arranged as follows:

a. Front matter (see 3.5.1.1).

b. Chapter 1 - Munitions Description (see 3.5.1.2).

1. Section I - Missiles, Rockets, and Ammunition
2. Section II - Bomb Type Munitions
3. Section III - Fuzes
4. Section IV - Impulse Cartridges, Chaff, Flares, and Photoflash
5. Section V - Munitions Accessories.

c. Chapter 2 - Suspension Equipment Description (see 3.5.1.3).

1. Section I - Racks
2. Section II - Launchers and Dispensers

d. Chapter 3 - Guns/Gun Pods Description (see 3.5.1.4).

1. Deleted
2. Deleted

e. Chapter 4 - Support Equipment (SE) Description (see 3.5.1.5).

1. Section I - Bomb Lift Trucks
2. Section II - Munitions Handling and Loading Adapters
3. Section III - Munitions Trailers
4. Section IV - Ammunition Loading Systems
5. Section V - Test Equipment
6. Section VI - Test Adapters

f. Chapter 5 - Supplemental Information (see 3.5.1.6).

1. Section I - Special Tools
2. Section II and subsequent - other supplementary information (as many sections as required)

g. Deleted

3.5.1.1 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784, except an LOI and LOT shall not be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.5.1.1.1 Introduction. The introduction shall be prepared in accordance with the requirements of MIL-STD-38784. Submittal and routing instructions for TM improvement reports shall be included and shall reference TO 00-5-1 as the authority for recommending changes. A paragraph shall be included to identify the Air Force activity having technical responsibility for the manual (see 6.2.j).

3.5.1.2 Chapter 1 - Munitions Description. Descriptive information shall be provided on all munitions, their components, and related accessories approved for loading on USAF aircraft. Fuze compatibility for each fuzed munition shall be shown.

3.5.1.3 Chapter 2 - Suspension Equipment Description. Descriptive information shall be provided on all equipment used to launch, release, or dispense munitions from USAF aircraft.

3.5.1.4 Chapter 3 - Guns/Gun Pods Description. Descriptive information shall be provided on all guns and gun pods, if installed, used on USAF aircraft. If guns are installed, the title shall be "Guns Description". If gun pods are installed, the title shall be "Gun Pods Description". If neither guns nor gun pods are installed, the title shall be "Guns/Gun Pods Description" and followed by the words "Not Applicable".

3.5.1.5 Chapter 4 - Support Equipment (SE) Description. Descriptive information shall be provided on testers and munitions handling/loading equipment listed under SE in USAF aircraft loading procedures manuals.

3.5.1.6 Chapter 5 - Supplemental Information. Descriptive information shall be provided on items required to support munitions loading operations on USAF aircraft, which are not covered in chapters 1 through 4. If no supplemental information, other than special tools is required, special tools shall be a primary paragraph, rather than a section.

3.5.1.7 Deleted.

3.6 Nonnuclear Munitions Loading Procedures Manual. See appendix D for resources available for digital preparation of this manual. This manual consists of supplemental information, emergency procedures, and munition loading/unloading procedures, as detailed below. The following apply:

a. Procedural step numbering shall be the same as what's given for Loading Procedures Checklists (see 3.9.2.5.1.5).

b. Capitalization and underscoring of chapter, section, and paragraph titles shall be in accordance with the requirements of MIL-STD-38784 (see 6.8).

c. Deleted.

d. All information shall be unclassified.

3.6.1 Arrangement. The Nonnuclear Munitions Loading Procedures Manual shall be arranged as follows:

a. Front matter (see 3.6.1.1).

b. Chapter 1 - Supplemental information (see 3.6.1.2.)

1. Section I - General Safety Requirements (see 3.6.1.2.1).
2. Section II - Emergency Procedures (see 3.6.1.2.2).
3. Section III - Aircraft Description and General Arrangement (see 3.6.1.2.3).
4. Section IV - General Procedures (see 3.6.1.2.4).
5. Section V - Aircraft Preparation (see 3.6.1.2.5).
6. Section VI - Functional Checks (see 3.6.1.2.6).
7. Section VII - Stray Voltage Checks (see 3.6.1.2.7).

c. Chapter 2 and subsequent - Loading Procedures. One chapter shall be used for each munition or group of munitions. Chapter titles shall identify the applicable munitions (see 3.6.1.3).

3.6.1.1 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784, except an LOI and LOT shall not be included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.6.1.1.1 Introduction. The introduction shall be prepared in accordance with the requirements of MIL-STD-38784. The introduction shall also contain a precedence paragraph or statement that will be furnished by the acquiring activity (see 6.2.w). Submittal and routing instructions for TM improvement reports shall be included. TO 00-5-1 shall be referenced as the authority for recommending changes. A paragraph shall be included identifying the Air Force activity having technical responsibility for the manual (see 6.2.j). Standard definitions of WCNs shall be included as the final entry of the introduction.

3.6.1.2 Chapter 1 - Supplemental Information. Unless otherwise specified by the acquiring activity (see 6.2.x), this chapter shall have the following sections. Where sections are not required, the section heading (section number and title) shall be included, followed by "Not Applicable." When specified by the acquiring activity (see 6.2.y), additional sections shall be included, of the types as specified, and shall begin after the last of the required sections. Each section shall include the following information:

3.6.1.2.1 Section 1 - General Safety Requirements. General safety requirements information shall be in accordance with 3.3.1.2.1 (see 6.11).

3.6.1.2.2 Section II - Emergency Procedures. Emergency procedures coverage shall be in accordance with 3.3.1.2.2.

3.6.1.2.3 Section III - Aircraft Description and General Arrangement. Aircraft description and general arrangement information shall be in accordance with 3.3.1.2.3.

3.6.1.2.4 Section IV - General Procedures. General procedures coverage shall be in accordance with 3.3.1.2.6.

3.6.1.2.5 Section V - Aircraft Preparation. Aircraft preparation information shall be in accordance with 3.3.1.2.7.

3.6.1.2.5.1 Aircraft preparation. Aircraft preparation information shall be in accordance with 3.3.1.2.7.1.

3.6.1.2.5.2 Installed accessory preparation. Installed accessory preparation information shall be in accordance with 3.3.1.2.7.2.

3.6.1.2.6 Section VI - Functional Checks. Functional checks coverage shall be in accordance with 3.3.1.2.8. In addition, when Multiple Ejector Racks (MER), Triple Ejector Racks (TER), Bomb Release Units (BRU), etc., are installed, the functional check shall ensure that release and arming voltage is present, as a minimum, at the number one station of each item. One manual release and jettison mode will be functionally checked, as specified by the acquiring activity (see 6.2.z).

3.6.1.2.6.1 System requirements. Functional check procedures shall be further subdivided, if determined to be necessary, to meet weapon system requirements. When specified by the acquiring activity (see 6.2.aa), additional primary paragraphs, as follows, shall be included.

a. Jettison checks.

b. Functional checks.

3.6.1.2.7 Section VII - Stray Voltage Checks. Stray voltage checks coverage shall be in accordance with 3.3.1.2.9.

3.6.1.3 Chapters 2, 3, 4, etc. - Loading Procedures. Arrangement of chapters 2 and subsequent shall be as specified in 3.6.1.3.2.1 through 3.6.1.3.2.3. When specified by the acquiring activity (see 6.2.ab), these chapters shall be divided into sections with a sectional arrangement also as specified. The arrangement within a chapter shall be dictated by the similarity of tasks to be performed. The basic manual shall not contain integrated loading procedures.

3.6.1.3.1 Method of presentation. The presentation of the detailed procedures shall be standardized as much as possible. The following method of presentation shall be used:

3.6.1.3.1.1 Applicability notations. Applicability notations shall be in accordance with 3.1.6.

3.6.1.3.1.2 Illustrations. Illustrations shall be in accordance with 3.3.1.3.1.2.

3.6.1.3.1.3 Callouts. Figure callouts shall be in accordance with 3.3.1.3.1.3.

3.6.1.3.1.4 Procedural identification. Procedural identification shall be in accordance with 3.3.1.3.1.4.

3.6.1.3.1.5 Deleted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.6.1.3.1.6 Titles and headings. Procedure titles and primary and subordinate paragraphs shall be limited to those listed in 3.6.1.3.2.1 through 3.6.1.3.2.3. If a specific paragraph is not applicable to a particular aircraft/munition, the paragraph title shall be included, followed by "Not applicable." See table I.

3.6.1.3.2 Chapter arrangement.

3.6.1.3.2.1 General. Under this primary paragraph, the following first subordinate paragraphs shall be covered.

3.6.1.3.2.1.1 Scope. The scope shall be in accordance with 3.3.1.3.2.1.

3.6.1.3.2.1.2 SE. SE shall be in accordance with 3.3.1.3.2.2.

3.6.1.3.2.1.3 Specific safety requirements. Specific safety requirements shall be in accordance with 3.3.1.3.2.3.

3.6.1.3.2.2 Loading procedures. Under this primary paragraph, the following first subordinate paragraphs shall be covered.

3.6.1.3.2.2.1 Aircraft preparation. Aircraft preparation shall be in accordance with 3.3.1.3.3.1.

3.6.1.3.2.2.2 Munitions preparation. Munitions preparation shall be in accordance with 3.3.1.3.3.2. Procedures shall be included to verify the safety of each fuzed munition.

3.6.1.3.2.2.3 Cartridge installation. Cartridge installation shall be in accordance with 3.3.1.3.3.3.

3.6.1.3.2.2.4 Loading. This paragraph shall include steps required to load the munition. All steps shall be singular. Unless otherwise specified by the acquiring activity (see 6.2.ac), this procedure shall include steps to remove fuze safety devices after munitions are loaded.

3.6.1.3.2.2.5 Cartridge installation. Cartridge installation shall be in accordance with 3.3.1.3.3.5.

3.6.1.3.2.2.6 Postloading inspection. This paragraph shall include steps required to ensure that required safety devices are installed, bombs and fuzes are installed properly, and fuze safety devices have been removed or installed as required. All steps shall be plural.

3.6.1.3.2.2.7 Delayed flight or alert. Delayed flight or alert procedures shall be in accordance with 3.3.1.3.3.7.

3.6.1.3.2.2.8 Immediately prior to launch. Immediately prior to launch shall be in accordance with 3.3.1.3.3.8.

3.6.1.3.2.3 Unloading procedures. Under this primary paragraph, the following first subordinate paragraphs shall be covered.

3.6.1.3.2.3.1 Safing. Safing shall be in accordance with 3.3.1.3.4.1.

3.6.1.3.2.3.2 Preunloading. Preunloading shall be in accordance with 3.3.1.3.4.2.

3.6.1.3.2.3.3 Unloading. Unloading procedures shall be in accordance with 3.3.1.3.4.3.

3.7 Integrated Combat Turnaround Procedures Manual. This manual shall combine and condense aircraft servicing, maintenance, and munitions loading/unloading procedures from the -2, -6WC, and -33 technical manuals for Integrated Combat Turnaround (ICT). All information shall be unclassified. See appendix E for resources available for digital preparation of this manual.

3.7.1 Arrangement. This manual shall be arranged as follows:

a. Front matter (see 3.7.1.1).

b. Chapter 1- Prepositioning and munitions preparation (see 3.7.1.3).

1. Scope (see 3.7.1.3.1).
2. General safety requirements (see 3.7.1.3.2).
3. Emergency procedures (see 3.7.1.3.3).
4. Support equipment (see 3.7.1.3.4).
5. Prepositioning/inspection (see 3.7.1.3.5).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

6. Munition preparation (see 3.7.1.3.6).

c. Chapter 2 - Servicing/loading (see 3.7.1.4).

1. Scope (see 3.7.1.4.1).
2. Cursory inspection (see 3.7.1.4.2).
3. Towing (see 3.7.1.4.3).
4. Aircraft preparation (see 3.7.1.4.4).
5. Stray voltage checks (see 3.7.1.4.5).
6. Munitions/tanks unloading (see 3.7.1.4.6).
7. Gun loading (See 3.7.1.4.7).
8. Final cockpit preparation (see 3.7.1.4.8).
9. Aircraft servicing/tank installation/munitions loading (see 3.7.1.4.9).
10. Final aircraft preparation (see 3.7.1.4.10).
11. Immediately prior to launch (see 3.7.1.4.11).

3.7.1.1 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784, except an LOI and LOT shall not be used.

3.7.1.1.1 Introduction. The introduction shall be in accordance with 3.6.1.1.1. When applicable, statements defining what conditions must be met to determine whether to follow Hot or Cold procedures shall be included.

3.7.1.2 Titles and headings. Procedures titles and primary paragraphs shall be limited to those listed in 3.7.1.3 and 3.7.1.4. If a specific paragraph is not applicable to a particular aircraft/munition, the paragraph title shall be included, followed by "Not applicable."

3.7.1.3 Chapter 1 - Prepositioning and munitions preparation. Under this chapter, the following primary paragraphs shall be covered.

3.7.1.3.1 Scope. The scope paragraph shall be in accordance with 3.3.1.3.2.1 and the following:

3.7.1.3.1.1 Authorizations/restrictions. The authorizations/restrictions paragraphs shall contain a list of all authorizations and restrictions that apply to integrated combat turnaround operations. A brief explanation of actions to be accomplished by the turnaround crew shall precede the list of authorizations and restrictions. The authorizations and restrictions shall contain the following statement: ″A summary of operations authorized by the System Safety Engineering Analysis (SSEA) is included in this manual.″

3.7.1.3.2 General safety requirements. This primary paragraph shall contain safety procedures related to aircraft servicing, munitions loaded aircraft, munitions loading/unloading, and munitions. Procedures shall be prefaced by a brief explanation of actions to be accomplished. The following statements shall be included:

a. ″Firefighting protection equipment shall be as required by TO 00-25-172.″

b. ″Refueling equipment shall be as required by TO 00-25-172.″

3.7.1.3.3 Emergency procedures. The emergency procedure pages shall be marked in accordance with the requirements of MIL-STD-38784. All applicable emergency procedures shall be included. When more than one type of munition is included and withdrawal distances differ, emergency procedures shall be provided for each type of munition (see figures 2 and 3).

3.7.1.3.4 Support equipment. This primary paragraph shall list the SE and test equipment that may be required to perform an integrated combat turnaround (excluding firefighting and refueling equipment as required by the SSEA). Substitutes are not authorized.

3.7.1.3.5 Prepositioning/inspection. This primary paragraph shall include the specific requirements for items which need to be positioned and inspected. All steps shall be singular.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.7.1.3.6 Munition preparation. This primary paragraph shall include munition, missile, preloaded MER/TER/BRU, and preloaded launcher inspections for serviceability and safety, prior to aircraft loading. All steps shall be singular.

3.7.1.4 Chapter 2 - Servicing/loading. Under this chapter, the following primary paragraphs shall be covered. These paragraphs shall be sequenced to be compatible with the SSEA (see 6.1.2).

3.7.1.4.1 Scope. The scope paragraph shall be in accordance with 3.3.1.3.2.1

3.7.1.4.2 Cursory inspection. As a minimum, the requirement to ensure the aircraft is secured/safe, flight crew/ground crew communication has been established, the aircraft is operational, and ammunition/fuel requirements have been determined prior to aircraft preparation shall be included. All steps shall be plural.

3.7.1.4.3 Towing. This paragraph shall include all procedures to tow and position the aircraft.

3.7.1.4.4 Aircraft preparation. This paragraph shall include all procedures to ensure the aircraft is serviceable and is prepared for munition loading/unloading.

3.7.1.4.5 Stray voltage checks. This paragraph shall include all procedures for stray voltage checks.

3.7.1.4.6 Munitions/tanks unloading. This paragraph shall include the requirements for safing and unloading munitions and tanks from the aircraft. All steps shall be singular.

3.7.1.4.7 Gun loading. This paragraph shall include gun loading procedures.

3.7.1.4.8 Final cockpit preparation. This paragraph shall include all procedures to prepare the cockpit for aircraft servicing/munitions loading. All steps shall be singular.

3.7.1.4.9 Aircraft servicing/tank installation/munitions loading. This paragraph shall include all procedures for tank installation, refueling, servicing, and loading of munitions. All steps shall be singular.

3.7.1.4.10 Final aircraft preparation. This paragraph shall include procedures to ensure safety devices have been removed or installed as required, tools and equipment have been removed, and the aircraft is ready for flight. All steps shall be plural.

3.7.1.4.11 Immediately prior to launch. This paragraph shall include all steps required to place the aircraft in a launch configuration.

3.8 Nonnuclear Munitions Loading Standard Data Packages. Loading Standard Data Packages contain standard munitions loading/unloading procedures and description information. See appendix F for resources available for digital preparation of data packages. Paragraphs, tables, and figures shall be numbered in accordance with the requirements of MIL-STD-38784, with the exception that the Family Group number shall be used in lieu of a chapter number (see 6.8). Only grammatical changes to correct errors or improve compatibility with established manual style shall be permitted. Notes with the heading "NOTE TO PM/PO" shall be included to identify applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad). Pages shall be numbered in accordance with MIL-STD-38784.

3.8.1 Arrangement. Loading Standard Data Packages shall be arranged as follows:

a. Front matter (see 3.8.1.1).

b. Munitions Description (see 3.8.1.2).

c. General (See 3.8.1.3.)

d. Standard Munitions Loading Procedures (see 3.8.1.4).

e. Standard Munitions Unloading Procedures (see 3.8.1.5).

3.8.1.1 Front matter. The front matter shall consist of a title page and Table of Contents (TOC) in accordance with the requirements of MIL-STD-38784. The following is an exception to the general front matter requirements:

Paper output requirement: The front matter shall include an List of Effective pages (LEP).

PDF output requirement: The front matter shall include a List of Changes (LOC) in lieu of a LEP.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.8.1.1.1 Title page. The title page shall be prepared in the same style and format as shown in figure 11 and shall include all applicable STINFO, CUI, and classification markings.

3.8.1.2 Munitions Description. Munitions nomenclature/identification, weight, dimensions, length, integral safety features, and functional description shall be included. Any differences (if munition has more than one version) shall be described and illustrated.

3.8.1.2.1 Bomb fuzes. Descriptive data on bomb fuzes shall include a brief description and illustration of the fuze. The data shall also include functional type, safety devices, armed/safe indications, action, arming delays, and functioning delays.

3.8.1.2.2 Nomenclature. Nomenclature shall be in accordance with 3.1.4.

3.8.1.3 General. Under this primary paragraph, the following first subordinate paragraphs shall be covered.

3.8.1.3.1 SE. SE shall be in accordance with 3.3.1.3.2.2. In addition, the following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO Program Manager/Program Office (PM/PO)
List all SE, except common hand tools, required to load/unload munitions on/off aircraft.

3.8.1.3.2 Specific safety requirements. Specific safety requirements shall be in accordance with 3.3.1.3.2.3.

3.8.1.4 Standard Munitions Loading Procedures. The loading standard data package loading procedures shall contain the following information.

3.8.1.4.1 Deleted.

3.8.1.4.2 Deleted.

3.8.1.4.3 Aircraft preparation. Aircraft preparation shall be in accordance with 3.3.1.3.3.1 for aircraft procedures identified by the acquiring activity (see 6.2.ad). The note heading shall be "NOTE TO PM/PO."

3.8.1.4.4 Munitions preparation. Munitions preparation shall be in accordance with 3.3.1.3.3.2.

3.8.1.4.5 Cartridge installation. Cartridge installation shall be in accordance with 3.3.1.3.3.3.

3.8.1.4.6 Loading. This paragraph shall include steps required to load the munition. All steps shall be singular. Unless otherwise specified by the acquiring activity, this procedure shall include steps to remove fuze safety devices after munitions are loaded (see 6.2.ac).

3.8.1.4.7 Cartridge installation. The following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO
Implement those procedures required for stray voltage checks at impulse cartridge breeches and installation of impulse cartridges.

3.8.1.4.8 Postloading inspection. Postloading inspection shall be in accordance with 3.6.1.3.2.2.6. In addition, the following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO
Implement those procedures required for checking that all pertinent aircraft steps have been accomplished.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.8.1.4.9 Delayed flight or alert. Delayed flight or alert shall be in accordance with 3.3.1.3.3.7. In addition, the following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO

Implement those procedures required to place the aircraft in approved delayed flight or alert status.

3.8.1.4.10 Immediately prior to launch. This paragraph shall include munitions peculiar steps required to place the aircraft in a launch configuration. All steps shall be plural. The following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO

Implement those procedures required for preparing the aircraft for launch.

3.8.1.5 Standard Munitions Unloading Procedures. The loading standard data package unloading procedures shall include the following information.

3.8.1.5.1 Safing. Safing shall be in accordance with 3.3.1.3.4.1. In addition, the following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO

Implement those procedures required to safe the aircraft.

3.8.1.5.2 Preunloading. Preunloading shall be in accordance with 3.3.1.3.4.2. In addition, the following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO

Implement those procedures required to prepare the aircraft for unloading munitions from aircraft.

3.8.1.5.3 Unloading. This paragraph shall include only those steps peculiar to munitions. All steps shall be singular. The following note shall be included for identifying the applicable aircraft procedures to be added by the acquiring activity (see 6.2.ad):

NOTE TO PM/PO

Implement those procedures required for unloading the munitions from the aircraft.

3.8.2 STINFO/CUI. Apply STINFO and classification requirements IAW MIL-STD-38784 and TO 00-5-1. For munition and equipment LSDPs, use the highest level of STINFO and classification found in the associated commodity technical order. For all other LSDPs, apply markings per MIL-STD-38784 and TO 00-5-1.

3.9 Loading Procedures Checklist (CL-2 and subsequent, except CL-100). See appendix G for resources available for digital preparation of this checklist. This checklist consists of briefing/emergency procedures and condensed munitions/weapons loading/unloading procedures, as detailed below. The types of nuclear weapons loading checklists to be prepared shall be as specified by AFNWC (see 6.2.af). The following apply to all Loading Procedures Checklists:

a. The checklist shall only contain basic steps, with the exception of Nuclear Weapons Checklist which shall list each applicable cockpit switch and its proper position.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

b. Any procedural step that pertains only to a specific munition/weapon, aircraft configuration, or accessory shall be prefixed with applicability notations for identification, except for Single and Smart type checklists (see 3.1.6 and 3.9.1.a).

c. Torque values, preset dimensions, orifice identifiers, etc., included in the loading procedures chapter shall be placed in the checklist.

d. Nuclear Weapons Loading Procedures Checklist for bomber aircraft shall stand-alone (i.e., shall not be a condensed version of the parent manual procedures).

e. The checklists shall contain complete briefing, loading, and unloading procedures in checklist format, oriented for use by the load team chief, to monitor loading.

f. All information shall be unclassified.

g. Paper output: Checklists shall be prepared in 5 by 8 inch page size.

3.9.1 Checklist types. The following types of checklists may be required, if applicable:

a. Single: For one type of munition/weapon. The Single Loading Procedures Checklist shall be prepared according to the style and format of the Loading Procedures Checklist.

b. Integrated: For two or more different types of munitions/weapons carried concurrently on the same aircraft without regard to whether such munitions/weapons are nuclear or nonnuclear. The Integrated Loading Procedures Checklist shall contain a combination of procedural steps from -16 (nuclear) and -33 (nonnuclear) loading manuals. All information shall be unclassified. The Integrated Procedures Checklist shall be prepared according to the style and format of the Loading Procedures Checklist.

c. Family Group: For a group of nonnuclear munitions which have similar safety, functional, and loading characteristics. The Family Group Loading Procedures Checklist shall be prepared according to the style and format of the Loading Procedures Checklist.

d. Nuclear Weapons: The Nuclear Weapons Loading Procedures Checklist shall include team chief checks, pre-loading and post-loading checks, safety checks, unloading procedures, and other checks and steps required to safely complete the required operations. The checklist shall be written in the demand-response format. All information shall be unclassified. The Nuclear Weapons Loading Procedures Checklist shall be prepared according to the style and format of the Loading Procedures Checklist.

e. Smart: Smart Loading Procedures Checklists when specified by acquiring activity (see 3.9.3) may be used in lieu of the Single, Integrated, Family Group, and Nuclear Weapons checklists. All information shall be unclassified and prepared in the style and format of the Loading Procedures Checklist. See 3.9.3 for additional requirements for this checklist type.

3.9.2 Arrangement. The general checklist requirements of MIL-DTL-5096 apply. Each checklist shall contain the following:

a. Front Matter (see 3.9.2.2).

b. Load Crew Briefing (see 3.9.2.3).

c. Emergency Procedures (see 3.9.2.4).

d. Loading Procedures (see 3.9.2.5).

e. Unloading Procedures (see 3.9.2.5).

Paper output: Arrangement shall be head to foot.

3.9.2.1 Hierarchical breakdown. The general hierarchy for a checklist shall be chapter (load crew briefing, emergency procedures, etc.), function (aircraft preparation, munitions preparation, etc.), task, if applicable, (preparation of individual munitions, etc.), and then procedural steps.

3.9.2.1.1 Chapter headings. Chapter headings shall appear in all caps, bold, centered on the page, and shall not be numbered.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.9.2.1.2 Function headings. Function headings shall appear in all caps, underlined, flush left on the page, and shall not be numbered.

3.9.2.1.3 Task headings. Task headings shall appear in title case, underlined, flush left on the page, and shall not be numbered.

3.9.2.2 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784, except an LOI and LOT shall not be included. When specified by the acquiring activity (see 6.2.ag), the checklist title page shall include a clear all check boxes button, to be named "CLEAR ALL CHECK BOXES." The button size and layout shall conform to figure 13. The box shall be medium line thickness, solid black line, sans serif, bold, uppercase, 9pt text. When selected, the button shall clear all checked boxes in the checklist.

3.9.2.2.1 Introduction. The introduction shall provide a brief explanation for the purpose of the checklist. Submittal and routing instructions for TM improvement reports shall be included, and shall reference TO 00-5-1 as the authority for recommending changes. Additional information shall be included as specified by the acquiring activity (see 6.2.k) for nuclear weapons loading checklists, as specified by AFNWC. The introduction to nonnuclear loading checklists (-33 series only) shall contain a statement that the checklist provides for the check-off of procedural steps one time (when first completed). This relaxation of check-off requirements does not apply to nuclear loads appearing in -16 (nuclear loading) checklists since it could compromise nuclear safety. A list of abbreviations/acronyms shall not be included in checklists.

3.9.2.3 Load Crew Briefing. The Load Crew Briefing information shall state that an emergency procedures briefing shall be required prior to loading.

3.9.2.3.1 Specific briefing requirements. These briefings shall contain information on which the load crew will be briefed prior to loading. The briefing requirements shall contain all specific safety requirements from the loading procedures manual for the applicable munitions/weapons being loaded.

3.9.2.4 Emergency Procedures. Emergency procedures shall be marked in accordance with the requirements of MIL-STD-38784 and shall include the words "Emergency Procedures" directly below the TM identification number. Emergency procedures for fire, drop/collision/incident, withdrawal time and distance, etc., shall be provided as shown in figure 9. The information shall be modified to reflect the specific equipment, procedures, and conditions to be supported, as specified by the acquiring activity (see 6.2.ah). When more than one type of munition/weapon is included and withdrawal distances differ, evacuation distances shall be requested from the acquiring activity (see 6.19).

PDF output: As specified by the acquiring activity (see 6.2.ai), in lieu of printed lines (see figure 9), functionality shall be provided to permit entry of local emergency information by the user for fire, drop/collision/incident, withdrawal distances, and other emergency data. When specified by the acquiring activity (see 6.2.ao), a dropdown box with withdrawal distances and a clear all button shall be added to the Emergency Procedures pages. Distances shall be provided by the acquiring activity (see DAFMAN 91-201). The clear all button shall be named "CLEAR ALL." The dropdown box and the clear all button size and layout shall conform to figure 12. The box shall be medium line thickness solid black line, sans serif, bold, 9 pt text. When selected the clear all button shall clear all emergency procedures fill-in data and clear all checked boxes in the checklist.

3.9.2.5 Loading/Unloading Procedures. Paragraph headings used in the checklist shall be upper case. The "General" paragraph and its contents shall not be placed in the checklist.

3.9.2.5.1 Detailed requirements. All required steps shall be included for aircraft preparation and stray voltage checks.

3.9.2.5.1.1 Headings. Paragraph headings shall be worded the same as corresponding headings in the loading procedures manual. Each heading (primary sidehead) shall begin on a new page.

3.9.2.5.1.2 Procedural steps. Steps which are considered routine action on all aircraft during loading procedures and well within the capabilities of a trained technician, shall be omitted. Redundant actions/checks shall be omitted; however, to ensure maximum safety, separate procedures for each fuze combination shall be included under appropriate subordinate headings. The number of steps shall be kept to a minimum.

3.9.2.5.1.3 Text. Steps shall be shortened by the elimination of excess words, and by use of abbreviations, so that one-line entries can be utilized to the greatest extent possible; however, steps shall be written to ensure ease of

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

reading and interpretation. Steps shall follow the same sequence as they appear in the manual, but need not be numbered the same. Warnings in the loading procedures chapters shall be included in the checklists. When specified by the acquiring activity (see 6.2.aj), cautions and notes shall be included. WCNs shall immediately precede the step to which they apply.

3.9.2.5.1.4 Illustrations. Unless otherwise specified by the acquiring activity (see 6.2.ak), illustrations shall not be included.

3.9.2.5.1.5 Deleted.

3.9.2.5.1.6 Step completion checkboxes. Checkboxes shall be placed in accordance with the checkbox requirements of MIL-DTL-5096 (see figure 10). Nuclear weapons loading procedures checklists for bomber aircraft shall include multiple checkboxes, as specified by the acquiring activity (see 6.2.al).

3.9.2.5.1.7 Checklist format. Checklist format shall be in accordance with the maintenance/operation checklist format requirements of MIL-DTL-5096.

3.9.2.5.1.8 Multi-carriage numbering. When aircraft have more than single carriage capability, page content headings shall consist of applicable title and primary sidehead, munition/weapon identification, and aircraft station. Nuclear weapons loading procedures checklists for bomber aircraft shall not have multi-carriage numbering.

3.9.3 Smart Loading Procedures Checklist. This checklist is generated to show only the applicable tasks/steps that the user needs based on an initial set of user inputs. The following content and functionality requirements apply when developing this type of checklist:

3.9.3.1 Title page. All relevant title page information (including applicable STINFO markings) shall be displayed to the user prior to any user inputs.

3.9.3.2 User inputs. The checklist shall be generated based on the following user inputs: current configuration of aircraft (see 3.9.3.2.1), tasks and order of tasks being performed (see 3.9.3.2.2), and applicable aircraft tail numbers (see 3.9.3.2.3).

3.9.3.2.1 Current aircraft configuration. The current configuration shall include but not be limited to currently loaded munitions (including applicable fuses and cartridges) and whether a centerline tank is installed.

3.9.3.2.2 Task selections. The task selections shall be limited to the following:

a. Loading (includes Aircraft Preparation, Munitions Preparation, Cartridge Installation (if applicable), Loading, and Postloading Inspection).
b. Unloading (includes Safing, Preunloading, and Unloading).
c. Postloading Inspection
d. Functional Check
e. Delayed Flight or Alert
f. Immediately Prior to Launch
g. Cartridge Installation (includes Aircraft Preparation, Cartridge Installation, and Postloading Inspection)
h. Cartridge Removal (includes Safing and Preunloading)

3.9.3.2.2.1 Munition selections. When selecting a task, the user shall also select the applicable munitions along with its type/subtype, fuze/initiator/tail kit/cartridge, suspension, and method/submethod being used. The fuze/initiator/tail kit/cartridge options shall allow for selecting all that apply. The other options shall allow for singular selection only.

3.9.3.2.3 Aircraft tail numbers. Multiple tail number inputs shall be allowed to facilitate cross-loads and end of runway checks.

3.9.3.3 Checklist generation. Each section of the generated checklist shall output as its own tab. Munition specific sections shall list the munition and subtype on the tab. Non-munition specific sections shall be the Introduction,

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

Specific Briefing Requirements, Emergency Procedures, Aircraft Preparation (as applicable), Cartridge Installation, and Postloading Inspection. All other sections shall be considered munition specific. After generation, the initial screen shall be the Specific Briefing Requirements.

3.9.3.4 Checklist navigation. The checklist shall have a navigation pane with hyperlinks that correspond to the following arrangement in order: Introduction, Specific Briefing Requirements, Emergency Procedures, and finally all applicable tasks selected from the user inputs. Each hyperlink shall open one or more tabs containing the applicable information. For example, clicking on the Loading task will open a separate tab for each munition being loaded and closing the previously opened tab.

3.9.3.5 Applicability. Applicability notations (see 3.1.6) shall be used when needed in non-munition specific sections. The Specific Briefing Requirements and Postloading Inspection sections shall display the applicable steps required based on what is currently loaded and what will be loaded after the tasks are completed.

3.9.3.6 Withdrawal distances. In the Emergency procedures section, the withdrawal distance shall be prepopulated based on the highest hazard class that is either currently loaded or that will be loaded after the checklist tasks are complete. The Withdrawal Distance table shall only display items that are currently loaded or that will be loaded after the checklist tasks are complete.

3.9.3.7 Clear checkboxes function. A “clear checkboxes” function shall be available to allow the user to start an identical load without regenerating the checklist.

3.10 Integrated Combat Turnaround Procedures Checklist. This checklist shall contain briefing/emergency procedures and condensed aircraft servicing, maintenance, and munitions/weapons loading/unloading procedures from the -2, -6WC, and -33 technical manuals. See appendix H for resources available for digital preparation of this checklist. This checklist shall meet the general requirements of this specification, MIL-DTL-5096, and paragraphs 3.9 through 3.9.2.5.1.8 above except that illustrations shall not be used. The following exceptions shall also be included:

3.10.1 Arrangement. Arrangement of the checklist shall follow the arrangement of the ICT procedures manual (see 3.7) with the following exceptions:

a. Scope paragraphs shall not be included.

b. If a specific paragraph is not applicable to a particular aircraft/munition, the paragraph shall be omitted.

c. When specified by the acquiring activity (see 6.2.aq), procedures based on the Hot/Cold condition of the aircraft shall be arranged in one of the following ways:

- Hot chapter followed by cold chapter: the first chapter shall be “Chapter 2 - (Hot) Servicing/Loading” and only contain the procedures applicable to performing an ICT while the aircraft is hot. The second chapter shall be “Chapter 3 - (Cold) Servicing/Loading” and only contain the procedures applicable to performing an ICT while the aircraft is cold.

- Hot paragraphs followed by cold paragraphs: each paragraph that differs based on the hot/cold condition of the aircraft shall appear twice with the cold paragraph immediately following the hot paragraph.

- Hot/both paragraphs followed by cold paragraphs: all of the paragraphs that apply to either the hot condition or both conditions of the aircraft shall appear followed by those paragraphs that apply only to the cold condition.

- Paragraphs that apply to only hot procedures shall have “(Hot)” precede the title and paragraphs that apply only to cold procedures shall have “(Cold)” precede the title.

3.10.1.1 Front matter. The front matter shall be in accordance with the requirements of MIL-STD-38784.

3.10.1.1.1 Introduction. The introduction shall be prepared in accordance with the requirements of MIL-DTL-5096, and shall provide a brief explanation of the purpose of the checklist. Submittal and routing

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

instructions for technical manual improvement reports shall be included, and shall reference TO 00-5-1 as the authority for recommending changes. A paragraph shall be included identifying the Air Force activity having technical responsibility for the manual. Additional information shall be included as required by the acquiring activity (see 6.2.ap).

3.10.1.2 Integrated combat turnaround crew briefing. This information shall state that an emergency procedure briefing shall be required prior to the first ICT performed by an integrated combat turnaround crew. A briefing shall not be required prior to subsequent ICTs provided there are no changes in the basic configuration of aircraft to be turned, or in the composition of the integrated combat turnaround crew.

3.10.1.2.1 Specific briefing requirements. Briefing requirements shall be in accordance with 3.9.2.3.1.

3.10.1.3 Emergency procedures. Emergency procedures shall be in accordance with 3.9.2.4.

3.10.1.4 Procedures. Paragraph headings used in the checklist shall be presented the same as in the Integrated Combat Turnaround Procedures technical manual except as stated in 3.10.1 and will be combined/condensed to the maximum extent possible in the checklist.

3.10.1.5 Step completion line or checkboxes. Step completion lines and checkboxes shall not be used.

3.11 NATO Stage B Cross-Servicing Checklist. This checklist establishes the requirements for preparing checklists for loading/unloading nonnuclear munitions, flares, and chaff (including chaff dispensers) on aircraft in support of North Atlantic Treaty Organization (NATO) Stage B cross-servicing. This checklist shall be illustrated to ensure aircraft are safely cross-serviced without doubt or confusion. It shall contain emergency procedures and munitions loading procedures. All information shall be unclassified. See 3.2.7.3 for overview.

3.11.1 Loading Procedures Checklist. The Loading Procedures Checklist shall contain emergency procedures, loading procedures, and unloading procedures. All information shall be unclassified. (See 6.1.1 and 6.14.)

3.11.1.1 Text style of writing. The checklists shall be written using clear, concise English. Short, complete sentences that can be understood by allied personnel and easily translated, shall be used. Every effort shall be made to avoid use of words with multiple meanings. Each primary paragraph shall begin on a new page.

3.11.1.2 Steps arrangement. Steps shall be in numerical order under each heading; substeps shall be assigned lower case letters.

3.11.1.3 Column format. Column format shall be in accordance with the checklist requirements of MIL-DTL-5096.

3.11.1.4 Presentation of detailed procedures. The presentation of the detailed procedures shall be standardized as much as possible. The following method of presentation shall be used:

3.11.1.4.1 Illustrations. The following apply for illustrations (see figure 7):

a. Illustrations shall convey location, if applicable, and dimensional data with tolerance information.

b. The illustration shall be limited to the equipment upon which the tasks are to be performed, plus sufficient surroundings to allow a technician to easily locate the equipment item.

c. Callouts and identifier numbers on the illustration, shall have a leader line connecting the number to the correct point on the illustration.

d. The callout and identifier numbers shall be limited to those used on the accompanying task step. The callouts or identifiers, shall be keyed to the task steps.

e. When an equipment item is first illustrated in a task and its location has not yet been specified, a general locator illustration shall be used to identify the location of the equipment item within the system.

f. Leader lines shall be used to help readers orient themselves with respect to the illustration and to provide directional movement in tasks.

3.11.1.4.2 Illustrations (special conditions). In addition to the above (see 3.11.1.4.1), the following requirements apply to special conditions, as specified by the acquiring activity (see 6.2.as):

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

a. Two or more tasks using the same illustration shall be included on the same page if both can be completed without crowding the page. Alpha suffixes shall be used on callout identifiers to identify callouts applicable to the second task.

b. If the associated illustration occupies less than a full page, instructional text shall be arranged on the top or bottom of the page to the extent possible without crowding.

c. If the text occupies less than a full page, but requires more than a full page to illustrate, a portion of the associated illustration shall be placed on the page containing the text.

d. Single page illustrations shall be repeated as necessary to support multi-page tasks.

3.11.1.4.3 Applicability notations. Applicability notations shall be in accordance with 3.1.6.

3.11.2 Checklist CL-1 arrangement. See appendix I (checklist CL-1) for resources available for digital preparation of these checklists. The general checklist requirements of MIL-DTL-5096 apply. The checklist shall contain the following:

a. Front matter (See 3.11.2.1.)

b. General Procedures (See 3.11.2.2.)

c. Aircraft Preparation (See 3.11.2.3.)

Paper output: The arrangement shall be head to foot.

3.11.2.1 Front matter. Front matter shall be in accordance with the checklist requirements of MIL-STD-38784.

3.11.2.1.1 Introduction. The introduction shall provide a brief explanation of the purpose of the checklist. Submittal and routing instructions for the TM improvement reports shall be included and shall reference TO 00-5-1 as the authority for recommending changes. A paragraph shall be included identifying the Air Force activity having technical responsibility for the manual (see 6.2.j). Standard definitions of WCNs shall be provided. The definition of abbreviations shall be the final entry of the introduction.

3.11.2.2 General Procedures.

3.11.2.2.1 SE. This paragraph shall list only the SE required to accomplish munitions loading. The nomenclature and any other information required to specifically identify this equipment shall be included.

3.11.2.2.2 General safety requirements. These paragraphs shall contain all general safety requirements necessary for preparation, handling, loading, and unloading of munitions (see 6.11).

3.11.2.2.3 Emergency procedures. These paragraphs shall contain emergency procedures related to munitions-loaded aircraft with content and arrangement in accordance with 3.9.2.4. See 6.9 and figure 9.

3.11.2.2.4 Aircraft general arrangement. These paragraphs shall contain the aircraft general arrangement in an illustrated form showing the location of panels and switches used by the load crew. (See figure 4.)

3.11.2.3 Aircraft Preparation. The Aircraft Preparation paragraph shall include steps which must be accomplished for munitions loading. The steps shall contain procedures for preparation of the aircraft and installed accessories for loading and a stray voltage check for those munitions/accessories as required. At a minimum, the procedure shall require power to be applied to the aircraft during stray voltage checks, unless otherwise specified by the acquiring activity (see 6.2.o), in coordination with the responsible engineering organization. A configuration chart depicting authorized loading configurations for the specific munition shall be displayed. The steps shall include procedures to safe any munitions items which might be on the aircraft prior to stray voltage checks, i.e., safe missile motors, disconnect Air-to-Ground Missile (AGM) -65 igniter cable, etc.

3.11.3 Checklist CL-2, and subsequent, arrangement. See appendix J (checklist CL-2 and subsequent) for resources available for digital preparation of these checklists. The general checklist requirements of MIL-DTL-5096 shall apply. The checklist shall contain the following:

a. Front Matter (see 3.11.3.1).

b. General Procedures (see 3.11.3.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

c. Loading Procedures (see 3.11.3.3).

d. Unloading Procedures (see 3.11.3.4).

Paper output: The arrangement shall be head to foot.

3.11.3.1 Front matter. The front matter shall be in accordance with the checklist requirements of MIL-STD-38784.

3.11.3.2 General Procedures.

3.11.3.2.1 SE. This paragraph shall be in accordance with 3.11.2.2.1.

3.11.3.2.2 Specific safety requirements. This paragraph shall contain all specific safety requirements pertaining to the munitions loading procedures of the specific munition.

3.11.3.3 Loading Procedures. Under the Loading Procedures chapter, the following paragraphs/tasks shall be covered.

3.11.3.3.1 Munitions preparation. This paragraph is applicable to a single munition and preloaded accessories. It shall include steps required to inspect and prepare each munition (including components). Procedures shall be included to verify the safety of each fuzed munition. All steps shall be singular.

3.11.3.3.2 Cartridge installation. All accessories that require preinstalled cartridges shall be included. This paragraph shall include steps required to check impulse cartridges for serviceability and to properly install cartridges in those accessories that must have cartridges installed prior to loading munitions. All steps shall be plural.

3.11.3.3.3 Loading. This procedure shall include steps required to load stores. All steps shall be singular. This procedure shall include steps to remove fuzed safety devices after store is loaded.

3.11.3.3.4 Cartridge installation. This paragraph shall include steps required to check impulse cartridges for serviceability and properly install cartridges in all accessories, as required. All steps shall be plural.

3.11.3.3.5 Postloading inspection. This paragraph shall include steps required to ensure that accessory safety devices are installed, bombs and fuzes are installed properly, and fuze safety devices have been removed or installed, as required. All steps shall be plural.

3.11.3.3.6 Immediately prior to launch. This paragraph shall include steps required to place the aircraft in a launch configuration. Steps shall be included to arm munition items safed during preparation (e.g., arm missile motors, connect AGM-65 igniter cable, etc.). All steps shall be plural.

3.11.3.4 Unloading Procedures. Under the Unloading Procedures chapter, the following paragraphs/tasks shall be covered.

3.11.3.4.1 Safing. This paragraph shall include essential steps required to safe the aircraft/munitions and install associated safety devices. All steps shall be plural.

3.11.3.4.2 Preunloading. This paragraph shall include steps and checks required to prepare the aircraft/munitions for unloading. All steps required to safe the aircraft/munitions shall be repeated in the paragraph. All steps shall be plural.

3.11.3.4.3 Unloading. This paragraph shall include steps required to unload the munition from the aircraft. All steps shall be singular.

3.12 Functional Check Procedures Checklist (CL-1). This checklist contains preparation and aircraft functional check procedures, along with emergency procedures. See appendix K for resources available for digital preparation of this checklist. This checklist shall be prepared in accordance with the general checklist requirements of MIL-DTL-5096 and the Loading Procedures Checklist requirements (see 3.9).

3.12.1 Arrangement. The checklist shall contain the following:

a. Front Matter (see 3.12.1.1).

b. Specific Briefing Requirements (see 3.12.1.2).

c. Emergency Procedures (see 3.12.1.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

d. Aircraft Preparation (see 3.12.1.4).

e. Functional Check (see 3.12.1.5).

Paper output: The arrangement shall be head to foot.

3.12.1.1 Front matter. Front matter shall be in accordance with the checklist requirements of 3.9.2.2.

3.12.1.1.1 Introduction. The introduction shall provide a brief explanation of the purpose of the checklist. Submittal and routing instructions for the TM improvement reports shall be included and shall reference TO 00-5-1 as the authority for recommending changes. A paragraph shall be included identifying the Air Force activity having technical responsibility for the manual (see 6.2.j). Standard definitions of WCNs shall be provided. The definition of abbreviations shall be the final entry of the introduction.

3.12.1.2 Specific briefing requirements. Briefing requirements shall be in accordance with 3.9.2.3.1.

3.12.1.3 Emergency Procedures. These paragraphs shall contain emergency procedures related to munitions-loaded aircraft with content and arrangement in accordance with 3.9.2.4. (See figure 9.)

3.12.1.4 Aircraft Preparation. The Aircraft Preparation paragraph shall include steps which must be accomplished for munitions loading. The steps shall contain procedures for preparation of the aircraft and installed accessories for functional checks for those munitions/accessories as required. The steps shall include procedures to safe any munitions item which might be on the aircraft prior to functional checks (i.e., safe pins, impulse cartridges, etc.).

3.12.1.5 Functional Check. The Functional Check paragraph shall contain all necessary steps to perform functional checks of the weapons control/release/fire and jettison systems.

3.13 EOR Procedures Checklist (CL-100). This checklist contains general, delayed flight/alert, immediate prior to launch, and safing procedures. See appendix K for resources available for digital preparation of this checklist. This checklist shall be prepared in accordance with the general checklist requirements of MIL-DTL-5096 and the Loading Procedures Checklist specific requirements (see 3.9). See 3.2.7.5 for overview. In addition, the following apply:

3.13.1 Arrangement. The EOR Procedures Checklist shall contain the following:

a. Front matter (see 3.13.1.1).

b. Specific Briefing Requirements (see 3.13.1.2).

c. Emergency Procedures (see 3.13.1.3).

d. Delayed Flight or Alert (see 3.13.1.4).

e. Immediately Prior to Launch (see 3.13.1.5).

f. Safing (see 3.13.1.6).

Paper output: Arrangement shall be head to foot.

3.13.1.1 Front matter. The front matter shall be in accordance with the requirements of 3.9.2.2.

3.13.1.1.1 Introduction. The introduction shall be prepared in accordance with the requirements of MIL-DTL-5096 and shall provide a brief explanation of the purpose of the checklist. Submittal and routing instructions for the TM improvement reports shall be included and shall reference TO 00-5-1 as the authority for recommending changes. A paragraph shall be included identifying the Air Force activity having technical responsibility for the manual (see 6.2.j). Standard definitions of WCNs shall be provided. The definition of abbreviations shall be the final entry of the introduction.

3.13.1.2 Specific briefing requirements. Briefing requirements shall be in accordance with 3.9.2.3.1.

3.13.1.2.1 Deleted.

3.13.1.3 Emergency Procedures. These paragraphs shall contain emergency procedures related to munitions-loaded aircraft with content and arrangement in accordance with 3.9.2.4. (See figure 9.)

3.13.1.4 Delayed Flight or Alert. This paragraph shall include steps required to ensure that safety devices are installed or removed as required. All steps shall be plural.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

3.13.1.5 Immediately Prior to Launch. This paragraph shall include steps required to place the aircraft in a launch configuration. All steps shall be plural.

3.13.1.6 Safing. This paragraph shall include steps required to safe the aircraft/weapons/munitions and install required safety devices. All steps shall be plural. The following note shall be placed immediately after the paragraph that precedes the steps:

NOTE

Omission of the following steps may be authorized by the local commander.

4 VERIFICATION

4.1 Verification requirements. When the technical data produced according to this specification is offered for acceptance, all tests, reviews, and verifications specified by the acquiring activity to determine that it conforms to the requirements in Section 3 of the specification, shall be accomplished as specified (see 6.2.at and 6.20).

4.2 Compliance. Technical Manuals (TMs) shall meet all requirements of Section 3 of this specification and the applicable Digital Support Suite (DSS) appendix, as specified by the acquiring activity (see 6.2). The requirements set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any requirements in this specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the government for acceptance comply with all requirements of the contract. Use of sampling inspections shall be at the discretion of the contractor, and in accordance with commercially acceptable quality assurance procedures. However, use of sampling in QA procedures does not authorize submission of known defective material, either indicated or actual, nor does it commit the government to accept defective material.

5 PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2.au). When packaging of materiel is to be performed by DoD or in-house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6 NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory).

6.1 Intended use. Manuals and checklists prepared in accordance with this document are for use in loading/unloading munitions/weapons on or in aircraft. The military-specific logistics support requirements for Technical Manuals (TMs) covered by this detail specification are not provided in available commercial standards documents.

6.1.1 NATO Stage B. These checklists will also be used by NATO allies to load/unload munitions on aircraft. Therefore, the checklists should be written in a simple, direct, and illustrated manner.

6.1.2 System Safety Engineering Analysis. System safety engineering analysis will be provided by HQ AFMC/SE.

6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

b. Which of either the PDF output or Paper output functionality/formatting requirements herein apply throughout; identify any exceptions by specific paragraph number. Assign by individual manual types in cases where they require different presentation requirements than the overall set of manuals (see 3.1.2).

c. PDF output: If references will not be linked to the applicable data, i.e., to external documents (see 3.1.7).

d. Grammatical phrases to be used (consult AFNWC to determine technical terminology appropriate for nuclear weapons loading manuals) (see 3.1.8.2).

e. If use of the term "if applicable" is to be other than as specified in this document (see 3.1.8.3).

f. If cockpit switch safing procedures are to read other than as specified in this document (see 3.1.8.4).

g. Deleted.

h. Deleted.

i. Precedence paragraph or statement, nuclear safety certification statement, and additional information provided by AFNWC to be included in manual introduction (see 3.3.1.1.1).

j. The Air Force activity having technical responsibility for the manuals and checklists (see 3.3.1.1.1, 3.5.1.1.1, 3.6.1.1.1, 3.11.2.1.1, 3.12.1.1.1, and 3.13.1.1.1).

k. Any additional information to be included in the introduction and for nuclear weapons loading checklists, as specified by AFNWC (see 3.3.1.1.1 and 3.9.2.2.1).

l. If any sections in chapter 1 are not required (see 3.3.1.2).

m. If additional sections, specified by AFNWC, are to be included in chapter 1, and, if so, type to be included (see 3.3.1.2).

n. If procedures are to be subdivided when required to meet weapon system requirements, if additional primary paragraphs, provided by AFNWC, are to be included, and, if so, type to be included (see 3.3.1.2.8.1).

o. If procedures are not to reflect that power is to be applied to the aircraft during stray voltage checks (see 3.3.1.2.9 and 3.11.2.3).

p. Deleted.

q. Deleted.

r. Deleted.

s. If text is to be other than single column unjustified, and if illustrations are to be other than integrated with text (see 3.4.c).

t. If the LOI and LOT will not be included in the front matter (see 3.4.1.1).

u. If emergency procedures will be provided in chapter 1 (see 3.4.1.2.1).

v. Deleted.

w. Precedence paragraph or statement to be included in the manual introduction and additional information, if any (see 3.6.1.1.1).

x. If all sections in chapter 1 are required (see 3.6.1.2).

y. If additional sections are to be included in chapter 1, and if so, the types to be included (see 3.6.1.2).

z. Manual release and jettison mode to be functionally checked (see 3.6.1.2.6).

aa. If additional primary paragraphs are to be included (see 3.6.1.2.6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

ab. If chapters 2, 3, 4, etc., are to be divided into sections, and, if so, arrangement of those sections (see 3.6.1.3).

ac. If steps to remove fuze safety devices after munitions are loaded will not be included (see 3.6.1.3.2.2.4 and 3.8.1.4.6).

ad. Aircraft procedures to be identified by the specified note (see 3.8, 3.8.1.3.1, 3.8.1.4.3, 3.8.1.4.7, 3.8.1.4.8, 3.8.1.4.9, 3.8.1.4.10, 3.8.1.5.1, 3.8.1.5.2, and 3.8.1.5.3).

ae. Deleted.

af. The manner of preparation of nuclear weapons loading checklists, as specified by AFNWC (see 3.9).

ag. If a CLEAR ALL CHECK BOXES button will be included on the checklist title page (see 3.9.2.2).

ah. The tailoring of information in the emergency procedures (figure 9) required to reflect the specific equipment being covered (see 3.9.2.4).

ai. PDF output: If digital interface functionality will be provided to accept inputs (local emergency information for fire, withdrawal distances, etc.) from the checklist user; whether this will be implemented for PDF checklist (see 3.9.2.4).

aj. If cautions and/or notes are to be included in checklists (see 3.9.2.5.1.3).

ak. If illustrations are to be included (see 3.9.2.5.1.4).

al. Number of step completion check boxes required (see 3.9.2.5.1.6).

am. Deleted.

an. Deleted.

ao. If a dropdown box with withdrawal distances and a CLEAR ALL button will be added to the emergency procedures page (see 3.9.2.4).

ap. If additional information will be included in the checklist introduction. (see 3.10.1.1.1)

aq. If the procedures are to be broken up based on the Hot/Cold condition of the aircraft and whether they should be arranged as hot chapter followed by cold chapter, hot paragraphs followed by cold paragraphs, or hot/both paragraphs followed by cold paragraphs (see 3.10.1.c.)

ar. Deleted.

as. Which, if any, of the PDF output or paper output special conditions apply (see 3.11.1.4.2).

at. The requirements for tests, reviews, and verifications specified for manuals developed under this specification (see 4.1).

au. Packaging requirements (see 5.1).

6.3 Technical manuals. The requirement for technical manuals should be considered when this specification is applied on a contract. If technical manuals are required, specifications and standards that have been authorized and assigned an Acquisition Management Systems Control (AMSC) number must be listed on a separate Contract Data Requirements List (DD Form 1423), which is included as an exhibit to the contract. The technical manuals must be acquired under separate contract line item in the contract.

6.4 Definitions. For the purposes of this document, the following definitions apply.

6.4.1 Accessory. An item which is required to mate the munition/weapon to the aircraft and which remains as an integral part of the system (e.g. pylon, missile launcher and adapter, MER, TER, and other bomb racks).

6.4.2 Checklists. Checklists are condensed versions of the loading procedures in the manuals.

6.4.3 Integrated Loading Procedures Checklist. A Technical Order (TO) pertaining to the loading of two or more different types of munitions/weapons. For example: AIM-120 (nonnuclear) and AIM-9 (nonnuclear), or AIM-9 B61 (nuclear).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

6.4.4 Loading/unloading. Terms applied when a munition/weapon or an accessory loaded with a munition/weapon is placed on, or removed from, an aircraft (e.g. single bombs, preloaded accessories, preloaded rocket launchers, preloaded dispensers). These checklists may contain a combination of procedural steps from -16 (nuclear) and -33 (nonnuclear) loading manuals.

6.4.5 Munitions. A general term covering nonnuclear munitions.

6.4.6 Nonnuclear munitions. Nonnuclear bombs, fuzes, warheads, missiles, rockets, mines, destructors, pyrotechnics, Launcher Auxiliary Unit (LAU)-Series Rocket Launchers, Suspended Utility Unit (SUU)-42/A and SUU-65 series dispensers, chemical materials, and items; such as, impulse cartridge jettison charges, training items, ammunition, and other non-aircraft inventory items considered similar or relative to nonnuclear munitions, including accessories which have been preloaded.

6.4.7 Paper output. Specifies requirements used to develop TM data to be used as printed or paper publications. These are requirements that only apply due to the medium of the publication being paper, such as the need for volumes, binding edges, various page sizes, blank aprons for foldouts, etc.

6.4.8 PDF output. Specifies requirements used to develop TM data to be used as PDF publications. These are requirements that only apply due to the PDF medium, such as hyperlinks and bookmarks.

6.4.9 Plural. Perform more than one function before moving on to the next step (i.e., installing both carts to a rack or carts to multiple racks).

6.4.10 Singular. Complete a single function before moving to the next step (i.e., prepping one munition before moving onto the next munition).

6.4.11 Smart Loading Procedures Checklist. An interactive electronic checklist generated by user inputs (i.e., aircraft configuration, munitions to be loaded, order of tasks, etc.). These checklists are typically created via application from appropriately authored metadata such as SGML (see appendix G) or S1000D (see MIL-STD-3048).

6.4.12 TOs. The term “TO” as used herein applies to both manuals and checklists.

6.4.13 Weapons. A general term that covers both bombs/missiles.

6.5 Acronyms. The acronyms used in this document are defined as follows:

AF	Air Force
AFMC	Air Force Materiel Command
AFNWC	Air Force Nuclear Weapons Center
AGM	Air-to-Ground Missile
AIM	Air-launch Interceptor Missile
AMSC	Acquisition Management Systems Control
BRU	Bomb Release Unit
CAC	Common Access Card
DoD	Department of Defense
DSS	Digital Support Suites
DTD	Document Type Definition
EOR	End of Runway
FCT	Flight Circuit Test
GFAE	Government Furnished Aeronautical Equipment
GFE	Government Furnished Equipment
ICT	Integrated Combat Turnaround
IETM	Interactive Electronic Technical Manuals
IETP	Interactive Electronic Technical Publications
LAU	Launcher Auxiliary Unit
LOI	List of Illustrations

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

LOT	List of Tables
LRP	List of Related Publications
LSDP	Loading Standard Data Packages
MAU	Miscellaneous Armament Unit
MER	Multiple Ejector Rack
MNCL	Master Nuclear Certification List
NATO	North Atlantic Treaty Organization
PDF	Portable Document Format
PKI	Public Key Infrastructure
PM	Program Manager
PMO	Program Management Office
PO	Program Office
QA	Quality Assurance
SE	Support Equipment
SGML	Standard Generalized Markup Language
SPM	System Program Manager
SPO	System Program Office
SSEA	System Safety Engineering Analysis
SUU	Suspended Utility Unit
TDT	Tag Description Table
TER	Triple Ejector Rack
TM	Technical Manual
TMCR	Technical Manual Contract Requirements
TO	Technical Order
TOC	Table of Contents
WCN	Warning, Caution, Note

6.6 Subject term (key word) listing.

Bomb
Emergency procedures
End of Runway
EOR
Functional Check
Fuze
Impulse cartridges
Integrated Combat Turnaround
NATO Stage B Cross-Servicing
Rocket
Standard Data Packages
Warhead

6.7 Bombs/weapons loading procedures. In cases where a specific weapon is to be loaded on an aircraft equipped with more than one type of bomb rack, all loading procedures may be presented in one section by prefixing minor procedural differences with applicability notations (see 3.1.6).

6.8 Chapter, section, and paragraph titles. Items with "(munitions)" indicate the requirement is also applicable to the nonnuclear munitions loading procedures manual and nonnuclear munitions loading standard data packages (see 3.3, 3.6, and 3.8).

6.9 Emergency procedures. Emergency procedures are included in standard data package 37 (see 3.11.2.2.3).

Source: https://assist.dla.mil -- Downloaded: 2026l0-17T13:18Z
Check the source to verify that this is the current version before use.

6.10 Interactive Electronic TMs (IETMs) or Interactive Electronic Technical Publications (IETPs). Requirements for digital functionality, formatting, and output of IETMs or IETPs are beyond the scope of this detail specification; refer to MIL-STD-3048.

6.11 General safety requirements. DAFMAN 91-201, Explosive Safety Standards, and AFMAN 91-221, Weapons Safety Investigations and Reports, should be consulted for weapons safety information applicable to weapons loading procedures developed in accordance with this specification (see 3.3.1.2.1, 3.6.1.2.1, and 3.11.2.2.2). Standard data package 37 contains most of this information.

6.12 Illustrations. References to illustrations in the text need not state specifically the purpose of the illustration, if the purpose is obvious. Illustrations may be used more than once, if necessary, for clarity (see 3.1.3).

6.13 Deleted.

6.14 Loading procedures checklists. These checklists will be assigned the basic number of the Stage A cross-servicing guide (i.e., 1F-4C-2CL-X) (see 3.11.1).

6.15 Deleted.

6.16 Source data. Source data for GFE/GFAE for manuals and checklists will be provided by the AFMC Program Management Office (PMO) having engineering responsibility, as follows (see 3.5.e):

a. Description.
b. Illustrations.
c. Preloading and postloading checks during loading phases.
d. Safety precautions.
e. Preload preparation, if applicable.
f. Ground handling instructions.
g. Arming wire handling, if applicable.
h. Criteria for emergency procedures.
i. Peculiar SE.
j. Procedures for safety wiring and sealing.
k. Aircraft load configuration.

6.17 Deleted.

6.18 Deleted.

6.19 Withdrawal distances. If more than one type of munition/weapon is included and withdrawal distances differ, evacuation distances will be furnished by the acquiring activity (see 3.9.2.4).

6.20 TM Verification Requirements. The Air Force Technical Order Policy and Procedures (AF TOPP) team, AFMC/A4FI, provides the specific requirements for verification of technical data developed and delivered through this specification, as well as guidance for including these requirements in the solicitation or contract (see TO 00-5-3, AF Technical Order Life Cycle Management).


6.21 Amendment notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

TABLE I. Typical titles and headings.

2.1 GENERAL.
2.1.1 Scope.
2.1.2 Support Equipment (SE).
2.1.3 Specific Safety Requirements.
2.2 LOADING PROCEDURES.
2.2.1 Aircraft Preparation.
2.2.2 Weapons/Munitions Preparation.
2.2.3 Cartridge Installation.
2.2.4 Loading.
2.2.6 Cartridge Installation.
2.2.7 Post-loading Inspection.
2.2.8 Delayed Flight or Alert.
2.2.9 Immediately Prior to Launch.
2.3 UNLOADING PROCEDURES.
2.3.1 Safing.
2.3.2 Pre-unloading.
2.3.3 Unloading.
2.4 TACTICAL FERRY PROCEDURES. (Nuclear only)
2.4.1 Deployment.
2.4.2 Strike to Nonstrike.
2.4.3 Nonstrike to Strike.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO 1X-XXX-16

INTRODUCTION

1. PURPOSE.

The purpose of this technical order is to provide safe and reliable procedures for loading/unloading nuclear bombs, missiles, and practice bombs on X-XXX aircraft.

2. SCOPE.

This manual contains all procedures necessary for loading/unloading nuclear bombs, and all applicable practice bombs. Chapter 1 contains safety requirements, emergency procedures, general arrangements, general procedures, flight circuit test, flight equipment checks, functional checks, and munitions rejection criteria. Chapter 2, and on, contains loading, unloading, and ferry procedures for nuclear bombs.

3. RELATED PUBLICATIONS.

The following publications are referenced in and/or used in conjunction with this manual. The regulations listed contain detailed safety information regarding the equipment and procedures in this manual. TO 0-1-11N-CD-1, Numerical Index to Joint Nuclear Weapons Publications should be checked to determine the latest effective publication date. The checklists are those applicable for each weapon contained in this manual. Deployment procedures are contained in each bomb/weapons loading checklist.

LIST OF RELATED PUBLICATIONS

PUBLICATION NUMBER	PUBLICATION TITLE
AFI 91-101	Air Force Nuclear Weapons Surety Program
AFI 91-104	Nuclear Surety Tamper Control and Detection Program
AFI 91-XXX	Safety Rules for X-XXX Weapon System
TO 1X-XXX-16-CL-1	Nuclear Bomb Loading Procedures (B57)
TO 1X-XXX-16-CL-2	Nuclear Bomb Loading Procedures (B61)
TO 1X-XXX-16-CL-3	Nuclear/Nonnuclear Weapon Integrated Loading Procedures (Internal Gun, AIM-9, Chaff/Flare and B57/B61 Bombs)
TO 1X-XXX-16-CL-4	Nuclear Bomb Practice Bomb Loading Procedures (BDU-38B)

4. NUCLEAR SAFETY CERTIFICATION.

The support equipment and procedures contained herein have been evaluated and are acceptable for the prescribed use with nuclear weapons.


5. PRECEDENCE.

Compliance with procedures herein is mandatory. Use of war reserve nuclear weapons in peacetime operations requires nuclear weapon system safety rules published in the 91-series of Air Force instructions or disseminated by CSAF correspondence. In all instances, only those operations which are within the scope of the current applicable safety rules may be performed. Load crews are not required by this TO to have applicable nuclear weapon system safety rules in their possession at the loading site.

iii

FIGURE 1. Typical Introduction - Nuclear Weapons Basic Information and Loading Procedures Manual (Fighter Aircraft).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO 1X-XXX-16

NOTE

Load crews shall comply with AFI 91- 104 (Nuclear Surety Tamper Control and Detection Program) for access to the aircraft/bomb combination.

6. LOADING CONFIGURATIONS.

TO 1X-XXX-1 and TO 1X-XX-25 flight manuals contain information regarding weapons authorized for carriage and approved load configurations. Only those weapons and load configurations covered in the -1 and -25 manuals may be used.

7. ABBREVIATIONS/ACRONYMS.

Definitions of abbreviations/Acronyms appearing in this technical order and supporting checklists are as follows:

FCT	Flight Circuit Test
MAU	Miscellaneous Armament Unit
MFD	Multifunction Display

8. IMPROVEMENT REPORTS.

Improvement Reports, AFTO Form 22, or recommendations proposing changes to this technical manual shall be submitted in accordance with TO 00-5-1.

9. COMMENTS.

The Directorate of Nuclear Systems Engineering is the Air Force activity responsible for the accuracy of the technical contents of the manual. Any comments or recommendations other than improvement reports (AFTO Form 22) shall be forwarded through command headquarters to AFNWC Engineering and Technical Management Directorate (AFNWC/EN), Kirtland AFB, New Mexico.

10. DEFINITIONS.

The following definitions apply to WARNINGS, CAUTIONS, and NOTES within the procedures:

WARNING

Highlights an operating or maintenance procedure, practice, condition, statement, etc., which, if not strictly observed, could result in injury to or death of personnel.

CAUTION

Highlights an operating or maintenance procedure, practice, condition, statement, etc., which, if not strictly observed, could result in damage to, or destruction of, equipment, or loss of mission effectiveness.

NOTE

Highlights an operating or maintenance procedure, condition, or statement.

iv

FIGURE 1. Typical Introduction - Nuclear Weapons Basic Information and Loading Procedures Manual (Fighter Aircraft) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

SECTION II

EMERGENCY PROCEDURES

1.3 SCOPE.

Emergency procedures consist of actions to be taken if a nuclear bomb is involved in an accident, incident such as fire, collision, if a bomb is dropped, or for H-70 blend hydrazine contamination. Loading crew personnel should be thoroughly familiar with these instructions.

1.3.1 Refer to AFMAN 91-201, TO 00-25-172, TO 11N-20-11, and TO 11N-20-11A for firefighting guidance.

1.4 INSTRUCTIONS.

NOTE

If any of the following emergency conditions arise, appropriate personnel shall be notified. Under no circumstances should troubleshooting or maintenance of the bomb be attempted by other than authorized personnel.

1.4.1 Waiting Period. In the event a nuclear bomb becomes involved in an accident/incident or fire, the following procedures are mandatory and shall be performed by the loading crew prior to the arrival of base disaster control team.

1. If pullout cables are connected to the bomb, turn Store Station (ST STA) power off.
2. On the emergency page of the checklist in step 5 under FOR FIRE, record the time fire was extinguished; in step 2 under FOR DROP/COLLISION/INCIDENT, record the time ST STA power is removed and the time of accident/incident. These times shall be provided to the base disaster control team/EOD upon their arrival.
3. A minimum waiting period of 60 minutes shall be observed before performing any operation on or movement of the B61. These waiting periods are timed from the time recorded in step 2 above.

FIGURE 2. Typical emergency procedures (odd page number).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

1.4.2 Nuclear Bomb Dropped or Involved in Collision or Incident. If a nuclear bomb is dropped or collision/incident occurs, perform the following:

1. If the bomb case remains intact, report accident/incident in accordance with applicable directives.
2. If the bomb case is ruptured, perform the following:
   a. Evacuate nonessential personnel to a minimum of 2500 feet.
   b. Notify base disaster control team.
   c. Report accident/incident in accordance with applicable directives.

WARNING

Danger is from detonation of High Explosive (HE) components and possible radioactive contamination.

1.4.3 Nuclear Bomb Involved in Fire. In the event of fire during loading/unloading, evacuate nonessential personnel to at least the distance indicated in Table 1-1. On the emergency procedure page of the checklist, record the time that flames envelop the bomb. This time shall be provided to firefighting supervisor/responsible official. Loading crews shall withdraw to a specified distance after fire envelops bomb or after arrival of firefighters, whichever occurs first.

1.4.4 Nuclear Bomb Involved in H-70 Hydrazine Fuel Leak or Spill. If an H-70 hydrazine fuel leak occurs, the bomb shall be downloaded and the aircraft placed in a non-alert status until the extent of damage to nuclear related aircraft wiring has been determined and corrected. When an H-70 leak is discovered on a nuclear bomb-loaded aircraft, take the following action:

1. Remove electrical power from the aircraft.
2. Evacuate the area and notify appropriate personnel.
3. After H-70 fuel cleanup is completed, download the bomb as directed.

Table 1-1. Firefighting Guidance

NOMENCLATURE	WITHDRAWAL DISTANCE (FEET) NONESSENTIAL PERSONNEL	FIRE SYMBOL
B61	2500	N/A
Crtg, Impulse	300	4

FIGURE 3. Typical emergency procedures (even page number).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.




FIGURE 4. Typical aircraft arrangement.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

FIGURE 5. DELETED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

TO XX-XXX-XX

13. On AVIONICS POWER panel, position power switches as follows:

    a. MMC power switch to MMC.

    b. MFD power switch to MFD; right MFD displays SMS OFF page.

    NOTE

    MFD indications other than procedural step requirements may not correspond with figures.

    c. ST STA power switch to ST STA; right MFD displays SMS STBY page (Figure 1-65).




Figure 1-65. SMS STBY Page.

14. On left MFD, perform a MSMD RESET; left MFD displays FCR OFF.

1-4

FIGURE 6. Typical Flight Circuit Test (FCT)/functional checks.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.





FIGURE 7. Typical illustrations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO 1X-XXX-33

INTRODUCTION

1. PURPOSE.

The purpose of this technical manual is to provide safe and reliable procedures for loading and unloading nonnuclear munitions.

2. SCOPE.

This manual contains all procedures necessary for loading/unloading nonnuclear munitions. Chapter 1 contains general safety requirements, emergency procedures, general arrangement, general procedures, aircraft preparation, flight circuit test, functional checks, and stray voltage checks. Chapter 2 and subsequent contain loading and unloading procedures for each munition or group of munitions.

3. DEFERRED PROCEDURES.

Dependent upon restrictions dictated by actual combat conditions, performance of procedural steps under the headings "Delayed Flight or Alert," "Immediately prior to Launch," "Safing," and "Unloading" that are to be deferred for accomplishment in the Arming/Dearming area shall be as directed by the local commander.

4. FUNCTIONAL CHECKS.

Functional checks shall be performed within 30 days of loading, or more frequently if directed by the local commander. Functional checks shall be performed when the system has malfunctioned, or when trouble is suspected. Functional checks shall be valid for the period of time the aircraft remains of alert, during war emergencies or simulated war emergencies. Functional checks need not be performed if a turnaround mission is to be flown immediately. Functional checks need not be performed provided the stores were dropped successfully from that aircraft and no reconfiguration is required. Munitions preparation procedures under the subordinate paragraph headings PREFUZED or PRELOADED are written so that upon completion of the steps under these headings, the munition is ready for loading. Steps under PREFUZED or PRELOADED not previously accomplished, shall be accomplished using the procedures under the applicable subordinate paragraph heading.

5. PRECEDENCE.

When procedures outlined in this manual conflict with other directives, procedures in this manual shall take precedence, except for the aircraft -1 flight manual. Compliance with procedures in this manual is mandatory.

6. ABBREVIATIONS/ACRONYMS.

Definitions of abbreviations/acronyms appearing in this technical order and supporting checklists are as follows:

LAU	Launcher Aircraft Unit
MAU	Miscellaneous Armament Unit
MFD	Multifunction Display


7. IMPROVEMENT REPORTS.

Improvement Reports, AFTO Form 22, or recommendations proposing changes to this technical manual shall be submitted in accordance with TO 00-5-1.

iii

FIGURE 8. Typical introduction - Nonnuclear Munitions Loading Procedures Manual.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO 1X-XXX-33

8. COMMENTS.

AFLCMC/LZPTP, is the Air Force activity responsible for the accuracy of the technical contents of the manual. Any comments or recommendations other than improvement reports (AFTO Form 22), shall be forwarded through major command headquarters to AFLCMC/LZPTP, Hill AFB, Utah 84056-5000.

9. DEFINITIONS.

WARNING

Highlights an operation or maintenance procedure, practice, condition, statement, etc., which, if not strictly observed, could result in injury to or death of personnel.

CAUTION

Highlights an operation or maintenance procedure, practice, condition, statement, etc., which, if not strictly observed, could result in damage to, or destruction of, equipment, or loss of mission effectiveness.


NOTE

Highlights an operation or maintenance procedure, condition, or statement.

iv

FIGURE 8. Typical introduction - Nonnuclear Munitions Loading Procedures Manual - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO XX-XXX-XXXX-X

EMERGENCY PROCEDURES

FOR FIRE

a. Fight fire; remove munitions.

b. Call _____ and give location _____.

c. Evacuate nonessential personnel to _____feet.

d. Record time flames envelop munitions _____: give to firefighting supervisor.

e. Withdraw to ____feet within ____ minutes after fire envelops munitions, or after arrival of firefighters, whichever occurs first.

NOTE

Step 6 entry is required only if a loading crew-member is present when fire is extinguished.

f. Record time fire is extinguished ____: give to EOD personnel. Waiting period is 30 minutes (B61).

FOR DROP/COLLISION/INCIDENT


a. Call _____.

b. Record time of accident/incident or when SMS power is removed _____: give to EOD personnel. Waiting period is 30 minutes (B61).

E-1

FIGURE 9. Typical checklist emergency procedures.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO XX-XXX-XXXX-X

EMERGENCY PROCEDURES

WITHDRAWL TIME AND DISTANCE

NOTE

Prior to commencing loading procedures, enter the applicable "WITHDRAWL TIME AND DISTANCE" in "FOR FIRE" steps 3 and 5. Entries should be the item with the shortest withdrawal time/time group and the maximum withdrawal distance for any munition involved.

a. (USAF) Refer to AFMAN 91-201 and TO 11N-20-11 for firefighting guidance.

b. (BAF/RNLAF) Refer to ELO-1 for firefighting guidance.

c. If H70 hydrazine fuel should occur:

(1) Remove electrical power from aircraft.


(2) Evacuate the area and notify appropriate personnel.

(3) After H70 cleanup is completed, download the bomb as directed.

E-2

FIGURE 9. Typical checklist emergency procedures - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.



TO XX-XXX-XXXX-X

EMERGENCY PROCEDURES

Firefighting Guidance

Nomenclature	Withdrawal Time	Withdrawal Distance (ft) Non-essential Personnel	Fire Symbol
B61	NA	2000	NA
Crtg. 20mm HEI/HEIT/INC	*	1800	2
Crtg. 20mm TP/API/API-T/APT	*	300	4
Crtg, Impulse	*	300	4
Crtg, Chaff	*	300	4
Flares	*	600	3
AIM-9 HE Warhd	45 sec to 2 min	1800	2

*No specific withdrawal time assigned.

E-3/(E-4 blank)

FIGURE 9. Typical checklist emergency procedures - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

AIRCRAFT PREPARATION

j. Chaff Counters ..... SET ☐

21. GND Test By-Pass Switch ..... SAFE ☐

22. ALE-40 Test Switch ..... OFF ☐

23. ALE-40 FWD Flare CB ..... IN ☐

24. ALE-40 AFT Flare CB ..... IN ☐

25. ALE-40 Flare Jett CB ..... IN ☐

26. ALE-40 Control CB ..... IN ☐

27. ALE-40 LH Chaff CB ..... IN ☐

28. ALE-40 RH Chaff CB ..... IN ☐

29. ALE-40 Tail Chaff CB ..... IN ☐

30. AAR-44/IRWR Circuit Breakers ..... IN ☐

31. #1 (20mm) Gun Arm/ Safe Assembly Switch ..... SAFE ☐

32. #2 (20mm) Gun Arm/ Safe Assembly Switch ..... SAFE ☐

33. #1 (20mm) Gun ..... SAFE & CLEAR ☐

34. #2 (20mm) Gun ..... SAFE & CLEAR ☐

35. Gun Control Panel Arms/Safe Switches ..... SAFE ☐

FIGURE 10. Typical checklist procedures (Aircraft Preparation).

Source: https://assist.dla.mil -- Downloaded: 202610-17T13:18Z
Check the source to verify that this is the current version before use.

AIRCRAFT PREPARATION

36. (C/D/E) sel msl jett sw - OFF ..... SAFE ☐

37. © Position cockpit we: ..... OFF ☐

a. Msl PWR - OFF ..... SET ☐

b. RADAR - HEAT - HEAT REJECT - RADAR ..... SET ☐

c. ARM/SAFE - SAFE ..... SET ☐

d. INTLK - IN ..... SET ☐

e. BDN SEL - ALL ..... SET ☐

f. BOMB CONT - OFF ..... SET ☐

g. NUCL STORES - NORMAL ..... SET ☐

h. WPL SEL - BOMBS PAIRS ..... SET ☐

i. GAM - AUX - NORM ..... SET ☐

j. MA - SAFE ..... SET ☐

k. STEP - NORMAL ..... SET ☐

FIGURE 10. Typical checklist procedures (Aircraft Preparation) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026l0-17T13:18Z
Check the source to verify that this is the current version before use.

SECURITY CLASSIFICATION [1]

FAMILY GROUP NO. 5.15 [2]

APPROVED/PRELIMINARY [3]

LOADING STANDARD DATA PACKAGE [4]

FOR

-33 NONNUCLEAR MUNITIONS LOADING MANUALS [5]

MUNITION/MUNITION FAMILY GROUP [6]

DISCLOSURE NOTICE [7]

DISTRIBUTION STATEMENT [8]

EXPORT CONTROL NOTICE [9]

APPLICABLE FUZE DATA IS CONTAINED IN FAMILY GROUP NO. 11.1 [10]

THIS LOADING STANDARD DATA PACKAGE REPLACES ALL PREVIOUS ISSUES [11]

DATE [12]

CUI DESIGNATION INDICATOR [13]

SECURITY CLASSIFICATION [1]

FIGURE 11. Typical title page – Loading Standard Data Package.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

1. Applicable security classification and CUI markings per MIL-STD-38784.

2. Family group will match the family group that is found in the SDP index.

3. Use APPROVED for LSDPs that have gone through verification, otherwise use PRELIMINARY instead.

4. All LSDPs require this title.

5. Type of munitions loading manuals.

6. List the munitions or family group covered by the LSDP.

7. When required, a disclosure notice shall be placed in the space indicated.

8. The distribution statement shall be placed in the space indicated.

9. When required, the export control notice shall be placed in the space indicated.

10. Include statement if munition contains a fuze.

11. This statement is required.

12. Publication Date.

13. Manuals containing CUI shall display the CUI designation indicator on the title page in accordance with DoDI 5200.48.

FIGURE 11. Typical title page – Loading Standard Data Package - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.




FIGURE 12. Example of withdraw distance and clear all box.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

CLEAR All CHECK BOXES TO XX-XXX-XXXX-X

CHECKLIST

NONNUCLEAR MUNITIONS LOADING PROCEDURES MISSLE, GUIDED, AIM-XX AND CAPTIVE AIR TRAINING MISSILE (CATM) AIM-XX BOMB, CHAFF/FLARE DISPENSING SYSTEM LAUNCHER, ROCKET LAU-XXX/X LAU-XXX/X, USAF SERIES A-XX AIRCRAFT

BASIC AND ALL CHANGES HAVE BEEN MERGED TO MAKE THIS A COMPLETE PUBLICATION.

DISTRIBUTION STATEMENT:

WARNING:

HANDLING AND DESTRUCTION NOTICE:

PUBLISHED UNDER AUTHORITY OF THE SECRETARY OF THE AIR FORCE

1 AUGUST 2016 CHANGE X 2 AUGUST 2017

FIGURE 13. Example of clear all check boxes button.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX A
NUCLEAR WEAPONS BASIC INFORMATION AND LOADING PROCEDURES MANUAL (FIGHTER AIRCRAFT) MARKUP LANGUAGE TOOLS

A.1 SCOPE

A.1.1 Scope. This appendix describes the standard Air Force (AF) markup language digital tools created for developing and delivering AF Technical Manuals (TMs). These tools are available in the Digital Support Suites (DSS) provided by the AF Technical Manual Specifications and Standards (TMSS) activity (see A.2). This appendix is a mandatory part of this detail specification. The information herein is intended for compliance.

A.1.2 Template Tool. The Document Type Definition (DTD) is the primary tool used as a template for authoring AF TMs and is based on rules outlined in MIL-PRF-28001 and ISO 8879. See A.2.1 for information about the DTD specified for this appendix subset.

A.2 DSS

The DSS is comprised of the following tools for authoring and rendering the TM. See A.3 for information about obtaining DSS component files in digital format through the TMSS activity web site. For information about the current status and availability of DSS tools, see A.3.4.

A.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.3). To be delivered digitally, the TM shall be tagged using the applicable DTD provided through the TMSS activity. Information concerning the markup language type and use of DTDs currently provided, i.e., Standardized General Markup Language (SGML), may be obtained through the contacts listed under A.3.

A.2.2 Tag Description Table (TDT). The TDT provides detailed descriptions of the elements contained in the DTD. The TDT contains the element tagging structure, parent elements, full element name, source paragraph, attribute descriptions unique to the element, and entities.

A.3 OBTAINING DSS TOOLS

A.3.1 Obtaining files by users with .mil website access. The following applies to those interested in obtaining DSS component files who are on a .mil internet domain, having .mil web address access.

A.3.1.1 AF TMSS website. DTDs, TDTs, and other files in the DSS can be accessed on the TMSS website at https://techdata.wpafb.af.mil/tmss/index.html. On the web page, the “Baseline Tools” menu option in the left pane contains two bulleted options called “Specifications & Digital Support Suites (DSSs)” and “Standards & Digital Support Suites (DSSs)”. Hover the cursor over “Specifications & Digital Support Suites (DSSs)” and a listing of the TMSS specifications will appear. Hover over the desired specification and another drop down list will appear that contains an entry indicating the PDF version of the specification and other entries for the associated appendices. To obtain the preferred subset DTD, select the desired appendix from the list. The following items will appear on the downloading page: The name of the specification, the appendix number and name, the current version of the DSS, buttons to download specific DSS files provided and a “Download” button to download the entire DSS zip file.

A.3.2 Obtaining files by users with a Public Key Infrastructure (PKI) certificate or a Common Access Card (CAC). The following applies to those interested in obtaining DSS component files who have a PKI certificate or a CAC:

A.3.2.1 AF TMSS SharePoint website. DTDs, TDTs, and other files in the DSS can be accessed at the AF TMSS SharePoint website: https://usaf.dps.mil/teams/12316/default.aspx.

A.3.3 Obtaining files by users without .mil access, PKI certificate, or CAC. Those seeking to obtain DSS files who do not have .mil web access, a PKI certificate, or a CAC should contact their Government program management office or see A.3.4 to obtain information.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX A

A.3.4 TMSS Helpdesk assistance. Address any requests relating to the DSS by e-mail to SGMLSUPPORT@us.af.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX B
NUCLEAR WEAPONS LOADING PROCEDURES MANUAL (BOMBER AIRCRAFT) MARKUP LANGUAGE TOOLS

B.1 SCOPE

See A.1.

B.2 DSS

See A.2.

B.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.4).

B.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX C
NONNUCLEAR MUNITIONS BASIC INFORMATION MANUAL (STANDARD VOLUME) MARKUP LANGUAGE TOOLS

C.1 SCOPE

See A.1.

C.2 DSS

See A.2.

C.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.5).

C.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX D
NONNUCLEAR MUNITIONS LOADING PROCEDURES MANUAL MARKUP LANGUAGE TOOLS

D.1 SCOPE

See A.1.

D.2 DSS

See A.2.

D.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.6).

D.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX E
INTEGRATED COMBAT TURNAROUND PROCEDURES MANUAL MARKUP LANGUAGE TOOLS

E.1 SCOPE

See A.1

E.2 DSS

See A.2

E.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.7).

E.3 OBTAINING DSS TOOLS.

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX F
NONNUCLEAR MUNITIONS LOADING STANDARD DATA PACKAGES MARKUP LANGUAGE TOOLS

F.1 SCOPE

See A.1.

F.2 DSS

See A.2.

F.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.8).

F.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX G
LOADING PROCEDURES CHECKLIST MARKUP LANGUAGE TOOLS

G.1 SCOPE

See A.1.

G.2 DSS

See A.2.

G.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.9).

G.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX H
INTEGRATED COMBAT TURNAROUND PROCEDURES CHECKLIST MARKUP LANGUAGE TOOLS

H.1 SCOPE

See A.1.

H.2 DSS

See A.2

H.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.10)

H.3 OBTAINING DSS TOOLS.

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX I
NATO STAGE B CROSS-SERVICING CHECKLIST (CL-1). MARKUP LANGUAGE TOOLS

I.1 SCOPE

See A.1.

I.2 DSS

See A.2.

I.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.11.2).

I.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX J
NATO STAGE B CROSS-SERVICING CHECKLIST (CL-2 AND SUBSEQUENT) MARKUP LANGUAGE TOOLS

J.1 SCOPE

See A.1.

J.2 DSS

See A.2.

J.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.11.3).

J.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

APPENDIX K
FUNCTIONAL CHECK PROCEDURES CHECKLIST (CL-1)/END OF RUNWAY (EOR) PROCEDURES CHECKLIST (CL-100) MARKUP LANGUAGE TOOLS

K.1 SCOPE

See A.1.

K.2 DSS

See A.2.

K.2.1 DTD. The DTD provides the structure and content template in accordance with the content specific requirements of this specification (see 3.12 and 3.13).

K.3 OBTAINING DSS TOOLS

See A.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Air Force - 16

Preparing activity
Air Force - 16
(Project TMSS-2024-001)

Review activities:
Air Force - 01 10 70 170

NOTE: The activities listed above were interested in the document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:18Z
Check the source to verify that this is the current version before use.