MILITARY SPECIFICATION

ANTISEPTIC-ANESTHETIC SOLUTION, PHENOLATED

This specification is approved for use by the Defense Personnel Support Center, Defense Logistics Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Antiseptic-Anesthetic Solution, Phenolated (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-585 - Boxes, Wood, Wirebound.
PPP-B-601 - Boxes, Wood, Cleated-Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be a flavored, clear, nontoxic, nonirritating, aqueous solution containing the following formula:

Phenol or phenolated compound, equivalent to total phenol 1.4 percent W/V; other ingredients, such as glycerin, eugenol, menthol, thymol, coloring and flavoring agents, etc.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

3.1.1 Additives. The coloring, flavoring and other ingredients used in the solution shall be in amounts approved by the FDA.

3.1.2 Shall be suitable for use in mouthwashes and gargle preparations.

3.2 Finished product (solution).

3.2.1 Assay. The solution shall assay to contain not less than 1.30 percent and not more than 1.50 percent of the required amount of total phenol calculated on a weight/volume basis when determined as specified in 4.7.1.

3.2.2 Identification. The presence of phenol in the final solution shall be determined using identification tests A and B in the USP monograph for phenol. In addition, the phenol in the solution shall have the same elution time as compared to the phenol reference standard solution similarly prepared when assay method II, as specified in 4.7.1, is used.

3.2.3 pH. The pH of the solution shall be between 7.5 and 9.7 when determined by the USP potentiometric method at 25°C.

3.3 Ingredients. All ingredients used in the manufacture of the solution shall be in accordance with the tests, standards, and requirements of the USP or NF, including any supplements or revisions thereto; or, if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.4 Quantity of contents. Immediate container (bottle) may be labeled from 2-7/8 fl oz (85 ml) to 3 fl oz (88 ml) as the quantity of contents.

3.5 Expiration dating period. The expiration dating period shall be not less than 36 months.

3.5.1 Delivery. Not more than 3 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.6 Workmanship. The material and its containers shall be free from defects which detract from their appearance or impair their serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of the inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of solution produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective	Units of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

4.3.1 End item testing. Noncompliance with any of the following is cause for rejection. The acceptance number for each test shall be zero (0).

TABLE II. Criteria for end item testing.

Characteristic	Requirement paragraph	Inspection level 1/	Minimum sample
Assay	3.2.1	S-2	5
Identification	3.2.2	S-2	5 Composite
pH	3.2.3	S-2	5

1/ Where possible, the sample shall be used for two or more tests.

4.4 Examination. The finished solution shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3 and 4.3.1.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE III. Classification of defects.

Categories	Defects 1/
Major	
101	Solution not essentially free from foreign matter.
102	Solution has crystal formation.
103	Solution not homogeneous.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks or tears.

1/ Inspection is not restricted to the classified possible defects listed above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

4.5 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests.

4.7.1 Assay for phenol content. Either of the two following methods may be used for the determination of the phenol content.

Method I - Titration Method

Reagents:

(a) Bromate-Bromide solution. Weigh 4.2 ± 0.2 grams of potassium bromate and 40 ± 1 grams of potassium bromide and transfer to a 2 liter volumetric flask, dissolve in and dilute to volume with purified water.

(b) Indicator solution.
Starch TS Solution. Prepare as per USP.
OR
Paragon-Iodine indicator (or equivalent). Dissolve about 4 grams of indicator in about 10 ml of purified water.

Procedure:

Pipet 10 ml of sample into a 50 ml volumetric flask and dilute to volume with purified water. Pipet 15 ml of the sample solution into a 500 ml iodine flask and add about 150 ml purified water. Prepare a reagent blank by adding 150 ml of purified water to a separate 500 ml iodine flask. Pipet 50 ml of the bromate-bromide solution into each flask, stopper and mix well. Add 5 ml hydrochloric acid to the top of each stoppered flask. Open the stopper and cautiously allow the acid to enter the flask. Rinse the stopper and mouth of flask with a small amount of purified water. Stopper as quickly as possible to avoid loss of bromine. Mix well; then add a small amount of purified water to the top of the flask to act as a seal. Place the flasks in the dark and allow to stand for 15 minutes. Remove the flasks from the dark and add 5 ml potassium iodide solution, 40 percent W/V, to the top of each flask. Open stopper carefully and allow the potassium iodide solution to enter the flask. Rinse the stopper and mouth of flask with a small amount of purified water and mix well. Stopper the flask and allow to stand 5 minutes. Titrate the sample and blank with 0.1N sodium

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

thiosulfate solution (VS) until the solution appears to be a light orange color, adding 3 ml of starch TS or 10 drops paragon-iodine indicator or equivalent. Complete the titration to a whitish-grey endpoint. Note: Upon sitting, particles settle out and solution becomes clear and colorless. Each ml of bromate-bromide solution is equivalent to 1.569 mg of phenol. Calculate the quantity (percent) of phenol in the solution.

Method II - High Performance Liquid Chromatography, HPLC

Standard Preparation

Reference Standard Phenol Solution. Weigh accurately about 0.70 gram of reference standard phenol and transfer to a 50 ml volumetric flask. Dilute to volume with purified water and mix until all the phenol is dissolved. Pipet 3 ml of this solution into a 50 ml volumetric flask. Dilute to volume with purified water and mix well. Note: The reference standard phenol shall be tested against the requirements in the USP monograph for phenol and shall meet all the requirements of the monograph. Test records delineating the results shall be made available, if requested. Test comparison for each lot of standard with Phenol, USP, need be performed one time only.

Sample Preparation

Pipet 3 ml of the sample into a 50 ml volumetric flask. Dilute to volume with purified water and mix well.

Instrument and Column Conditions:

Instrument and column may vary provided that equivalent chromatograms and results are produced.

Instrument: Suitable liquid chromatograph equipped with a differential UV-detector capable of measuring absorbance at 254 nm.

Column: Suitable column with 2.1 mm I.D.

Column Packaging: 1M Bondapak C_{18} or equivalent.

Mobile Solvent: Prepare in a ratio of 15 ml acetonitrile (spectrograde) to 85 ml of purified water. The solvent ratio may be adjusted to obtain a suitable chromatogram.

Instrument Parameters:

- Detector: 254 nm
- Flow rate: 0.5 - 1.0 ml/min
- Attenuation: Appropriate
- Injection volume: about 20 µl using a loop injector
- Recorder: Suitable
- Chart speed: 0.1 - 0.5 inches/min

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

Procedure:

Concomitantly chromatograph the reference standard solution and sample solution according to the described conditions. The phenol will elute in about 2.5 minutes at a flow rate of 1.0 ml/min. Note: Injection volume may vary depending upon instrument and parameters used in order to obtain adequate quantitative values. Calculate the quantity (percent) phenol in the solution.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. Forty-eight (48) bottles, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle with sprayer considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. Each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Two (2) units of issue shall be overpacked in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-585, Class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2 or PPP-B-636, class weather-resistant, grade V3c. Closure and strapping shall be as specified in the appendix of the applicable box specification. Special requirements of applicable table shall apply for PPP-B-636 box.

5.3.2 Level B. Two (2) units of issue shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, type CF, class domestic. Closure shall be as specified in the appendix of the applicable box specification. Fiberboard box shall be closed by method II of PPP-B-636. Special requirements of applicable table shall apply for PPP-B-636 box.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-01-050-7321	ANTISEPTIC-ANESTHETIC SOLUTION, PHENOLATED, 3 fl oz (88 ml), 48s, 1/ OR 2-7/8 fl oz (85 ml), 48s

1/ Firm may use either of the above designations (see 3.4).

Preparing activity:
DLA - DM

Project No. 6505-2003

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-A-37861(DLA-DM) ANTISEPTIC-ANESTHETIC SOLUTION, PHENOLATED

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.