MILITARY SPECIFICATION

ANTIVENIN, CROTALINE, POLYVALENT, USP

This specification is approved for use by the Defense Personnel Support Center, Defense Logistics Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Antivenin, Crotaline, Polyvalent, USP (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-B-676 - Boxes, Setup.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be a combination package (set) which is approved and released by the Bureau of Biologics (BoB), FDA. The set shall contain freeze-dried antivenin (crotalidae) polyvalent with the accompanying diluent (bacteriostatic water for injection), normal horse serum, and iodine tincture.

3.1.1 Antivenin (Crotalidae) polyvalent. Shall be Antivenin (Crotalidae) Polyvalent, USP, in accordance with the applicable requirements of the BoB, FDA, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type IV, class 1, style A. The antivenin, when reconstituted with the accompanying diluent, shall be suitable for use in the treatment of snake-bite.

S5.4 The following is added to this paragraph:

The antivenin (crotalidae) polyvalent shall be contained in a one dose vial.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

3.1.2 Diluent. Shall be Bacteriostatic Water for Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type I, class 1 (without medicament).

Shall be suitable for use in solubilizing the freeze-dried antivenin (crotalidae).

S5.2.1 The following is added to this paragraph:

The diluent shall be 10 ml in a single dose disposable syringe with a 20 gage 1-1/4 inch needle attached.

S6.1.3 Added substances. Shall contain phenylmercuric nitrate (1:100,000) as the preservative.

3.1.3 Normal horse serum (diluted 1:10). Shall be normal horse serum, diluted 1:10 in accordance with the requirements of the BoB, FDA.

3.1.3.1 Shall be supplied 1 ml, plus any excess, in a vial.

3.1.3.2 Diluent. The diluent used in the normal horse serum shall be acceptable to the BoB, FDA.

3.1.4 Iodine tincture. Shall be Iodine Tincture, USP, and shall be in accordance with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.1.4.1 Applicator vial. Each applicator vial, as specified, shall contain not less than 0.5 ml of iodine tincture.

3.2 Ingredients. All ingredients used in the manufacture of the product shall be in accordance with the tests, standards, and requirements of the USP, or NF, including any supplements or revisions thereto; or, if not included in either or these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.3 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of the inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One package containing one antivenin kit, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Antivenin (crotalidae) polyvalent and normal horse serum. The immediate containers for the antivenin (crotalidae) polyvalent and the normal horse serum shall be commercially available vials considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

5.2.2.1.2 Iodine tincture. The immediate container for the iodine tincture shall be a commercially available applicator vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.3 Diluent. The immediate container for the bacteriostatic water for injection shall be a commercially available disposable syringe (20 gage, 1-1/4 inch needle) considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. The components constituting one (1) unit of issue shall be packaged in a box of appropriate size constructed in accordance with PPP-B-676, type I, with thumb notches, except that commercial colors shall be acceptable. Box shall contain fittings adequate to prevent shifting of, or damage to, the contents. Closure shall be adequate to prevent spilling of contents under normal handling.

5.2.2.3 Intermediate package. Twenty-four units of issue shall be placed in a box of appropriate size and design, constructed in accordance with PPP-B-636, type CF, class domestic. Each box shall be adequately secured to prevent accidental opening.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Ninety-six units of issue shall be packed in an exterior container of appropriate size constructed in accordance with PPP-B-636, grade V3c, style RSC. Bursting strength of box shall be in accordance with special requirements of PPP-B-636. Closure and waterproofing shall be as specified in the appendix of the box specification. .

5.3.2 Level B. Ninety-six units of issue shall be packed in an exterior container constructed in accordance with PPP-B-636, type CF, class domestic. Bursting strength of box shall be in accordance with special requirements of PPP-B-636. Closure shall be as specified in the appendix of the box specification.

5.3.3 Level C. The packaged commodity shall be packed in shipping containers that will afford adequate protection against damge during direct shipment from the supply source to the first receiving activity. These packs shall conform to the applicable carrier's rules and regulations.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) Expiration date may appear on unit package in lieu of immediate container.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. When labels are utilized, waterproofing shall be required only when applicable box is fabricated of water-resistant material. Lot (control) number, contract or purchase order number, and name of contractor shall be shown. Type I shelf life markings as specified in MIL-STD-129 shall be shown, except that the date of manufacture shall not be required. Marking shall include the legends:

"DO NOT PERMIT TO FREEZE"

and

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

5.4.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number and type I shelf life marking as specified in MIL-STD-129 shall be shown, except that the date of manufacture shall not be required. Marking shall include the legends:

"DO NOT PERMIT TO FREEZE"

and

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-680-2787	ANTIVENIN, CROTALINE, POLYVALENT, USP

Preparing activity:
DLA - DM

Project No. 6505-2057

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-A-37890(DLA-DM) ANTIVENIN, CROTALINE, POLYVALENT, USP

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:38Z
Check the source to verify that this is the current version before use.