MILITARY SPECIFICATION

# BAG, PERSONAL EFFECTS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 Scope. This specification covers a cotton duck bag, to contain a patient's personal effects, for use with an adjustable hospital bed.

## 2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

| | |
|---|---|
| V-T-276 | - Thread, Cotton. |
| V-T-285 | - Thread, Polyester. |
| CCC-C-419 | - Cloth, Duck, Cotton, Unbleached Plied-yarns, Army and Numbered. |
| CCC-D-950 | - Dyeing and After Treating Processes for Cotton Cloths. |
| PPP-B-636 | - Boxes, Shipping, Fiberboard. |

MILITARY

| | |
|---|---|
| MIL-W-530 | - Webbing, Textile, Cotton, General Purpose, Natural or in Colors. |

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:34Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-751 - Stitches, Seams, and Stitchings.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

DRAWINGS

DEFENSE PERSONNEL SUPPORT CENTER (DPSC)
25024 - Bed, Folding, Hospital, Field.

(Copies of specifications, standards, drawings and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3.1 First article. When specified in the procurement document, the contractor shall furnish sample unit(s) for first article inspection and approval (see 4.1.2.1 and 6.2).

3.2 Material. Except as hereinafter specified, materials shall conform to the applicable portions of the specifications, standards and drawing. (Sheet 7 of DPSC Drawing No. 25024 and pages 5 and 6 of the Bill of Materials thereto contain all references to the bag.) Materials shall be subjected to the tests and meet the requirements specified in these documents. The metals shall conform to the chemical and physical requirements of the applicable specifications. Materials, not specifically designated herein, but used in the fabrication of the bag shall be suitable for the purpose intended. As an alternate, No. 12 duck, as specified in CCC-D-419, vat dyed O.D. #7, may be substituted for 9.85 oz. Army duck.

3.3 Design and construction. The bag shall be constructed in accordance with the applicable portions of DPSC Drawing No. 25024 and as specified herein.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:34Z
Check the source to verify that this is the current version before use.

3.4 Stitching. All stitching required in the fabrication of the bag shall be type 301 or 401 of Federal Standard 751. There shall be 8 to 10 stitches per inch. When machine stitching is not continuous or is broken there shall be not less than 1/2 inch overstitching at each break. All stitching shall be backtacked not less than 1/4 inch at the ends, to prevent unraveling except where the ends are turned under in a hem or held down by other stitching. Thread tension shall be properly maintained so that the lock shall be embedded in approximately the center of the materials sewed. All edges which are not selvaged shall be hemmed with stitching, Type EFb-1 of FED-STD-751. All seams shall be straight and evenly spaced.

3.5 Treatment. The finished cloth shall be type I, olive drab No. 7, class B of CCC-D-950 except that the cloth shall be made mildew-resistant by treatment limited to one of the following mildew inhibitors:

a. 2,2' Methylene - BIS (4-Chlorophenol).
b. Copper-8-Quinolinolate.

3.5 Identification marking. Each bag shall be marked on the back, permanently and legibly, with the contract or purchase order number, the name or registered trademark of the manufacturer and the National Stock Number.

3.6 Workmanship. Workmanship shall be first class throughout. Item shall be free from defects which detract from its appearance or impair its serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.



Source: https://assist.dla.mil -- Downloaded: 202640-21T11:34Z
Check the source to verify that this is the currentversion before use.

as both examination (such as visual and auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

4.1.2.1 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection.
b. Quality conformance inspection.

4.1.2.1.1 First article inspection. First article inspection shall be performed on the bag when a first article sample is required (see 3.1). This inspection shall include examination of 4.4.

4.1.2.1.2 Quality conformance inspection. Quality conformance inspection shall include the examination of 4.4.

4.1.3 Certificates of quality. Certificates of quality, supplied by the manufacturer of the materials may be furnished in lieu of actual performance of such testing by the contractor, provided lot identity has been maintained and can be demonstrated to the Government, and provided also that the test methods and the results obtained comply with those described in this specification. The certificate shall include the name of the contractor, the contract number, the name of the manufacturer or supplier, the NSN, the Item Identification, the name of the component/material, the lot number, the lot size, the sample size, the date of testing, the test method, individual test results, and the specification requirements.

4.2 Inspection lot.

4.2.1 Raw materials. An inspection lot for raw material inspection shall be all material produced under the same conditions and controlled to the degree that uniformity of product within the designated lot can be assured. Lot identification of the raw material by the manufacturer is one method of control, as cited above, which is considered acceptable.

4.2.2 End product. An inspection lot for inspection of end product shall consist of all bags of the same type produced under essentially the same conditions and offered for inspection at one time.

4.3 Sampling.

4.3.1 For examination. Sampling for examination shall be conducted in accordance with MIL-STD-105 and table I. The unit of product for sampling purposes shall be one bag.



Source: https://assist.dla.mil -- Downloaded: 202610-21T11:34Z
Check the source to verify that this is the current version before use.

TABLE I. Sampling for examination.

| | Inspection level | AQL (defect per hundred units) |
|---|---|---|
| For visual examination | | |
| Major defects | II | 2.5 |
| Total defects (Major and Minor combined) | II | 6.5 |
| For dimensional defects | S-1 | 6.5 |

4.4 Examination. The bag shall be examined to determine compliance with all requirements contained in this specification.

4.4.1 Classification of defects. Examination shall be conducted in accordance with the classification of defects listed in table II. Examination shall not be restricted to the classified possible defects listed below.

TABLE II. Classification of defects.

| Categories | Defects |
|---|---|
| Major | |
| 101 | Any component missing or not as specified. |
| 102 | Any component improperly aligned or assembled. |
| 103 | Stitched seam incomplete or missing. |
| 104 | Material has tear, hole or rip. |
| 105 | Any operation not in accordance with drawing requirements. |
| 106 | Stitching not type specified. |
| Minor | |
| 201 | Edge loose or unraveled. |
| 202 | Number of stitches not as specified. |
| 203 | Thread break not overstitched at least 1/2 inch. |
| 204 | Stitches not straight or even. |
| 205 | End of stitching not backstitched at least 1/4 inch, unless hemmed or held down by other stitching. |
| 206 | Edge not hemmed or selvaged (when specified). |
| 207 | Color not as specified. |
| 208 | Identification marking missing, incomplete, or illegible. |
| 209 | Blemish or imperfection in the weave of the cotton duck greater than 1/8 inch long. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:34Z
Check the source to verify that this is the current version before use.

4.4.2 Dimensional examination. The bag shall be examined for defects in dimensions. Any dimension not within the tolerances specified herein shall be classified as a defect.

4.4.3 Packaging inspection. The inspection of the unit package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and marking requirements of MIL-STD-129.

5. PACKAGING

5.1 Packaging. Packaging shall be level A or C, as specified (see 6.2).

5.1.1 Unit of issue. Each bag, as specified, constitutes one unit of issue.

5.1.2 Level A.

5.1.2.1 Unit packaging. Each patient bag shall be neatly folded to an approximate dimension of 12 by 8 inches and inserted into a snug fitting polyethylene bag. The bag shall be a flat style made of clear polyethylene film of not less than 0.00125 inch thickness. The bag shall be formed with heat sealed seams that are straight and continuous and parallel to each other and the formed edges of the bag. Closure of the bag shall be made by heat sealing or means of a tuck or reverse flap. A 1/4 inch diameter hole shall be made at one corner of the polyethylene bag to allow excess air to escape.

5.1.3 Level C. Each patient bag shall be packaged in a manner that will afford adequate protection against deterioration and physical damage during shipment from the supply source to the first receiving activity.

5.2 Packing. Packing shall be level A, B or C, as specified (see 6.2).

5.2.1 Level A. Twenty-four unit packages shall be packed in a shipping container designed for a type 2 load and conforming to PPP-B-636, class weather-resistant. Closure, strapping and waterproofing shall be as specified in the appendix of the box specification.

5.2.2 Level B. Twenty-four unit packages shall be packed in a shipping container designed for a type 2 load and conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification.



Source: https://assist.dla.mil -- Downloaded: 202610-21T11:34Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. The packaged patient bags shall be packed in shipping containers in a manner that will afford adequate protection against damage during direct shipment from the supply source to the first receiving activity. These packs shall conform to the carrier's rules and regulations.

5.3 Marking.

5.3.1 Unit package. Each unit package shall be marked as specified in MIL-STD-129. The required information shall be printed directly on the polyethylene bag across the center face or on a paper label inserted within the bag in such a manner to permit ready identification.

5.3.2 Shipping container. Each shipping container shall be marked as specified in MIL-STD-129.

6. NOTES

6.1 Intended use. The bag is intended for use with adjustable bed, NSN 6530-01-015-5189.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information on the procurement documents:

a. Title, number and date of this specification
b. Selection of applicable levels of packaging and packing (see 5.1 and 5.2).
c. When a first article is required (see 3.1, 4.1.2.1 and 6.3).

6.3 First article. When a first article is required, it shall be tested and approved under the appropriate provisions of the Defense Acquisition Regulation/Armed Services Procurement Regulation. The contract or purchase order specifies the quantity, procedure for delivery and other specific instructions for inspection and approval of the first article.

6.4 This specification covers the following item(s) listed in the Federal Supply Catalog:

| National Stock Number | Item Identification |
|---|---|
| 8465-00-115-6029 | BAG, PERSONAL EFFECTS, Olive-Drab Cotton. |

MILITARY CUSTODIANS:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DOD - MB

Preparing activity:
DLA - DM

Project No. 8465-0776



Source: https://assist.dla.mil -- Downloaded: 202640-21T11:34Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-B-37829 BAG, PERSONAL EFFECTS

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

**DD FORM 1 OCT 76 1426** EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:34Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

POSTAGE AND FEES PAID




**OFFICIAL BUSINESS**
PENALTY FOR PRIVATE USE $300

DEFENSE PERSONNEL SUPPORT CENTER
DIRECTORATE OF MEDICAL MATERIEL, CODE-ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:34Z
Check the source to verify that this is the current version before use.