MILITARY SPECIFICATION

SMALLPOX VACCINE, USP
Freeze-Dried, for Jet Gun

This specification is approved for use by the Defense Personnel Support Center, Defense Logistics Agency and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers freeze-dried Smallpox Vaccine, USP, for use in intradermal vaccination by hypodermic jet gun injection apparatus (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia, (USP)

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be freeze-dried Smallpox Vaccine, USP, for use in intradermal vaccination by hypodermic jet injection apparatus.

3.1.1 Smallpox vaccine. Shall be Smallpox Vaccine, USP, in accordance with the applicable requirements of the Bureau of Biologics (B of B), FDA, including additional standards for Smallpox Vaccine for jet-gun use, calf lymph origin, and shall be in accordance with all applicable requirements of the FED-STD-142, and as specified herein:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type IV, class 2, style A. Shall be suitable for use in intradermal vaccination by hypodermic jet injection apparatus with intradermal nozzle when properly reconstituted.

S5.2.1 The following is added to this paragraph:

Shall be freeze-dried Smallpox Vaccine, USP, of calf lymph origin.

S6.1.3 Added substances. May contain a suitable stabilizer and other added substances as required by the B of B.

S6.2.4.2 Suspensions of dry solids for injection. Paragraph S6.2.2 is not applicable.

S6.4 Dry solids in final container. Delete in its entirety and substitute:

S6.4 Dry solids (Freeze-Dried Smallpox Vaccine). The dry solids (Freeze-Dried Smallpox Vaccine) in vial shall be of sufficient quantity so that when the dry solids are reconstituted with the specified quantity of diluent, the resulting suspension shall contain 100 immunizing doses of approximately 0.1 ml per dose.

S6.5.1 Air in final container. The air in the final containers shall be evacuated to create a vacuum, and the air shall not be replaced.

S6.9.5 Samples of parenterals shall be submitted as follows:

The quality assurance representative, when inspection is at source, or the contractor, when inspection is at destination, shall send the following by fastest route directly to:

Department of Biologics Research
Division of Disease and Immunology
Walter Reed Army Institute of Research
Walter Reed Army Medical Center
Washington, DC 20012

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

(1) Six (6) samples (complete unit packages with circulars) from each lot or batch, accompanied by appropriate document bearing the following information:

(a) National Stock No.
(b) Item Identification
(c) Contract number
(d) Contractor's name and address
(e) Lot or control number
(f) Quantity of material represented by the sample

(2) One (1) copy of the protocol which the manufacturer had submitted to Bureau of Biologics stating the essential manufacturing processes and results of tests for each lot or batch.

(3) One (1) copy of Bureau of Biologics release for each lot or batch.

Shipment of material shall not be withheld for a report from Walter Reed Army Institute of Research.

When inspection is made at source, the cognizant quality assurance representative shall submit two (2) copies of document, submitted with samples, directly to the Directorate of Medical Materiel, Technical & Quality Assurance Division, Defense Personnel Support Center, Attention: Quality Assurance Branch, 2800 South 20th Street, Philadelphia, PA 19101.

When inspection is made at destination, the contractor shall submit one (1) copy of the Bureau of Biologics release and certificate of sterility for each lot or batch, and two (2) copies of document submitted with samples, directly to the Defense Personnel Support Center, addressed as shown above, and one (1) copy of the Bureau of Biologics release shall also be forwarded with the shipment to the consignee.

3.1.2 Diluent (for reconstituting the Freeze-Dried Smallpox Vaccine). The diluent for reconstituting the Freeze-Dried Smallpox Vaccine shall be in accordance with the requirements of the B of B, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I, class I.

Shall be suitable for use in reconstituting the Freeze-Dried Smallpox Vaccine. Shall contain approximately 10 ml.

S5.2.1 The following is added to this paragraph: Shall be Sodium Chloride Injection, USP.

S6.3 Delete in its entirety and substitute:

S6.3 Volume in final container. Each immediate container of diluent shall contain sufficient diluent so that the final suspension contains 100 doses.

3.2 Alcohol sponges. Two (2) alcohol sponges shall be furnished. The alcohol sponges shall be 100 percent cotton, non-woven fabric saturated with 70 percent isopropyl alcohol and individually packed in foil.

3.3 Expiration dating period. The expiration dating period shall be 18 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such time, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One package containing one vial of diluent, one vial of vaccine and two alcohol sponges, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Smallpox vaccine. The immediate container for the smallpox vaccine shall be a commerciallly available vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The vial containing the reconstituted vaccine shall be suitable for use with Hypodermic Injection Apparatus, Jet, Automatic and Hypodermic Injection Apparatus, Jet, Automatic, Foot Operated (see 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

5.2.2.1.2 Diluent. The immediate container for the diluent shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. In addition, the immediate container shall have a suitable transfer needle.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve (12) units of issue shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Ninety-six (96) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Ninety-six (96) units of issue shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container for the Smallpox Vaccine and Diluent. Each immediate container label for the Smallpox Vaccine and Diluent shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

In addition, the diluent shall be labeled as diluent for Smallpox Vaccine for use with hypodermic injection apparatus when equipped with an intradermal nozzle.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE BETWEEN 2° - 8°C (35° - 46°oF)" and "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE BETWEEN 2° - 8°C (35° - 46°F)" and "DO NOT PERMIT TO FREEZE".

NOTE: The unrefrigerated shipping time for this item shall be not more than seven days (168 hours).

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identfication
6505-00-926-4764	SMALLPOX VACCINE, USP, Freeze-Dried, for Jet Gun, 100 Doses.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

6.3 The Hypodermic Injection Apparatus items used to administer the vaccine are 6515-00-656-1021 Hypodermic Injection, Jet Apparatus, Automatic, 115 Volt, 50-60 Hz, Ac, and 6515-00-910-0097 Hypodermic Injection, Jet Apparatus, Automatic, Foot Operated.

Preparing activity:
DLA-DM

Project No. 6505-1961

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-S-37821(DLA-DM) SMALLPOX VACCINE, USP, Freeze-Dried f/Jet Gun

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:33Z
Check the source to verify that this is the current version before use.