INCH-POUND

MIL-C-48610B(AR)
AMENDMENT 1
12 July 1993

MILITARY SPECIFICATION

CIRCUIT CARD ASSEMBLY: 11746908, LOW VOLTAGE POWER SUPPLY CONTROL LOGIC

This amendment forms a part of MIL-C-48610B(AR), dated 30 June 1981, and is approved for use by the U.S. Army Armament, Munitions, and Chemical Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, Drawings, under Inspection Equipment: Delete "11750221" and substitute "11750221(REF)".

PAGE 6

Table I: Delete item 2.5 and substitute:

"

2.5	12.0 V dc	Tolerance: 0.5 V dc Ripple: 25 mV p-p max	Applied, as specified, between pins J1-40 (+) and J1-30 (-)

"

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.

PAGE 7

Table II: Delete item 6 and substitute:

"	6	28 ± 2V	12V	NA	NA	NA	+10V to +12V	NA	NA	"

Table II, item 2, column 29: Delete " +0.2 + 0.2V " and substitute " +0.2 ± 0.2V "

PAGE 11

Figure 2: Delete in its entirety and substitute:



FIGURE 2. Q-switch drive waveforms.

1/ Pulse widths and time intervals are specified at 50% of peak pulse amplitude.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.

PAGE 11

Figure 3: Delete in its entirety and substitute:



FIGURE 3. Sync signal A and B.

1/ Pulse widths and time intervals are specified at 50% of peak pulse amplitude.

PAGE 16

4.6.1: Delete in its entirety and substitute:

"4.6.1 Test equipment. The test equipment in table VIII may be used where specified to perform the required test. If alternate test equipment is to be used, the contractor shall submit inspection equipment designs for review and approval in accordance with the terms of the contract (see 6.4)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.

Add new paragraph 6.4 as follows:

"6.4 Submission of contractor inspection equipment designs for approval. Submit copies of designs as required to: Commander, U.S. Army ARDEC, ATTN: SMCAR-QAF-I, Picatinny Arsenal, NJ 07806-5000. This address will be specified on the Contract Data Requirements List, DD Form 1423 in the contract."

Custodian:
Army - AR

Preparing Activity:
Army - AR

(Project 1240-A945)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.