MIL-S-23190/1A
27 September 1974
SUPERSEDING
MIL-S-23190/1
16 March 1973


MILITARY SPECIFICATION SHEET

STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT

CLAMP, LOOP, NYLON, ADJUSTABLE, WIRE SUPPORT, TYPE III, CLASS 1

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the clamp described herein shall consist of this document and the issue in effect of specification MIL-S-23190.



Part Number
M23190/1-*

* See Table 1 for dash numbers

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 20261O-19T15:50Z
Check the source to verify that this is the current version before use.

TABLE 1

DASH NO.	NOM. SIZE	SIZE RANGE	H	A	B	C	E
0	3/16	1/8 TO 1/4	7/16	5/32	.078	.065	1/8
1	5/16	1/4 TO 3/8	1/2	13/64	.109	.065	3/16
2	7/16	3/8 TO 1/2	9/16	17/64	.109	.065	1/4
3	5/8	1/2 TO 11/16	5/8	23/64	.109	.065	3/8
4	7/8	11/16 TO 15/16	13/16	31/64	.109	.065	1/2
5	1 1/8	7/8 TO 1 1/4	15/16	21/32	.156	.093	3/4
6	1 1/2	1 3/16 TO 1 5/8	1 1/8	27/32	.156	.093	1
7	2	1 9/16 TO 2 3/16	1 3/8	1 3/32	.156	.093	1 1/4

NOTE

DIMENSIONS AND TOLERANCES APPLY WHEN INSTALLED ON A MANDRIL OF NOMINAL SIZE




FIGURE 2 - Typical Attachment

Source: https://assist.dla.mil -- Downloaded: 202610-19T15:50Z
Check the source to verify that this is the current version before use.

TABLE 2
TEST FIXTURE DATA

DASH NO.	TENSILE STRENGTH * MANDREL DIA. ± .020	VIBRATION TESTS ** WIRE BUNDLE M5082/2 WIRE	
		APPROX. NO. OF WIRES	WIRE SIZES
0	.188	3	14
1	.250	3	14
2	.250	5	14
3	.562	1	8
		9	14
4	.875	8	8
5	1.250	4	1/0
		5	14
6	1.250	4	1/0
		5	14
7	1.750	7	1/0
		6	8

* Ref. Figure 3 of MIL-S-23190
** Ref. Figure 4 of MIL-S-23190

Source: https://assist.dla.mil -- Downloaded: 20261O-19T15:50Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material: Nylon, heat stabilized composition, in accordance with MIL-M-20693, Composition A, Type I, Color: Natural.

2. Remove all burrs and sharp edges; break all sharp corners. Mold marks and normal vent flash are permissible.

3. Dimensions in inches. Unless otherwise specified, tolerances: Fractions ± 1/32 Decimals ± .030 Angles ± 2°.

4. Configuration may vary from that shown provided dimensions remain within tolerance.

5. Part number: The part number shall consist of the letter "M", specification sheet number, and a dash number from Table I.

   Example of Part Number: M23190/1-1

6. Tensile strength: Tensile strength for all dash numbers is 50 pounds, which is the minimum tensile strength of the largest plastic tiedown strap usable with the clamp.

Custodians:

Army - EL
Navy - AS
Air Force - 80

Review Activities

Army - AV, MI
Navy -
Air Force -

User Activities:
Army - ME, MC
Navy - EC, MC, OS, SH

Preparing Activity:

Navy - AS

Project No. 5340-1100

Source: https://assist.dla.mil -- Downloaded: 202640-19T15:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-S-23190/1A STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202640-19T15:50Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316

U.S. MAIL

Engineering Specifications and Standards Department (Code ES)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-19T15:50Z
Check the source to verify that this is the current version before use.