CCC–B–811

JUNE 28, 1932

SUPERSEDING
F. S. No. 499
June 10, 1927

FEDERAL STANDARD STOCK CATALOGUE

Section IV

(Part 5)

FEDERAL SPECIFICATION

FOR

BURLAP; JUTE

This specification was approved for promulgation by the Federal Specifications Board on June 28, 1932, for the use of the departments and independent establishments of the Government in the purchase of this commodity, and shall become mandatory for all departments and independent establishments of the Government not later than February 15, 1933. It may be put into effect, however, at any earlier date, after promulgation.

A. APPLICABLE FEDERAL SPECIFICATIONS.

A–1. The following Federal specification of the issue in effect on date of invitation for bids, shall form a part of this specification:

F. S. CCC–T–191. Textiles; Test Methods. (Federal Specification No. 345.)

A–2. Any special requirements of the individual departments of the Government are noted in section H.

B. TYPES AND GRADES.

B–1. The grade shall be that known commercially as "firsts."

C. MATERIAL AND WORKMANSHIP.

C–1. *Material.*—The material shall be made of jute.

C–2. *Workmanship.*—It shall be free from avoidable imperfections in manufacture and from defects or blemishes affecting the serviceability.

D. GENERAL REQUIREMENTS.

D–1. *Weave.*—The weave shall be plain.

D–2. *Tolerances.*—

D–2a. *Weight.*—A plus or minus tolerance of 5 per cent will be permitted.

E. DETAIL REQUIREMENTS.

E–1. The constructions shall be as shown in Table I.

448249 O - 42

Source: https://assist.dla.mil -- Downlo
Check the source to verify that this is th

TABLE I

Weight per linear yard (40-inch basis)	Threads per inch of warp	Threads per inch of filling	Weight per square yard
Ounces			*Ounces*
8	9 to 12, inclusive	8 to 11, inclusive	7.2
10	11 to 13, inclusive	10 to 12, inclusive	9.0
12	do	11 to 13, inclusive	10.8

E–2. *Width.*—Burlap shall be 40 inches wide unless otherwise stated.

E–3. No bale shall show signs of water stains or chafing.

F. METHODS OF SAMPLING, INSPECTION, AND TESTS.

F–1. Any requirements applicable to the individual departments are noted in section H.

F–2. *Sampling.*—Not less than one sample shall be taken at random from each 1,000 units or fraction thereof, except when the shipment is over 10,000 units, in which case a sample shall be taken from each 1/10 of the shipment.

F–3. *Testing.*—Federal Specification CCC–T–191, identical with General Specifications for Textile Materials FSB No. 345, in effect on date of invitation for bids, wherever practicable, shall be followed.

G. PACKAGING, PACKING, AND MARKING.

G–1. Any special requirements of the individual departments of the Government are noted in section H.

G–2. *Packaging.*—Unless otherwise specified, commercial packages will be acceptable under this specification.

G–3. *Packing.*—Unless otherwise specified, the material shall be packed in substantial containers, so constructed as to insure acceptance by common or other carrier, for safe transportation, at the lowest rate, to the point of delivery.

G–4. *Marking.*—Unless otherwise specified shipping containers shall be marked with the name of the material, the size, the type, quantity contained therein, the name of the contractor, and the number of the contract or order.

H. REQUIREMENTS APPLICABLE TO INDIVIDUAL DEPARTMENTS.

H–1. The following departmental specifications of the issue in effect on date of invitation for bids shall form a part of this specification.

H–1a. Army: United States Army Specification No. 100–2.

H–1b. Navy: Navy Department General Specification for Inspection of Material, together with Appendix III, Textiles. Copies of this specification and Appendix may be obtained without cost upon application to the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.

Source: https://assist.dla.mil -- Do
Check the source to verify that this

I. NOTES.

I–1. It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

I–2. This specification governs all United States Government purchases of this commodity. Users are requested to retain this specification in permanent file until a revision is issued.

I–3. Interested parties are advised that an Alphabetical Index of Federal Specifications may be obtained upon application to the Superintendent of Documents, Government Printing Office, Washington, D. C. Price to be obtained from the Superintendent of Documents.

I–4. Copies of this specification and also CCC–T–191 may be obtained from the Superintendent of Documents. Price, 5 cents.

Notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility or any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downl
Check the source to verify that this is th