EE-I-116E
July 28, 1972
SUPERSEDING
Int. Fed. Spec. EE-I-00116D(AGRA&MS)
October 8, 1970 and
Fed. Spec. EE-I-116B
May 29, 1953
(See 6.4)

FEDERAL SPECIFICATION

ICE CREAM, ICE MILK AND SHERBET, REGULAR AND MELLORINE OR MELLORINE TYPES, ICES AND NOVELTIES

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for regular (containing milk fat) and mellorine or mellorine type (containing edible fats of a nondairy origin) ice cream, ice milk and sherbets and ices and novelties for use by all Federal agencies (see 6.2).

1.2 Classification.

1.2.1 Types, classes, flavor categories, composition, styles and weight designations. The products covered by this specification shall be classified as follows (see 6.1):

Type I - Ice cream, regular, vanilla

Grade 1 - General, 10.0 percent fat (minimum)
Grade 2 - Premium, 14.0 percent fat (minimum)

Type II - Ice cream, regular, chocolate, fruits, nuts, or other bulky flavors

Grade 1 - General, 8.0 percent fat (minimum) (see 3.3.2 for special provision)
Grade 2 - Premium, 12.0 percent fat (minimum)

FSC 8910

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

Type III - Ice milk, regular

Type IV - Sherbet, regular

Type V - Water ice

Type VI - Novelties

Class 1 - Coated ice cream bar
Class 2 - Ice bar confection
Class 3 - Sherbet/ice cream bar confection
Class 4 - Frozen fudge bar confection
Class 5 - Ice cream sandwich
Class 6 - Ice cream cone (preformed)

Type VII - Mellorine and mellorine types, vanilla

Grade 1 - General, 10.0 percent fat (minimum)
Grade 2 - Premium, 14.0 percent fat (minimum)

Type VIII - Mellorine and mellorine types, chocolate, fruits, nuts, or other bulky flavors

Grade 1 - General, 8.0 percent fat (minimum)
Grade 2 - Premium, 12.0 percent fat (minimum)

Type IX - Ice milk, mellorine and mellorine types

Type X - Sherbet, mellorine and mellorine types

1.2.1.1 Flavor classification.-

1.2.1.1.1 Flavor classification of all types.-

(a) Category 1 - Those which contain no artificial flavors (natural flavors only).

(b) Category 2 - Those which contain both natural and artificial flavor in which the natural flavor predominates.

(c) Category 3 - Those which are flavored exclusively with artificial flavor, or with a combination of natural and artificial flavor in which the artificial flavor predominates.

1.2.1.2 Product composition.- Product composition shall conform to the tabular data of 3.3.1, 3.3.2, 3.3.3 and 3.3.4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

1.2.2 Styles.- The product shall be delivered, as specified, (see 6.1) in:

(a) Bulk (1, 2-1/2, 3 or 5 gallon).
(b) Cartons - solid pack (pint, quart, half gallon, gallon).
(c) Slices - (6 or 8 per quart).
(d) Molded individual portions or cups (2, 2-1/2, 3, 3-1/2, 4 or 5 fluid ounces).
(e) Other styles, as specified (see 5.1).

1.2.3 Weight designation (W.D.).- When designated by the procuring agency, (see 6.1), types I, II, VII and VIII finished product shall meet the minimum weight requirements as stated by the weight designation in the tabulation below. Where no weight requirements are designated, W.D.1 shall apply.

W.D.	Weight per gallon (min. pounds)	Food solids per gallon (min. pounds)	
		General	Premium
1	4.5	1.6	-
2	4.9	1.7	-
3	5.2	2.0	-
4	5.5	2.2	2.2

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specification:

C-M-1082 - Milkfat, Anhydrous, Butteroil.

Federal Standard:

FED-STD-123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D.C. 20402.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-M-1036	-	Milkfat (For Recombined Milk and Other Manufactured Dairy Products).
MIL-F-35081	-	Fat, Hydrogenated, Vegetable.

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-1155	-	Sanitary Standards for Frozen Desserts Plants.

2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

U.S. Department of Health, Education and Welfare

Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder.
Definitions and Standards of Identity for Frozen Desserts.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.)

U.S. Department of Agriculture

United States Standards for Condition of Food Containers.
United States Standards for Grades of Nonfat Dry Milk (Spray Process).
United States Standards for Dry Whey.
United States Standards for Grades of Dry Whole Milk.
United States Standards for Grades of Dry Buttermilk.

(Application for copies should be addressed to the Information Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, D.C. 20250.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

U.S. Standards for Grades of Butter.
General Specifications for Dairy Plants Approved for USDA Inspection and Grading Service.
Recommended Standards for the Manufacture of Frozen Desserts for Adoption by State Regulatory Agencies.
Dairy Plants Surveyed and Approved for USDA Grading Service.

(Single copies of the above publication may be obtained without charge from the Dairy Division, Agricultural Marketing Service, United States Department of Agriculture, Washington, D.C. 20205.)

Directory of Meat and Poultry Inspection Program, Establishments, Circuits and Officials.

(Copies of the above publication may be obtained upon application, accompanied by money order or cash to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Prices may be obtained from the Superintendent of Documents.)

Brucellosis Eradication - Recommended Uniform Methods and Rules, Agricultural Research Service, U.S. Department of Agriculture, Bulletin ARS 91-79.

(Copies may be obtained from the U.S. Department of Agriculture, Agricultural Research Service, Washington, D.C. 20205.)

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists.

(Application for copies should be addressed to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, D.C. 20044.)

American Oil Chemists' Society, Inc.

Official and Tentative Methods of the American Oil Chemists' Society.

(Application for copies should be addressed to the American Oil Chemists' Society, 35 East Wacker Drive, Chicago, Illinois 60601.)

International Association of Milk and Food Sanitarians, Inc.

3-A Sanitary Standards

(Application for copies should be addressed to the International Association of Milk and Food Sanitarians, Inc , Box 437, Shelbyville, Indiana 46176.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

American Public Health Association

Standard Methods for the Examination of Dairy Products.

(Application for copies should be addressed to the American Public Health Association, Inc., 1015 18th Street, N.W., Washington, D.C. 20036.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Material.-

3.1.1 Milk.- The raw milk used in the preparation of this product shall comply with all of the quality requirements for No. 1 milk (or better) specified in the U.S. Department of Agriculture (USDA) publication General Specifications for Dairy Plants Approved for USDA Inspection and Grading Service or in the USDA Recommended Standards for the Manufacture of Frozen Desserts for Adoption by State Regulatory Agencies. The milk shall be drawn from cows in herds accredited as tuberculosis-free and certified Brucellosis-free herds that have passed an annual tuberculosis test and meet USDA requirements for an individually certified herd or from cows in herds located in: (1) A modified accredited tuberculosis area; and (2) either (a) A certified Brucellosis-free area; or, (b) Modified certified Brucellosis area; or, (3) An area in the process of being accredited or certified by the USDA in accordance with USDA Agricultural Research Service Bulletin 91-79. The milk shall be practically free from colostrum, shall be fresh, wholesome and normal in appearance and odor and shall be subject to inspection by the procuring agency or duly authorized representative.

3.1.2 Milk products.- Milk products used in all types of frozen desserts, as applicable, (see exceptions, 3.1.2.7) shall be those permitted by the Definitions and Standards for Frozen Desserts. They shall impart a pleasing and characteristic flavor to the finished product. In addition, they shall meet the following requirements:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3.1.2.1 Skim milk, cream and sweet cream buttermilk.- Skim milk and cream shall be obtained by the separation of whole milk conforming to the requirements of 3.1.1. Sweet cream buttermilk shall be obtained from the churning of fresh, unripened, pasteurized cream. Raw skim milk and cream shall be maintained at a temperature not higher than 45°F. and shall be used within 72 hours following separation. Pasteurized skim milk, sweet cream buttermilk and cream shall not exceed a standard plate count of 50,000 per ml. or gram (as applicable), shall be maintained at a temperature not higher than 45°F. and shall be used within 96 hours following receipt.

3.1.2.2 Concentrated fluid dairy products including whey.- Concentrated fluid dairy products including whey as defined in the Definition and Standards of Identity for Frozen Desserts shall be free from objectionable flavors and odors. The standard plate count shall not exceed 50,000 per gram. The product shall be maintained at a temperature not higher than 45°F. and used within 96 hours following receipt.

3.1.2.3 Plastic cream.- Plastic cream shall meet the finished product and analytical requirements of MIL-M-1036.

3.1.2.4 Butter.- Butter shall conform to the requirements for U.S. Grade A or better at time of use and as defined in the U.S. Standards for Grades of Butter. The butter shall be unsalted.

3.1.2.5 Anhydrous milkfat and butteroil.- Anhydrous milkfat and butteroil shall meet the finished product requirements of C-M-1082.

3.1.2.6 Dry milk products.- Dry milk products, such as, nonfat dry milk, dry buttermilk, dry whole milk and concentrated or dry whey, shall be manufactured by the spray process and shall conform to the requirements for U.S. Extra Grade at the time of use and as defined in U.S. Standards for Grades for the product specified. The product shall have been prepared in a plant listed in USDA, "Dairy Plants Surveyed and Approved for USDA Grading Service".

3.1.2.7 Milk products.- Milk products used in premium ice cream shall be restricted to fresh milk, sweet cream buttermilk, skim milk, and cream (see 3.1.2.1), concentrated whole or skim milk (see 3.1.2.2) and U.S. extra grade nonfat dry milk, dry whey and dry buttermilk.

3.1.3 Vegetable fat (except coconut fat).- Vegetable fat, except coconut fat, shall conform to the requirements stated in MIL-F-35081, except that the melting point shall be 93° ± 3°F.

3.1.3.1 Coconut fat.- Coconut fat shall conform to the following physical and chemical requirements:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

Physical requirements:

(1) The product shall have a clean, bland flavor and odor.
(2) The product shall be free from extraneous materials.
(3) The liquified fat shall be clear and brilliant.
(4) The color shall be 15 yellow and 1.5 red Lovibond, maximum.

Chemical requirements:

Moisture	None
Wiley Melting Point	93° ± 3°F.
Free fatty acids, not more than	0.05 percent (as oleic)
Peroxide value not higher than	1.0 meq. per 1 kg. of fat
Iodine value not higher than	9
Fat stability (AOM) not lower than	100 hours

3.1.4 Sweetening ingredients.- Sweetening ingredients for general ice cream shall be those permitted by the Definitions and Standards for Frozen Desserts. Not more than 25 percent of the total added sweetener may be corn syrup or corn syrup solids for premium ice cream. The use of invert sugar and dextrose shall be limited in accordance with good commercial practice.

3.1.5 Stabilizers, emulsifiers, color and acidifying agents.- These optional ingredients shall be those permitted by the Definition and Standards for Frozen Desserts under the Federal Food, Drug and Cosmetic Act. All products shall be sound and wholesome, free from foreign material or undesirable extraneous material.

3.1.6 Eggs.- Whole eggs or egg yolks in the liquid, frozen or dried form may be used as an emulsifying agent or characterizing ingredient. When used as an emulsifying agent the level of egg yolk solids shall be less than the level required for characterizing the frozen dessert as a custard (1.4 percent). The egg products shall contribute a pleasing flavor to the ice cream and shall not contribute undesirable flavors or odors to the finished product. Egg products shall have been prepared in a plant under USDA inspection and shall bear the USDA inspection shield. Egg products shall have been laboratory tested and certified as being salmonella negative. In addition, egg products shall show a standard plate count not to exceed 10,000 per gram and a combined yeast and mold count not to exceed 10 per gram. The temperature of frozen egg products on receipt shall not be more than 10°F. nor below 0°F. and there shall be no evidence of thawing and re-freezing. At time of use, the egg products shall have no objectionable or abnormal odor.

3.1.7 Salt.- Salt shall be white refined, sodium chloride of food grade quality.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3.1.8 Water.- The water used in the products specified herein shall be from a potable sanitary source and approved by State or Federal authorities. It may be subjected to suitable chemical or heat treatment and shall not impart undesirable odors or flavors to the finished product. When the quality and potability of the water supply is outside the jurisdiction of the United States and its political subdivisions, approval by appropriate military authority shall be required.

3.1.9 Flavoring ingredients.- All flavoring ingredients used shall be those permitted in accordance with the document cited in 3.1.5. All products shall be sound, wholesome, possess a pleasing characterizing flavor, odor, color, appearance, body and texture, as applicable, shall be free from foreign matter or undesirable extraneous material and show no evidence of quality deterioration.

3.1.10 Plain and chocolate wafers and preformed cones.- Wafers and preformed cones of the type normally used in the commercial manufacture of ice cream sandwiches and filled cones shall be used. The wafers or modification in the form of a waffle design and cones shall be crisp, free from any crumbly tendency and shall not have any objectionable odor or flavor, such as staleness. They shall not become readily soggy after exposure with hardened ice cream in the finished product. Any commercially recognized size and shape of wafers shall be acceptable. The wafers and cones shall be properly packed and protected against hand contamination prior to use.

3.1.11 Chocolate coating for ice cream bars.- Chocolate coating or other flavors commonly used for bar dipping or spraying purposes shall be of the type used in commercial practice. Chocolate ice cream coatings may be of several types: dark, medium dark, light and milk chocolate, depending on whether or not milk solids have been added. Coatings containing added vegetable oils or fats other than cocoa fat and added lecithin shall be acceptable only to the extent that these additions are used to control good and uniform coverage of the bar, good drain-off of the coating and prompt drying following enrobing just prior to wrapping. Chocolate solids not fat shall be not less than 6.0 percent.

3.1.12 Ground almonds or peanuts (for ice cream cones).- When applicable, ground or chopped nuts used as part of the chocolate coating for ice cream cones shall be sound, clean and free from rancid, bitter or musty flavors. They shall have been prepared from whole nuts which have been sorted in a manner to remove any foreign material, shell fragments and discoloration. Before grinding, the peanuts (when used) shall have been blanched to remove their dark outer skins. In addition, they shall have received a medium dry roast. The nuts shall not be salted. Prior to use, the nuts, ground or chopped into small pieces, shall be practically free of nut dust and shall be crisp.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3.2 Preparation.-

3.2.1 Handling of milk and milk products.- Fluid milk and milk products shall be handled and used within the time limits stated for the specific products (see 3.1.2). Dry milk products shall be packaged in new commercially acceptable containers capable of protecting and preserving the contents during handling, transportation and storage. The bulk dry milk products shall be stored in a clean, dry, adequately ventilated, vermin-free area.

3.2.2 Formulation.- The basic unflavored mix shall be formulated by using the required and optional ingredients for the specific type of product. The use of whey products shall be limited to the extent specified in the Definition and Standards for Frozen Desserts.

3.2.3 Pasteurization.- The entire mix, including chocolate-flavored mix, shall be pasteurized by one of the following methods: (a) by heating every particle to at least 155°F. and holding at this temperature for at least 30 minutes; (b) by heating every particle to at least 175°F. and holding at this temperature for at least 25 seconds or (c) any other method of pasteurization recognized as equally efficient by the Food and Drug Administration, U.S. Department of Health, Education and Welfare or approved by the appropriate State or local authority. The pasteurized unflavored mix shall yield less than 1 microgram of phenol per gram when tested in accordance with the Scharer Rapid Phosphatase Method. (Note: The phosphatase test shall be considered a screening procedure and in no way shall a negative test be considered as positive proof of proper pasteurization as defined by health authority. A positive test shall be cause for immediate follow-up action to determine if improper pasteurization is directly involved).

3.2.4 Homogenization.- The mix shall be homogenized, if applicable, in accordance with good industry practice.

3.2.5 Freezing, hardening and storage.- The mix shall be frozen in a manner that assures correct overrun and consistency of the product for packaging and hardening. After packaging, the product shall be hardened in a manner that will retain the desired characteristics of the finished product. The product shall be stored at -10°F. or lower until shipped.

3.3 Finished product.-

3.3.1 Types I and VII - Ice cream, regular and mellorine or mellorine types, vanilla.- The frozen ice cream shall be wholesome and shall possess a pleasing and desirable flavor and appearance characteristic of vanilla or vanilla flavored

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

ice cream. The body and texture shall be fine, smooth, firm, and carry the appearance of smooth creaminess throughout. It shall be free from palpable sandiness or ice crystals. The ice cream shall melt to a creamy consistency when exposed to room temperature. Premium ice cream shall be flavored in accordance with 1.2.1.1.1 (a) or (b). The product shall conform to the chemical and microbiological requirements in Table I.

TABLE I.- Chemical and microbiological requirements (Types I and VII)

	Types I and VII	
	Grade 1	Grade 2
Fat, percent by weight, not less than 1/	10.00	14.00
Milk, solids - not fat, percent by weight not less than 2/	10.00	10.50
Stabilizers, percent by weight, not more than 2/	0.5	0.5
Emulsifiers, percent by weight, not more than 2/	0.2	0.2
Weight per gallon, pounds, not less than	4.5	5.5
Food solids per gallon, pounds, not less than	1.6	2.2
Standard plate count, per gram, not more than 3/	50,000	50,000
Coliform count, per gram, not more than 3/	10	10

1/ Plant records shall be maintained and made available upon request as an aid in determining compliance (applicable to type I product).

2/ Plant records shall be reviewed to determine compliance.

3/ Nonconforming if 3 out of the last 5 samples tested exceed requirements.

3.3.2 Types II and VIII ice cream, regular and mellorine and mellorine types, with chocolate, fruit, nuts, or other bulky flavors.- The frozen ice cream shall be wholesome and possess a pleasing and desirable flavor and appearance characteristic of the flavor specified. The body and texture shall be fine, smooth and firm and carry the appearance of creaminess throughout. It shall be free from palpable sandiness or ice crystals. Fat and total milk solids (milk fat plus milk solids not fat) shall meet the same requirements as for type I except for such reductions as is due to the addition of flavoring ingredient and complying with the bulky flavor reduction factor (see 6.2.1) of 2.5 for cocoa solids and 1.4 for fruits and nuts (Note: Bulky flavor reduction factor is not applicable to type VIII products). Product flavoring, as applicable, shall be in accordance with 3.3.2.1 and in all types, the amount added shall be sufficient to characterize the product flavor in accordance with good industry practice. Premium ice cream (grade 2) shall be flavored in accordance with 1.2.1.1.1 (a) or (b).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE II.- Chemical and microbiological requirements (Types II and VIII)

	Types II and VIII	
	Grade 1	Grade 2
Fat, percent by weight, not less than 1/	8.00	12.00
Milk solids - not fat, percent by weight, not less than 2/	8.00	10.50
Stabilizers, percent by weight, not more than 2/	0.5	0.5
Emulsifiers, percent by weight, not more than 2/	0.2	0.2
Weight per gallon, pounds, not less than	4.5	5.5
Food solids per gallon, pounds, not less than	1.6	2.2
Standard plate count, per gram, not more than 3/	50,000	50,000
Coliform count, per gram, not more than 3/	20	20

1/ Plant records shall be maintained and made available upon request as an aid in determining compliance (applicable to type II product).

2/ Plant records shall be reviewed to determine compliance.

3/ Nonconforming if 3 out of the last 5 samples tested exceed requirements.

3.3.2.1 Product flavoring.- Product flavored in accordance with category 1 (see 1.2.1.1.1 (a)), the percent by weight of added natural flavoring ingredients shall be not less than shown in Table III and in precautionary footnote 1/ thereto. Category 2 products (see 1.2.1.1.1 (b)) shall meet the minimum flavoring level provided for in the Federal Standards of Identity for Frozen Desserts.

TABLE III.- Percent by weight of added natural flavoring ingredients (Types II and VIII), (Grades 1 and 2) 1/

Chocolate solids-not-fat	2.0 2/ 2.7 3/ 3.1 4/ 3.2 5/
Nut Meats	4.5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE III.- Percent by weight of added natural flavoring ingredients (Types II and VIII), (Grades 1 and 2) 1/ (cont'd)

Fruit, fresh, frozen, or canned:	
Berry, cherry (excluding cherry vanilla), pineapple, peaches, apricots and nectarines	15.0
Other fruit	12.0
Fruit, dried; as prepared whole fruit, pulp or syrup	15.0
Citrus (level used depends upon the type of citrus flavoring used)	--

1/ More fruits or nuts shall be added over the minima specified if a characteristic full, well-rounded flavor intensity in the finished product is not readily apparent.

(Note: Recognition is given to the wide spectrum of fruits and nuts available on the market for use by the ice cream manufacturer, with corresponding variations in variety, stage of maturity, processing methods, use in terms of whole, sliced or pureed forms, sugar ratio, special preparations and blends.)

2/ Applicable when a high fat chocolate liquor blend is used (i.e. over 40% cocoa fat) exclusively.

3/ Applicable when breakfast cocoa or blends with chocolate liquor are used.

4/ Applicable when medium fat cocoa is used exclusively.

5/ Applicable when low-fat cocoa is used exclusively.

3.3.3 Types III and IX, ice milk, regular and imitation.- Frozen ice milk shall be wholesome and possess a pleasing and desirable flavor characteristic of the flavor specified. The body and texture shall be reasonably smooth and creamy. The product shall conform to the chemical and microbiological requirements shown in Table IV:

TABLE IV. Chemical and microbiological requirements (Types III and IX)

Fat, percent by weight, not less than 1/	2.00
Fat, percent by weight, not more than 1/	7.00
Milk solids-not-fat, percent by weight, not less than 2/	11.00
Weight per gallon, pounds, not less than	4.5

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the currentversion before use.

TABLE IV.- Chemical and microbiological requirements (Types III and IX) (cont'd)

Food solids per gallon, pounds, not less than	1.3
Standard plate count, per gram, not more than 3/	50,000
Coliform count, per gram, not more than 3/ 4/	10

1/ The bulky flavor reduction factor shall not apply. When bulky flavors are used they shall be used in accordance with 3.3.2.1. As an aid to determine compliance with the milk fat requirements of Type III product, plant records may be used.

2/ Plant records shall be reviewed to determine compliance.

3/ Nonconforming if 3 out of the last 5 samples tested exceed requirements.

4/ A maximum coliform count standard of 20 is applicable for product flavored with chocolate, fruit, nuts or other bulky flavors.

3.3.4 Types IV and X, sherbet, regular and mellorine and mellorine types.- The frozen sherbet shall be wholesome and possess a pleasing and desirable flavor characteristic of the flavor specified. The body and texture shall be firm and smooth, free from surface crustation, brittleness, syrup bleeding, and large ice crystals. The product shall conform to the chemical and microbiological requirements shown in Table V.

TABLE V.- Chemical and microbiological requirements (Types IV and X)

Fat, percent by weight, not less than 1/	1.00
Milk solids-not-fat, percent by weight, not less than 1/ 3/	2.00
Acid content, as lactic, percent, not less than 2/	0.35
Weight per gallon, pounds, not less than	6.0
Food solids per gallon, pounds, not less than	1.9
Standard plate count, per gram, not more than 4/	50,000
Coliform count, per gram, not more than 4/	10

1/ Total milk solids not to exceed five percent by weight.

2/ Optional in nonfruit flavored products.

3/ Plant records shall be reviewed to determine compliance.

4/ Nonconforming if 3 out of the last 5 samples tested exceed requirements.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the currentversion before use.

3.3.5 Type V, water ices.- Water ices shall be similar in composition to sherbet except that they shall contain no milk products. The microbiological counts shall be as specified for types IV and X. The finished product shall have the same general flavor characteristics as for sherbets but the body and texture may be slightly coarse.

3.3.6 Type VI - Novelties.-

3.3.6.1 Class 1 - Coated ice cream bar.- Coated ice cream bar shall be prepared by commercially recognized procedures. The ice cream component shall meet the requirements of types I and II, grade 1 products, except that the entire unit shall comply with the microbiological requirements of type II product. The ice cream shall be directed into appropriate molds, with or without stick insertions (see 6.1) and hardened rapidly in low temperature brine tanks or freezing tunnels. The molded pieces shall be dipped in coatings, usually chocolate, and wrapped or bagged by mechanical means. The coating shall be of good, pleasing flavor and color, compatible with the flavor of the ice cream used. When chocolate coating is used, the molded piece shall show no fractures (minor hairline cracks in the coating shall be acceptable) and no exposed ice cream. The coating shall be smooth (unless imbedded with nuts, candy pieces, etc.), dry and the bar uniformly coated. The molded piece shall be free of air voids and geometrical irregularities. Chocolate coating shall be of a thickness equivalent to a coating yield of approximately thirty-two 3-ounce molded bars per pound of coating. Such information may be obtained from plant records. The volume for a finished molded bar shall be as specified in 1.2.2 (see 6.1) and shall be determined in accordance with 4.5.1. The stick hand grip section of the bar shall be free of coating.

3.3.6.2 Class 2 - Frozen ice bar confection.- Frozen ice bar confection may be made by quiescently freezing a water ice base in a mold with a stick (single or twin) inserted into the product. No overrun shall be permitted. The volume shall be determined by the volume displacement method (see 4.5.1). Frozen ice bar confections shall meet the microbiological requirements of type II product. The product shall be of uniform color, flavor and firmness and typical of the flavor specified. The bar shall be individually wrapped and the volume shall be as specified in 1.2.2 (see 6.1) and shall be determined in accordance with 4.5.1.

3.3.6.3 Class 3 - Sherbet/ice cream bar combination.- This combination bar shall consist of an inner core of ice cream, conforming to the requirements of Type I, Grade 1 and an outer core of sherbet meeting the requirements of Type IV. The ratio of sherbet to ice cream shall be 1:1, by volume. The entire unit shall comply with the microbiological requirements of Type II product. The volume shall be as specified in 1.2.2 (see 6.1) and shall be determined in accordance with 4.5.1. The molded bar shall be single stick inserted. The ice cream portion shall remain distinctively separated from the sherbet portion with no visible loss of identity.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

3.3.6.4 Class 4 - Frozen fudge bar confection.- Frozen fudge bar confection may be prepared from commercially developed fudge flavored powder base of the composition and quality normally used for this product. The finished product may be of the no fat or low fat type. The product shall be frozen in a mold with a stick inserted into the product. About 20 percent overrun may be incorporated into the product to enhance body and eatability of the item. The volume shall be determined by the volume displacement method (see 4.5.1). The frozen fudge bar confection shall meet the microbiological requirements of Type II product. The product shall show no evidence of abnormal darkening of color, stickiness or gumminess, difficult release from wrapper, and similar defects due to improper formulation and production methods or prolonged storage time. The product shall be uniform in color, flavor and firmness, and typical of the confection. The product shall be individually wrapped and the volume shall be as specified in 1.2.2 (see 6.1) and shall be determined in accordance with 4.5.1.

3.3.6.5 Class 5 - Ice cream sandwich.- The ice cream portion shall comply with the requirements of Type I, Grade 1 product except that the microbiological requirements of the entire unit shall comply with Type II product. Uniform slices of ice cream or ice cream extruded in a manner which will yield such slices shall be inserted between wafers, waffle or smooth (with perforations) types and which shall be plain or chocolate flavored. The shapes may be round, rectangular or square. The sandwich shall be uniform in its dimensions and shall not show ice cream on the exterior of the wafers. The wafers shall not be soggy or crumbly and shall not be broken. One small crack or break not affecting eye appeal or the usability of the product shall be acceptable. The sandwich shall be individually wrapped and its ice cream volume shall be as specified in 1.2.2 (see 6.1). Procedure for determining volume shall be in accordance with 4.5.1.2.

3.3.6.6 Class 6 - Ice cream cone (preformed).- The ice cream portion shall comply with the requirements of Type I, Grade 1 product except that the entire unit shall meet the microbiological requirements of Type II product. Preformed cones shall be machine filled with ice cream in a manner which shall eliminate manual dispensing of the cones. The ice cream may receive a chocolate coating with or without ground almonds or peanuts (see 3.1.12). The coating shall comply with the requirements of 3.1.11. The exposed product shall be capped and sealed immediately after filling. The finished cone shall not be soggy, crumbly or broken in a manner which will be objectionable to the consumer or unusable when eaten out of hand. The individual cone shall be prewrapped and its volume of ice cream shall be as specified in 1.2.2 (see 6.1). Procedure for determining volume shall be in accordance with 4.5.1.2.

3.4 Age of product.- The finished product shall be delivered within 60 days after date of manufacturing and packaging, except that Types I, II, VII and VIII, Grade 2 products and Type VI novelties shall be delivered within 90 days after manufacturing and packaging.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the currentversion before use.

3.4.1 Coding of packaged products.- Individual primary containers of 1-pint size and larger and intermediate cartons shall be coded so that the date of manufacture can be determined readily.

3.5 Delivery temperature.- The internal temperature of the products covered by this specification at time of delivery to the first delivery point within a receiving activity shall not exceed 0°F.

3.6 Plant qualifications.- The product shall originate, be processed, marked and handled in plants which are operated under the USDA General Specifications for Dairy Plants Approved for USDA Inspection and Grading Service and listed by the U.S. Department of Agriculture in the document titled, "Dairy Plants Surveyed and Approved for USDA Grading Service," and approved for the finished product described in this specification, or in plants complying with the "Recommended Standards for the Manufacture of Frozen Desserts" as adopted by the individual State in which the plant operates, or in plants meeting the requirements of MIL-STD-1155.

3.7 Federal Food, Drug and Cosmetic Act.- All deliveries shall conform in every respect to the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to perform the examinations and tests prescribed herein, using his own or any other inspection facilities and services acceptable to the Government.

4.1.1 Inspection records.- Inspection records of the examinations and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling.- Samples of finished products covered by this specification and samples of any materials, components, or constituents entering into the preparation of finished products may be taken at any time by the Government inspector to determine compliance with the requirements. Procedures for the collection and holding of samples; the selection and preparation of apparatus, media, and reagents; and the analytical procedures, incubation, reading, and reporting of results shall be in compliance with Standard Methods for the Examination of Dairy Products, and the Official Methods of Analysis of the Association of Official Analytical Chemists.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.3 Inspection.-

4.3.1 General.- Inspections shall be made by the procuring agency or a duly authorized representative at the time and place designated by the procuring agency. It may be at the site of manufacture, both during and after processing, or at any point in transit, or at time of delivery at the point of destination.

4.3.2 Condition inspection of containers.- When inspection of containers for condition is performed by the USDA, the U.S. Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for the Military see 4.4.3.3.)

4.3.3 Preacceptance factory sanitation inspection.-

4.3.3.1 Plant qualification conditions.- The product furnished under this document shall be unacceptable if not produced and stored in plants which currently meet the qualification conditions of 3.6.

4.3.3.1.1 Eligibility listing.- Plants listed or eligible for listing in the current bulletin, Dairy Plants Surveyed and Approved for USDA Grading Service or plants complying with the USDA Recommended Standards for the Manufacture of Frozen Desserts and approved by the individual State in which the plant operates and the Directory of Sanitarily Approved Food Establishments for Armed Forces Procurement may be accepted as evidence of compliance.

4.3.4 Final inspection.- Unless otherwise specified, final inspection shall be made at time of delivery to the point of destination (see 6.1).

4.4 Inspection.- Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.4.1 Component and material inspection.- In accordance with 4.1, components and materials shall be inspected in accordance with requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified, in this specification or applicable purchase document.

4.4.1.1 USDA certificate for grade, quality or condition.- When specified by the procuring agency (see 6.1), the supplier shall furnish a U.S. Department of Agriculture inspection or grading certificate evidencing quality and condition of the finished product or U.S. Grade of the dairy ingredients as outlined in procurement documents.

4.4.1.2 Basis for acceptance by the Government.- The supplier is responsible for offering to the Government acceptance only those items that conform to all contractual requirements (see 4.1). The Government will conduct quality conformance inspections required to determine acceptability of the components and finished product in accordance with inspection procedure set forth in the following paragraphs:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.4.1.3 Inspection of milk and milk products.-

4.4.1.3.1 Animal sources.- Inspection shall be made to determine that cows supplying the milk used in the preparation of this product are in disease-free herds as specified in 3.1.1. Determination of herd status regarding tuberculosis and brucellosis shall be made by contacting the nearest office of the Agricultural Research Service of the Animal Health Division. (Location of this office may be ascertained by consulting the publication entitled Directory of Meat and Poultry Inspection Program, Establishments, Circuits and Officials.) Nonconformance to the above referenced requirements shall be cause for rejection of the lot.

4.4.1.3.2 Establishment sources for milk and milk product components.- Inspection shall be made to determine that all processed dairy products used in the manufacture of the end item originate from establishments listed by the U.S. Department of Agriculture in the document entitled: Dairy Plants Surveyed and Approved for USDA Grading Service and approved for the specific product used in the manufacture of the end item, in a plant(s) approved by the individual State which has adopted the USDA Recommended Standards for the Manufacture of Frozen Desserts, or, from military approved sources, as listed in the Directory of Sanitarily Approved Food Establishments for Armed Forces Procurement. Nonconformance to the above requirements shall be cause for rejection of the involved component lot or the finished product made therefrom, as applicable.

4.4.1.3.3 Examination of raw milk.- Examination and testing of raw milk shall be made to determine compliance with the referenced quality requirements of 3.1.1. Records of all specified examinations and tests shall be made available for review. Failure to comply with one or more of the above referenced requirements, reflected by actual examination and tests or by examination of records, shall be cause for rejection of the involved lot of finished product made therefrom.

4.4.1.3.4 Examination of other milk products.- Conformance of dairy product ingredients to the requirements of 3.1.2 and additional requirements of 3.1.2.1 through 3.1.2.6 (except those paragraphs relating to plastic cream and anhydrous milkfat), as concerns identity, age and applicable grade at time of use, raw milk source and applicable grade, shall be ascertained by examination of pertinent labels, invoices, USDA grade certificate, plant records, or other valid documents. Failure to conform to one or more of the above referenced requirements, reflected by actual examination or by examination of records or failure to maintain all such pertinent records, shall be cause for rejection of the involved lot of finished product made therefrom.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the currentversion before use.

4.4.1.3.5 Examination of vegetable fat.- Examination of vegetable fat (except coconut fat) shall be made in accordance with the examination criteria for product characteristics of MIL-F-35081, (note Wiley melting point exception in 3.1.3.1), except that the sampling plans and acceptable quality levels (AQLs) shall not apply. The sample for examination shall be approximately 1-pound composite derived from 5 primary containers or all containers if less than 5 form a lot. Nonconformance to one or more requirements shall be cause for rejection of the involved lot of finished product.

4.4.1.3.6 Examination of coconut fat.- Conformance of coconut fat to the requirements of 3.1.3.2 as concerns identity shall be determined by examination of pertinent labels, invoices, or other valid documents. In addition, the fat shall be examined organoleptically, as necessary, to determine conformance to the above referenced condition requirements as concerns flavor, odor, appearance and presence of extraneous materials. The sample for examination shall be approximately 8 ounces taken from each of 5 primary containers or all containers if the lot contains less than 5 containers. Nonconformance to one or more identity or condition requirements shall indicate an unacceptable product and use of such shall be cause for rejection of the involved lot of finished product.

4.4.1.3.7 Examination of plastic cream, churned fat, anhydrous milkfat and butteroil.- Examination of these components shall be made in accordance with the examination criteria for product characteristics of referenced specifications in 3.1.2.3 and 3.1.2.5, as applicable, except that the sampling plans and acceptable quality levels (AQLs) shall not apply. The sample for examination shall be an approximate 1-pound composite derived from 5 primary containers or all containers if less than 5 form a lot. Nonconformance to one or more requirements shall be cause for rejection of the involved lot of finished product.

4.4.1.3.8 Examination of sweeteners, stabilizers, emulsifiers, coloring, acidifying agents, eggs, salt, flavoring, fruit products, nuts, chocolate products, confectionary, sandwich wafers, preformed ice cream cones and other bulky flavors.- Conformance of these non-dairy ingredients to the requirements of 3.1.3 through 3.1.12 (except 3.1.7), as concerns identity shall be determined by examination of pertinent labels, USDA Inspection Shield and USDA Certificate attesting to salmonella negative product, invoices or other valid documents. In addition, each ingredient shall be examined organoleptically, as necessary, to determine conformance to the applicable condition requirements of aforementioned referenced paragraphs. The sample unit for examination shall be approximately 1 pound of ingredient (1 ounce for extracts, flavoring oils, emulsions and concentrates and 5 sandwich wafers, and 5 preformed cones) derived from each of 3 primary containers. In the event a lot consists of less than 5 containers, a sample unit shall be extracted from each container in the lot. One or more sample units not conforming to identity or condition requirements or absence of USDA Inspection Shield and USDA Certificate as specified shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.4.1.3.9 Examination of water.- Water used in the preparation of the end item shall be examined to determine compliance with the requirements of 3.1.8 as concerns potability, approval source and condition. This determination shall be performed by examination of current approval source document(s) from State or Federal authority and organoleptically, as necessary, to satisfy condition requirements. Adequate inspection frequency shall be maintained to assure acceptability of the water supply, but in no instance shall the frequency be less than one examination every six months. Nonconformance to an approval source or to one or more condition requirements shall be cause for rejection of the involved finished product.

4.4.2 Testing of components (military agencies).- When specified by the procuring agency (see 6.1), testing of components described in this specification shall be as shown in Table VI. Results shall be applicable to the lot average. Nonconformance to one or more test results shall be cause for rejection of the involved end item.

TABLE VI.- Testing of components 1/

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported	Test ref. & rqmt. para.
Pasteurized skimmed milk, sweet cream buttermilk and cream	1 primary container 2/	Primary containers	2/	Standard plate count	3/	4.5.2 3.1.2.1
Concentrated dairy products	1 primary container 2/	Primary containers	2/	Standard plate count	3/	4.5.2 3.1.2.2
				Coliform count	3/	4.5.2
				Phosphatase activity	Pass or fail	4.5.3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE VI.- Testing of components 1/ (cont'd)

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported	Test ref. & rqmt. para.
Coconut fat	2/	Primary containers	2/	Color	Pass or fail	4.5.1.3 and 3.1.3.2
				Moisture	To nearest 0.1 percent	
				Wiley melting point	To nearest degree Fahrenheit	
				Free fatty acids (as oleic acid)	To nearest 0.01 percent	
				Peroxide value	To nearest 0.1 meq./kg. of fat	
				Iodine value	To nearest whole number	
				Fat stability (A.O.M.)	Pass or fail 4/	

1/ In lieu of actual testing, a certified laboratory analysis report covering specific lots in use on a Government contract shall be acceptable.

2/ The sample for testing any of the dairy products listed, when applicable, shall be an approximate 6-fluid-ounce composite, derived aseptically from 5 primary containers or all containers if less than 5 form a lot. The sample for testing coconut fat shall be an approximately 1-pound composite derived from the same number of containers as for dairy products.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3/ Report results in accordance with procedure described in Standard Methods for the Examination of Dairy Products.

4/ If failure, report to nearest hour.

4.4.3 In-process examination.-

4.4.3.1 Temperature of components (as applicable), handling of milk and milk products, age at time of use, processing time intervals and formulation.- Unless otherwise specified (see 6.1), examination shall be performed during processing to determine conformance to the requirements of 3.1.2 (see also 3.2), as concerns components used and pertinent processing criteria. Records of time and time intervals, temperatures, formulation and all applicable control data shall be maintained. Nonconformance to one or more of the above referenced requirements, reflected by actual examination or by records, shall be cause for rejection of the involved quantity of finished product.

4.4.3.2 Pasteurization, homogenization, freezing, hardening and storage.- Unless otherwise specified (see 6.1), examination shall be made during processing to determine conformance to the requirements of 3.2.3, 3.2.4 and 3.2.5 processing and handling procedures, temperatures, overrun control and other pertinent operational methods which will yield a product of the type, grade, class, flavor, category, composition and weight designation specified in the purchase contract (see also 4.4.3.1 and 4.4.3.3). Records of all pertinent control data including results of phosphatase test shall be maintained. Nonconformance to one or more of the above referenced requirements, reflected by actual examination or by records, shall be cause for rejection of the involved quantity of finished product.

4.4.3.3 Examination of end item (Military agencies).- When specified by the procuring agency (see 6.1), examination of the end item shall be performed in accordance with Tables VII through IX, and 4.4.3.4.2 through 4.4.3.7. The examination criteria for the above mentioned tables shall be as shown in Table VIB. The acceptable quality levels (AQLs) shall be expressed as percent defective for Table VII and as defects per hundred units for Tables VIII and IX.

4.4.3.4 Civil agencies.-

4.4.3.4.1 Lot size.- An inspection lot for examination or testing shall be one type, grade, class, flavor or style. The size shall be expressed in terms of primary containers. More than one production code, that is, product produced in one day, may be included in the lot if the number of cases from each code represented in the lot is known and the production dates are all within thirty days. See 4.4.3.4.3 for rate of verification testing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.4.3.4.2 Examination for net weight, packaging and product characteristics.- Examination of end item for the net weight, packaging, and product characteristics shall be in accordance with the following procedures. The appropriate minimum sample size designated in Table VIA as applicable shall be performed by drawing one sample unit per shipping case selected proportionally from the production codes represented in the inspection lot. The applicable acceptance (AC) and rejection (RE) numbers are given in Table VIA. Classification of defects found during the examination shall be in accordance with Tables VII, VIII and IX.

4.4.3.4.3 Rate of verification examination.- Unless otherwise specified (see 6.1) the procuring agency or duly authorized representative will select verification samples according to Table VIA to check compliance with applicable finished product requirement in Tables VII, VIII and IX at not less than the following rate:

Initial or retest period	Sampling rate
If supplier has not had a contract in previous 90 days; or if the last samples tested from a supplier were unsatisfactory.	One sampling from each inspection lot (see 4.4.3.4.1) until 3 consecutive lots are satisfactory and then sample at routine rate.
Routine test period	
After 3 consecutive satisfactory inspection lots.	At least twice a month from an inspection lot. 1/

1/ Samples may be drawn from each inspection lot, but it is the intent of this specification to test a representative lot from a satisfactory supplier and to consider that other inspection lots have been comparably produced.

TABLE VIA.- End item examination criteria (civil agencies)

Number of primary containers in the inspection lot	Minimum sample size	Major		(Major & Minor) Total	
		Ac	Re	Ac	Re
2 - 50	2	*	*	0	1
51 - 500	8	0	1	1	2
501 and over	13	0	1	2	3

* Lot with one or more defects shall be rejected.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE VIB.- End item examination criteria (military agencies)

Table	Inspection level	Sample unit	Lot size expressed in	AQLs	
				Major	Minor
VII	S-3	1 primary container	Primary containers	-	2.5
VIII	S-3	1 primary container	Primary containers	1.5	6.5
IX	S-3	1 primary container	Primary containers	1.5	6.5

4.4.3.4.4 Product lot sampling.- Product supplied under the provisions of this specification to more than one consumer from the same production lot by a supplier may for the purposes of this paragraph be sampled as one delivery. This does not preclude more intensive sampling by the consumer of product suspected of noncompliance.

4.4.3.4.5 Rejection criteria.- Noncompliance with one or more requirements shall be cause for rejection of the lot.

TABLE VII.- Examination for net weight and net volume 1/ 2/ 3/

Category	Defect
Minor	
201	Net weight more than 1 percent under contract net weight (for units over 1 gallon). (Report weight to nearest 1 ounce.)
202	Net weight more than 2 percent under contract net weight (for units between 1 pint and 1 gallon). (Report weight to nearest 1/2 ounce.)
203	Net weight more than 5 percent under contract net weight (for units up to 1 pint). (Report weight to nearest 1/4 ounce.)
204	Net volume less than specified or marked net volume. 4/ (See 4.5.1.1 and 4.5.1.2)

1/ The sample unit shall be one primary container. In the case of slices, the primary container shall be considered to be the immediate container enclosing

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

one quart or multiple thereof of individually wrapped slices of product; for cups, sandwiches, molded individual portions, etc., the sample unit for weighing shall be the intermediate container containing multiples of 4 or 6, as applicable. The alternative to weighing sandwiches or preformed ice cream cones shall be in accordance with 4.5.1.2.

2/ When no specified contract net weight standard is indicated, one or more sample units weighing below the minimum weight of 4.5 pounds per gallon or equivalent (see 1.2.3) shall be cause for rejection of the involved lot of finished product.

3/ Lot shall be rejected if sample data indicate lot average net weight is less than specified weight.

4/ See 4.5.1.2 for procedure. Determine volume on each of 5 novelties for each kind, selected at random from each primary container. The lot shall be rejected if the lot average volume of the 5 pieces is less than the specified or marked net volume.

TABLE VIII.- Examination of packaging characteristics

Category		Defect
Major	Minor	
101		Tear, hole or improper closure of outer container exposing product.
102		Product shrunk from package.
103		Gross under or over filling.
104		Wrappers or liners, as applicable, missing.
105		Unclean liners or wrappers at product contact surfaces or exteriors.
106		Nomenclature missing, incorrect or illegible.
	201	Labeling information other than nomenclature missing.
	202	Product smeared on exterior or bar coating smeared on inside of wrapper.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE VIII.- Examination of packaging characteristics (cont'd)

Category		Defect
Major	Minor	
	203	Zip opening, if applicable, fails to work or poor wrapper release from novelty piece.
	204	Foreign odor.
	205	Package crushed or misshapen.
	206	As applicable, number of slices, cups, etc. per container not as specified or individual spoons missing in cup cartons.
	207	Slices frozen together so as to become difficult to separate (due to excessive softening of product before hardening). 1/
	208	One or more improperly wrapped slices exposing other than ends of slices or other novelties and molded forms in - completely wrapped, exposing product.
	209	Lack of uniformity in size of packed slices in primary container. 1/
	210	Slack space in carton after packaging or carton undersized for packed contents.
	211	Loose, inadequate or missing tape to intermediate cartons, as applicable.
	212	Missing code date on package or intermediate carton, as applicable.

1/ If the same defect is found in more than 1 slice per primary container, it shall be tallied as 1 defect.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE IX.- Examination of product characteristics 1/

Category		Defect
Major	Minor	
101		Type, grade, class, flavor, category or style, not as specified.
	201	Flavor not as specified.
		General appearance
102		Evidence of melting and refreezing.
	202	Meltdown (types I and VII only) not of a smooth, uniform, creamy consistency.
	203	Voids, surface or interior. 3/
	204	Two or more overruns in same package or slice. 3/
	205	Wrapper imbedded in bar confection so as to interfere with its removal (type VI).
	206	Bar coating not uniform, fractured, slipping from ice cream or ice cream bleeding through.
	207	Ice cream smeared on exterior of sandwich wafers or chocolate coated ice cream cones.
	208	Misshapen novelty or grossly undersized.
	209	Ice cream intermixed with sherbet portion or bleeding through (type VI, class 3).
103		Soggy wafers or cones broken, crumbly, affecting usability (see exception in 3.3.6.5).
104		Coating on bars brittle to the point of breaking off when eating.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE IX.- Examination of product characteristics 1/ (cont'd)

Category		Defect
Major	Minor	
		Body and texture
105		Definite soggy, weak, buttery or salvy, gummy, crumbly, or other objectionable defects.
106		Definitely coarse, sandy, icy. 2/
		Applicable to types IV and V
107		Surface crustation.
108		Brittle.
109		Syrup "bleeding".
110		Large ice crystals.
	210	Any of the defects listed under 105 through 110 but on a slight level.
		Flavor
111		Definite oxidized, old, rancid, stale, unnatural, surface taint, medicinal, musty, salty, or other objectionable flavors.
	211	Any of the defects listed under 106, but on a slight level.
		Fruit, nut and syrup distribution, as applicable 3/
112		Lacking in fruit, nuts, syrup showing or excessive amounts observed beyond reasonable expectations of formula requirements.
	212	Uneven distribution.
	213	Variegated pattern poor or uneven.
	214	Individual pieces of fruits/nuts, when applicable, not showing (i.e., fruit pureed instead of injected).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE IX.- Examination of product characteristics 1/ (cont'd)

Category		Defect
Major	Minor	
		Color 3/
	215	Unnatural or multitone.
	216	Mottled.
	217	Slight deep or slight light.
	218	Age darkened bar confection (type VI, class 4).

1/ The sample unit for styles (a), and (b), shall be one primary container; the sample unit for style (c) shall be one quart (of slices) and two slices shall be examined per quart (if any defect is found in one or both slices it shall be tallied only once); the sample unit for style (d) shall be one master carton containing 6 to 24 molded individual portions (including type VI novelties) and two molded individual portions shall be examined per carton (if any defect is found in one or both of the portions examined it shall be tallied only once.

2/ Type V (water ices) may be slightly coarse without being scored as defect.

3/ For proper evaluation of the sample, the sample shall be cut through with a suitable knife in 2 dimensions, except slices, to expose cross-section. Removal of carton wrapping from product should facilitate both surface examination and the slicing. (Note: When color defect is caused by differences in overrun in the same package, two or more shades of the same color (and flavor) are traceable to the use of more than 1 freezer tube in a battery of tubes not properly synchronized for speed, air intake, refrigeration, back pressure, etc.).

4.4.3.5 Examination of product composition.- Examination shall be made to determine compliance with the applicable composition requirements specified in the tabulations under 3.3.1 through 3.3.5, as concerns milk fat, milk and chocolate solids-not-fat, stabilizer/emulsifier, fruit and nut levels and titratable acidity (types IV and V, only). These determinations shall be ascertained from plant and laboratory records properly and readily identified as to specific batches

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

or lots processed under government contract. A review of records shall reveal accountability of material on hand and its disposition relative to the composition of product(s) covered by this document. Noncompliance with the aforementioned referenced requirements or absence of required information pertinent to satisfying specified composition shall be cause for rejection of the involved lot of finished product.

4.4.3.6 Examination for age and temperature of finished product at time of delivery.- Unless otherwise specified (see 6.1), the product shall be examined to determine compliance with the requirements of 3.4 and 3.5, as concerns age and temperature of the product at time of delivery. The determination for age shall be ascertained from plant records, date of pack, codes or other valid means. Actual temperature readings shall be taken from at least 3 primary containers, one located at each end of the shipment being delivered and the third sample from a center location. Noncompliance with the aforementioned referenced requirements, absence of required information or failure of any one sample to meet the maximum temperature 0°F. limit, shall be cause for rejection of the involved lot of finished product.

4.4.3.7 Examination of shipping containers for marking (military agencies).- The sample unit for examination shall be one shipping container and the sample size shall be the number of sample units indicated by inspection level S-4. Lot size shall be expressed in terms of shipping containers, and the AQL, expressed in percent defectives, shall be 2.5. A defect shall be scored for a shipping container not marked in accordance with the requirements of MIL-STD-129 (see 5.3.2).

4.4.3.8 Sampling procedures and acceptance criteria for testing of the finished product.- Unless otherwise specified (see 6.1), or when shipment prior to receipt of laboratory analysis by the Government is permitted by the purchaser, the product shall be tested for the fat, titratable acidity and microbiological requirements of 3.3 and in accordance with the test procedures of 4.4. The sample unit for testing shall be one primary container or a minimum of one quart. In the case of slices, individual molded portions, cups or similar multipak items, a minimum of one quart shall be taken at random from a primary or intermediate container, as applicable, and shipped under aseptic conditions to the laboratory. Portions for microbiological testing shall be taken at random from the sample units prior to compositing. For chemical analysis, the remaining portion of the sample shall be composited into a single sample unit. In the case of bulk package (over 1/2 gallon size), a minimum of one quart shall be withdrawn aseptically, making certain that both surface and subsurface contents are included in the sample unit for testing. In addition, food solids per gallon shall be determined in accordance with the above referenced requirements by calculation. Calculation shall be made as follows: (Data derived from lot average net weight, Table VII and plant or laboratory records for total solids):

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

Percent total solids x weight per gallon (equivalent) = lbs. food solids per gallon. (Report to the nearest 0.1 pound)

Fat and titratable acidity shall be reported to the nearest 0.1 percent and microbiological results shall be reported in accordance with Standard Methods for the Examination of Dairy Products. Nonconformance to one or more test requirements of each lot represented by a specific type, grade, class and flavor (except for coliform count, in which case the 3-out-of-the-last-5 compliance procedure shall be enforced as a basis for rejection) or absence of pertinent plant records by which the required calculations are to be made shall be cause for rejection of the involved lot of finished product.

4.5 Test methods.- Examination and test procedures and controls which differ from those specified herein may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.5.1 Examination procedures.-

4.5.1.1 Determination of net volume of novelties (not applicable to type VI, classes 5 and 6 products).- The apparatus used shall conform to the can overflow device referenced in footnote 2/ of 4.5.1.3 (Weight per Unit Volume of Packaged Ice Cream - Official Final Action - Method I). The procedure shall be as follows:

(a) Fill overflow can with cold water.

(b) When overflow ceases, submerge hard frozen confection bar into water slowly but promptly, holding bar vertically by the stick. Submerge until water covers completely the butt end of the product. A 1/8-inch penetration of the stick into the water and that portion of the stick surrounded by the product may be ignored for all practical purposes.

(c) Catch the displaced water in a graduated container calibrated in fluid ounces.

(d) When the overflow ceases read the volume of displaced water.

4.5.1.2 Examination of net volume of type VI, classes 5 and 6 products.- The net volume of ice cream in sandwich or cone form shall be determined as follows: (a) Obtain average weight in grams of 50 wafers or 50 preformed cones. (b) Obtain

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

average gross weight (in grams) of 5 ice cream sandwiches or 5 cones freed of wrappings selected at random from each primary container of the sampling plan. (c) Subtract weight of 2 wafers or 1 preformed cones from the average weight obtained in (a) above from (b). This is the net weight in grams of the ice cream in the sandwich or cone. (Note: Chocolate coating and nuts on cone may be ignored). (d) Convert net weight (grams) into fluid ounces as follows:

(1) No. of grams (determined in (c)) x 0.0352 = ounces (avoir)

(2) $\frac{128 \times \text{ounces (avoir)}}{72 \text{ ounces (Wt. per gallon at 4.5 lbs.)}}$ = Fluid ounces of ice cream

4.5.1.3 Chemical analysis.- Chemical analysis, when required by the purchaser (see 6.1), shall be made in accordance with the following methods:

Test	Source	Method
Moisture	1/	Ca - 2e - 55
Wiley melting point	1/	Cc - 2 - 38
Free fatty acids	1/	Ca - 5a - 40
Peroxide value	1/	Cd - 8 - 53
Iodine value	1/	Cd - 1 - 25
Fat stability	1/	Cd - 12 - 57
Color	1/	Cc - 13b - 45
Fat	2/	Roese-Gottlieb
Total solids	2/	Total solids
Lactic acid (type IV only)	2/	Lactic acid

1/ Official and Tentative Methods of the American Oil Chemists Society, Section c, commercial fats and oils.

2/ Official Methods of Analysis of the Association of Official Analytical Chemists; Chapter: Dairy Products; Section: Ice cream and frozen desserts.

4.5.2 Bacteriological analysis.- Bacteriological analysis when required by the purchaser (see 6.1) shall be made in accordance with the methods described in Standard Methods for the Examination of Dairy Products, Chapter: Microbiological Methods for Ice Cream and Related Frozen Products.

Test	Method
Standard plate count	Agar Plate (32°C)
Coliform	Coliform test

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.5.3 Phosphatase.- Compliance with the phosphatase requirement shall be determined by the Scharer Rapid Phosphatase Test as outlined in Standard Methods for the Examination of Dairy Products, Chapter: Phosphatase Methods to Determine Pasteurization.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level C.- Commercial packaging will be acceptable. No material shall be used in the packaging or packing of these products which will impart an odor or flavor to the products. All containers shall be sound and clean and shall adequately protect the contents from contamination. The applicable styles in the size and kind of containers, which are as follows, shall be as specified:

(a) Bulk - 1 gallon, 2-1/2 gallon, 3 gallon, or 5 gallon.

1. Multiple-use containers.
2. Single-service containers.

(b) Cartons - fiber or plastic - solid pack.

1. Pint.
2. Quart.
3. Half-gallon.
4. Gallon.

(c) Slices - 6 or 8 equal slices per quart, each slice individually encircled with parchment.

(d) Molded or filled individual portions (bars) 2, 2-1/2, 3, 3-1/2, 4 or 5 fluid ounces, each individually wrapped in paper or foil or contained in a carton or cup.

(e) Molded bars, cones with sealed cap (preformed) and sandwiches shall be individually wrapped in paper or foil.

(f) Other standard containers (as specified) - All portions less than one quart size shall be uniform in weight.

5.1.1 Unless otherwise specified (see 6.1), novelty ice cream products shall be packaged in cartons, the size, style, and net contents of which shall be the same as that normally used by the supplier and shall meet all of the requirements specified in 5.1. The carton shall be overwrapped and completely heat sealed in

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

one of the materials specified below. Alternatively, the product may be inclosed in a heat sealable bag made from one of the materials specified below and the completely heat sealed bag inclosed in a carton. If a bag is used, the carton need not be overwrapped. The overwrapping or bag materials shall be plastic film or waxed paper of the types normally used in packaging frozen foods and meeting the requirements of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

5.2 Packing, levels B and C.- Packing shall be in accordance with level B or C as specified (see 6.1).

5.2.1 Level B.- Not more than 50 pounds of the novelty ice cream product specified in 5.1.1, shall be packed into a snug-fitting fiberboard box constructed and closed in accordance with style RSC, V3c, V3s, or V4s of PPP-B-636 and reinforced with pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.2 Level C.- The product, packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery to destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Labeling and marking (see 6.2).-

5.3.1 Labeling.- Any commercial labeling that complies with the Federal Food, Drug, and Cosmetic Act, and Regulations Promulgated Thereunder is acceptable. Labeling shall include the name of the product; name and address of manufacturer, packer or distributor; a statement of net contents and a list of ingredients where necessary.

5.3.2 Marking.- Unless otherwise specified (see 6.1), shipping containers shall be marked in accordance with FED-STD-123 (civil agencies) or MIL-STD-129 (military agencies), as applicable, and shall include the following precautionary warning:

KEEP FROZEN

(0°F. or below)

6. NOTES

6.1 Ordering data.- Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

(a) Title, number, and date of specification.
(b) Type, grade, class, flavor classification, product composition, style, weight or volume designation (see 1.2.1, 1.2.2, 1.2.3, and 5.1).
(c) When the supplier is not required to perform the examination and tests (see 4.1).
(d) When final inspection shall not be made after delivery to the point of destination (see 4.3.4).
(e) When USDA certificate is required (see 4.4.1.1).
(f) When verification testing for analytical, in-process and component examinations may be otherwise waived on small-lot orders (see 4.4.1).
(g) Unless otherwise specified, testing of components is waived (see 4.4.2).
(h) When in-process examination is not required (see 4.4.3.1 and 4.4.3.2).
(i) Unless otherwise specified, examination of end item is waived (see 4.4.3.3).
(j) When examination for age and temperature of the finished product at time of delivery is not required (see 4.4.3.6).
(k) When verification examination or testing may be waived (see 4.4.3.8).
(l) When chemical or bacteriological analyses are required for civil agencies (see 4.5.1 and 4.5.2).
(m) When single, twin sticks or stickless novelties are required (see 3.3.6).
(n) When shipment prior to receipt of laboratory analyses by Government laboratory is permitted (see 4.4.3.8).
(o) When packaging of novelty ice cream products specified in 5.1.1 is required.
(p) When marking in accordance with FED-STD-123 or MIL-STD-129 is not required (see 5.3.2).

6.2 Technical information.- The products covered by this specification are intended for prompt use with a minimum of storage time after delivery. If the products are stored by the user, they should be held at a uniform temperature below 0°F. The mellorine or mellorine type products covered in this specification are to be used as a substitute for their regular counterparts, when authorized, in areas where their manufacture and sale are not prohibited by law. For overseas operations the following guidelines in the manufacture of type VI, class 4 novelties are furnished. The frozen fudge bar confection may be prepared with the following suggested formulation:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

Water	27.3%
Sucrose sweetening	19.8%
Corn syrup solids	5.3%
Fudge powder	4.6%
Ice cream mix (as used in the preparation of type I, grade 1 product)	42.80%
Stabilizer as needed (within legal limits)	

Prepare the mix by combining all ingredients, pasteurizing, homogenizing and cooling as for ice cream mix (see 3.2.2, 3.2.3 and 3.2.4).

6.2.1 Bulky flavor reducing factors.- Federal definitions and standards of identity provide for a specified reduction in fat and total milk solids tests when bulky flavors are added to unflavored ice cream mix. When such bulky flavors as chocolate, fruit, nuts, etc. are used, a reduction in these tests results to an extent corresponding to the amount of flavor used. The limits of such test reductions are based on normal usage of such flavors and sufficient to provide for acceptable flavor intensity. In addition, the dilution in tests can in no instance be less than 8 percent milk fat and 16 percent total milk solids. Standards of identity provide for dilution factors of 2.5 for chocolate and 1.4 for fruit and nuts when calculating minimum milk fat and total milk solid levels in ice cream flavored with these bulky flavors.

> Example: A 4.5 percent level of chocolate flavor is used to make chocolate ice cream, therefore: 2.5 x 4.5 = 11.25 lbs. dilution allowed, so for every 100 lbs. of ice cream, 100 - 11.25 = 88.75 lbs. are considered plain ice cream mix which must test 10 percent milk fat and 20 percent total milk solids. Therefore, 88.75 x 10 = 8.88 lbs. milk fat in 100 lbs of ice cream and 88.75 x 20 = 17.75 lbs. total milk solids in 100 lbs. of ice cream.

In other words, the ice cream must have at least 8.88 percent milk fat and 17.75 percent total milk solids. Anything less than these limits are considered illegal. In such a case, it would therefore be necessary to manufacture a special mix (or blend) to accommodate this amount of flavor used. The objective is to prevent adulteration of the product with fats or oils other than milk fat.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

6.3 Destination inspection (for civil agencies).- When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only. Unless otherwise specified, such inspection should be made by the receiving facility. However, inspection for quality may be made by the procuring agency or a duly authorized representative, when deemed necessary to verify contract compliance.

6.4 Supersession data.- This specification includes the requirements of Military Specification MIL-I-35027B dated January 27, 1969.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP-SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities

AGR-AMS
GSA-FSS
HEW-FDA, NIH
VA-DMS

Project No. 8910-0244

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 35 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development
Laboratories
ATTN: DRDNA-ES (Mr. D. Juppino)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*:

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil - Downloaded: 2026-02-26 11:11:45Z
Check the source to verify that the document is current before use.