
MILITARY SPECIFICATION SHEET

# CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, CONTACT, GROUNDING, WRAPPOST

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest issue of MIL-C-28754.




| INCHES | MM |
|---|---|
| .002 | .05 |
| .003 | .08 |
| .005 | .13 |
| .015 | .38 |
| .020 | .51 |
| .025 | .64 |
| .090 | 2.29 |
| .130 | 3.30 |

FIGURE 1. Contact, grounding wrappost.





Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:41Z
Check the source to verify that this is the current version before use.

WRAPPOST GEOMETRY

| C | B | E | PARALLELISM | STRAIGHTNESS |
|---|---|---|---|---|
| .025 (NOM)<br>.022 (MIN) | .025 (NOM)<br>.022 (MIN) | .0355 (MAX)<br>.0325 (MIN) | .002 | .005 in./in. |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. .090 x .085 square permissible.
4. See Table I for dimensions A and B.
5. .083 min diameter permissible.

FIGURE 1. Contact, grounding wrappost - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:41Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configurations: See table I and figure 1.

Material:

Contacts: Contacts shall be beryllium copper per QQ-C-530, minimum hardness of Rockwell 75 on 30T scale.

Contact plating: In accordance with MIL-C-28754.

TABLE I. Dash numbers and dimensions.

| Dash no. | Overall length "A" ±0.010 | Wrappost length "B" (Ref) |
|---|---|---|
| 01 | 0.320 | 0.175 |
| 02 | 0.395 | 0.250 |
| 03 | 0.495 | 0.350 |
| 04 | 0.645 | 0.500 |
| 05 | 0.770 | 0.625 |
| 06 | 0.895 | 0.750 |

Performance:

Mounting plate to contact resistance: Voltage drop shall not exceed 20 millivolts.

Current rating: 3 amperes.

Temperature rating: -55°C to +105°C.

Military part number M28754/38- (dash number from table I).

Marking: In accordance with MIL-C-28754 and figure 1.

Shipping: Bulk shipping shall be in unassembled condition.

Supersession data: This specification includes the requirements of drawing number WS6157/5, code identification 10001.

QUALIFICATIONS:

Qualification testing: Test plate samples shall be submitted in accordance with MIL-C-28754, type III sample, and each shall be pinned with one pin pattern with one style contact from table I, with 9 rows of MIL-C-28754/34 as applicable. Ten of each other wrappost length (see table I) to be qualified shall be submitted as loose parts. The test plates shall be subjected to group A inspection. The loose parts shall be subjected to group A inspection. Loose part qualification is contingent upon satisfactory results from the test plate testing.

Extended qualification: When qualified with MIL-C-28754/37, ends of all pin patterns shall contain MIL-C-28754/37 pins and polarizing bushings. When qualified for MIL-C-28754/38 only, all pin patterns shall contain MIL-C-28754/38 pins. When qualified in accordance with MIL-C-28754/34 (and MIL-C-28754/35 or MIL-C-28754/36), one pin pattern of MIL-C-28754/38 shall be pinned for each MIL-C-28754/35 or MIL-C-28754/36 (in place of MIL-C-28754/34).

NOTE: Revision letters are not used to denote changes due to the extensiveness of the changes.



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:41Z
Check the source to verify that this is the current version before use.

Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Navy - MC, TD
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - AR, MI
Navy - AS, YD

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5935-3405-25)



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

*(See Instructions – Reverse Side)*

| 1. DOCUMENT NUMBER | 2. DOCUMENT TITLE |
|---|---|
| MIL-C-28754/38C | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III |

| 3a. NAME OF SUBMITTING ORGANIZATION | 4. TYPE OF ORGANIZATION (Mark one) |
|---|---|
| | ☐ VENDOR |
| | ☐ USER |
| b. ADDRESS (Street, City, State, ZIP Code) | ☐ MANUFACTURER |
| | ☐ OTHER (Specify): |

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

| 7a. NAME OF SUBMITTER (Last, First, MI) – Optional | b. WORK TELEPHONE NUMBER (Include Area Code) – Optional |
|---|---|
| c. MAILING ADDRESS (Street, City, State, ZIP Code) – Optional | 8. DATE OF SUBMISSION (YYMMDD) |

DD FORM 82 MAR 1426

PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:41Z
Check the source to verify that this is the current version before use.

**INSTRUCTIONS:** In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, were too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

*NOTE:* This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

*(Fold along this line)*

*(Fold along this line)*

DEPARTMENT OF THE NAVY
Naval Electronic Systems Command
Washington, DC 20363

NO POSTA
NECESSA
IF MAILE
IN THE
UNITED STA

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:41Z
Check the source to verify that this is the current version before use.