GGG-F-325B
INT. AMENDMENT 5(NAVY-SH)
May 30, 1980
SUPERSEDING
INTERIM AMENDMENT 4(NAVY-SH)
November 5, 1979

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

FILE, HAND (AMERICAN PATTERN) AND RASP, HAND

This interim amendment was developed by the Department of the Navy, Naval Sea Systems Command, Washington, DC 20362, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification GGG-F-325B.

PAGE 2

Section 2: Delete and substitute:

"2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein.

Federal Specification:

PPP-P-40 - Packaging and Packing of Hand Tools.

Federal Standard:

FED-STD-123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications and Standards as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

FSC 5110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:39Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration, Business Service Centers in Boston, New York, Philadelphia, Washington, DC; Atlanta, Chicago, Kansas City, MO., Fort Worth, Houston, Dallas, Denver, San Francisco, Los Angeles, and Seattle, WA.)

(Federal Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

"2.2 Other publications. The following document forms a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)
A 108 - Steel Bars, Carbon, Cold Finished, Standard Quality.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)"

3.1: Delete and substitute:

"3.1 Qualification. The files and rasps furnished under this specification shall be products which are qualified for listing on the applicable qualified products list at the time set for opening of bids (see 4.2 and 6.3)."

PAGES 3 and 4

* 3.12: Delete the last sentence and substitute:

"The tang shall be tempered to a hardness not greater than 45 Rockwell C at a point approximately midway of its length and width (see 4.5.1)."

PAGE 4

3.15: First column, following the word "Rasps", delete "(lengths 6 to 14 inches)", and substitute "(lengths 6 to 18 inches)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:39Z
Check the source to verify that this is the current version before use.

PAGE 12

3.28.1: Delete and substitute:

"3.28.1 Class 1 regular, styles A, B, and C, bastard-cut, second-cut, and smooth-cut. The files shall taper at least 1/3 of the length to the point. Bastard-cut files in lengths 4 inches through 10 inches shall be single-cut or double-cut. Bastard-cut files in lengths 12, 14, and 16 inches shall be double-cut. Second-cut files shall be single-cut, except the 12- and 14-inch lengths which shall be double-cut. Smooth-cut files shall be single-cut. The files shall conform to table XVIII and shall be similar to figure 17."

PAGE 21

3.39: Delete and substitute:

"3.39 Workmanship. The teeth of the files shall be well-defined, sharp, and uniform in height and form. There shall be no evidence of rust or other defects which may impair durability, serviceability, or appearance."

4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2: Delete 4.2 and accompanying footnote 1/, and substitute:

"4.2 Qualification. Qualification tests shall be conducted at a laboratory satisfactory to the Naval Sea Systems Command."

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:39Z
Check the source to verify that this is the current version before use.

"TABLE XXXV. Representative files and rasps.

Type	Description	Class	Style	Length	Total number required
				Inches	
I	Aluminum	1, 2	-------	10	2
II	Bandsaw, blunt	1, 2	-------	6	2
IV	Cantsaw	--------	-------	8	1
V	Crosscut	--------	-------	8	1
VI	Double-ender	--------	-------	8	1
VII	Flat	--------	A, B, C, D	10	4
IX	Half-round	--------	A, B, C	10	3
X	*Hand*	2	A, B, C	10	3
XI	Knife	--------	A, B, C	6	3
XII	Lead-float	1, 2	--------	10	2
XIII	Mill	1	--------	8	1
		2	A, B, C	8	3
		3	--------	8	1
XIV	Pillar	--------	A, B, C	8	3
XVI	Round	1	A, B, C	8	3
		2 (5/16" dia)	--------	8	1
XVII	Square	--------	A, B, C	10	3
XVIII	Taper	1, 2, 3, 4	--------	6	4
XIX	Three-square	--------	A, B, C	8	3
XX	Warding	--------	A, B, C	6	3
XXII	Long angle lathe	--------	--------	12	1
XXIII	Milled curve teeth	--------	A, B, C	10	3
XXIV	Cabinet	--------	B	10	2
XXV	Horse	1, 3, 4	--------	14	3
		2	--------	18	1
XXVI	Shoe, half-round	--------	--------	9	1
XXVII	Wood	1, 2	A	12	4

NOTES:

1. When a representative length is not available, the next shorter or longer length shall be submitted.
2. When cuts are specified for a particular type and class, the representative length of all cuts shall be submitted.
3. Substitutions of samples other than those shown above shall be agreed to in writing by the Naval Sea Systems command prior to authorization of a qualification test."

Add new 4.2.1.1.1:

"4.2.1.1.1 Samples for qualification of individual types. When all types are not manufactured by a manufacturer, two each of the class, cut, and length as listed in table XXXV for the applicable type for which qualification is requested shall be furnished."

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:39Z
Check the source to verify that this is the current version before use.

PAGE 23

4.5.1: Delete and substitute:

"4.5.1 Tang hardness. The inspector shall satisfy himself that all files and rasps having tangs meet the applicable requirements of 3.12."

FIGURE 34: Delete and substitute:




FIGURE 34. Distortion tester."

PAGE 24

4.5.4, line 11: Delete "steel No. C1020 of QQ-S-634" and substitute "steel Grade 1020 of ASTM A 108".

PAGE 25

4.5.7: Add the following: "The sum of the average amounts of bar length removed by file types VII, IX, and XIII shall be a minimum of 3.50 inches. An individual file side or the average of an individual file type, however, shall be considered acceptable at the applicable minimum level stipulated in table XXXIX, providing the total of the 3 averages meets the 3.50 inch requirement."

TABLE XXXIX: Delete footnote "1/".

Add the following as 4.6:

"4.6 Inspection of preparation for delivery. The packaging, packing, and marking shall be inspected for compliance with section 5 of this document."

5.1, lines 3 and 4: Delete "MIL-H-15424", and substitute "PPP-P-40".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:39Z
Check the source to verify that this is the current version before use.

6.3 and 6.3.1: Delete and substitute:

"6.3 With respect to products requiring qualification, awards will be made only for products which are at the time set for opening of bids, qualified for inclusion in the applicable Qualified Products List QPL GGG-F-325 whether or not such products have actually been so listed by that date. The attention of the contractors is called to these requirements, and manufacturers are urged to arrange to have the products that they propose to offer to the Federal Government tested for qualification in order that they may be eligible to be awarded contracts or orders for the products covered by this specification. The activity responsible for the Qualified Products List is Naval Sea Systems Command, SEA 3112, Department of the Navy, Washington, DC 20362, and information pertaining to qualification of products may be obtained from that activity. Application for Qualification tests shall be made in accordance with "Provisions Governing Qualification SD-6" (see 6.3.1).

"6.3.1 Copies of "Provisions Governing Qualification SD-6" may be obtained upon application to Commanding Officer, Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, PA 19120."

NOTE: The margins of this amendment are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 5110-N290)

*U.S. GOVERNMENT PRINTING OFFICE: 1980—603-121/2774

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:39Z
Check the source to verify that this is the current version before use.